



COMPUTER PROCESSED INTERPRETATION CONTINUED

COMPANY : PHILLIPS PETROLEUM
WELL : LEASEX 230
FIELD : LEASEX FAEDUCK
COUNTRY : LBA
REFERENCE : NEW-MEXICO
LOGGED : 22-JUL-81
PROCESSED : 28-JUL-81

DEPTH FT	VCL %	KOMA G/C3	SW %	PERM MD	POF %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
4751.0	0	2.87	48	0	6.64	0	61.02	18.40
4752.0	0	2.85	92	0	2.42	0	60.96	18.37
4756.0	0	2.88	38	0	3.28	0	60.94	18.36
4757.0	0	2.86	44	0	8.07	0	60.90	18.34
4758.0	0	2.82	49	1	8.21	0	60.84	18.30
4759.0	0	2.86	57	1	8.72	0	60.74	18.26
4760.0	0	2.86	72	0	9.44	0	60.65	18.22
4761.0	0	2.84	100	0	8.85	0	60.56	18.20
4762.0	0	2.86	100	0	8.12	0	60.47	18.20
4763.0	0	2.86	97	0	9.14	0	60.38	18.20
4764.0	0	2.86	100	0	7.63	0	60.29	18.20
4765.0	0	2.86	100	0	5.75	0	60.22	18.20
4766.0	0	2.86	100	0	5.42	0	60.16	18.20
4767.0	0	2.86	78	0	5.08	0	60.11	18.19
4768.0	0	2.85	67	0	6.15	0	60.06	18.18
4769.0	0	2.85	61	0	6.58	0	59.99	18.15
4770.0	0	2.86	61	0	6.72	0	59.93	18.13
4771.0	0	2.86	68	0	5.15	0	59.87	18.11
4772.0	0	2.86	52	0	6.57	0	59.82	18.09
4773.0	0	2.85	58	0	5.93	0	59.75	18.06
4774.0	0	2.84	63	0	7.40	0	59.68	18.03
4775.0	0	2.84	100	0	5.12	0	59.61	18.01
4776.0	0	2.85	77	0	5.83	0	59.56	18.01
4777.0	0	2.84	67	0	5.79	0	59.50	17.99
4778.0	0	2.86	67	0	6.42	0	59.44	17.97
4779.0	0	2.87	57	0	7.60	0	59.38	17.95
4780.0	0	2.84	56	0	8.26	0	59.30	17.92
4781.0	0	2.86	68	0	8.32	0	59.22	17.88
4782.0	0	2.88	65	0	8.50	0	59.14	17.86
4783.0	0	2.84	100	0	5.33	0	59.05	17.83
4784.0	0	2.84	100	0	3.77	0	59.01	17.83
4785.0	0	2.85	59	0	5.54	0	58.97	17.83
4786.0	0	2.85	41	0	6.48	0	58.91	17.80
4787.0	0	2.87	47	0	7.07	0	58.84	17.76
4788.0	0	2.87	49	1	8.49	0	58.77	17.72
4789.0	0	2.85	67	0	8.49	0	58.68	17.68
4790.0	0	2.86	90	0	8.71	0	58.60	17.66
4791.0	0	2.86	94	0	9.04	0	58.51	17.66
4792.0	0	2.85	100	0	8.10	0	58.43	17.65
4793.0	0	2.85	100	0	7.14	0	58.35	17.65
4794.0	0	2.87	97	0	7.30	0	58.28	17.65
4795.0	0	2.84	95	0	7.19	0	58.20	17.65
4796.0	0	2.85	100	0	6.14	0	58.13	17.65
4797.0	0	2.86	61	0	7.95	0	58.07	17.64
4798.0	0	2.87	39	1	8.97	0	57.99	17.60
4799.0	0	2.88	34	2	8.98	0	57.90	17.55

DEPTH FT	VCL %	ROMA G/GC3	SW %	PERM MD	POR %	SPI %	COMU LATIVE POR/ FT	HC/ FT
4800.0	0	2.84	38	1	7.78	0	57.81	17.49
4801.0	0	2.85	42	0	6.96	0	57.74	17.45
4802.0	0	2.87	38	1	7.61	0	57.66	17.40
4803.0	0	2.87	40	1	7.70	0	57.59	17.35
4804.0	0	2.86	36	1	8.67	0	57.51	17.31
4805.0	0	2.87	32	3	10.11	0	57.42	17.25
4806.0	0	2.88	40	1	7.81	0	57.32	17.19
4807.0	0	2.86	32	2	9.36	0	57.24	17.14
4808.0	0	2.86	34	1	8.48	0	57.15	17.07
4809.0	0	2.88	57	0	4.97	0	57.07	17.03
4810.0	0	2.88	66	0	5.66	0	57.03	17.01
4811.0	0	2.88	42	1	9.18	0	56.96	16.98
4812.0	0	2.86	54	0	8.39	0	56.87	16.93
4813.0	0	2.85	52	1	9.15	0	56.78	16.89
4814.0	0	2.88	49	2	10.59	0	56.69	16.84
4815.0	0	2.90	45	5	13.09	0	56.57	16.78
4816.0	0	2.88	63	1	11.48	0	56.45	16.72
4817.0	0	2.87	72	1	11.05	0	56.34	16.68
4818.0	0	2.87	63	2	11.98	0	56.23	16.65
4819.0	0	2.87	63	2	12.54	0	56.10	16.60
4820.0	0	2.88	69	2	12.57	0	55.98	16.56
4821.0	0	2.87	71	2	12.43	0	55.86	16.52
4822.0	0	2.88	67	3	13.00	0	55.73	16.49
4823.0	0	2.88	69	2	12.58	0	55.61	16.45
4824.0	0	2.88	78	1	11.10	0	55.48	16.41
4825.0	0	2.85	91	1	10.73	0	55.37	16.39
4826.0	0	2.86	91	1	10.98	0	55.26	16.38
4827.0	0	2.84	95	0	9.54	0	55.16	16.37
4828.0	0	2.84	94	0	7.78	0	55.06	16.37
4829.0	0	2.87	73	0	6.46	0	54.99	16.36
4830.0	0	2.87	68	0	5.27	0	54.93	16.34
4831.0	0	2.86	86	0	4.02	0	54.88	16.33
4832.0	0	2.88	62	0	4.52	0	54.84	16.32
4833.0	0	2.88	70	0	5.16	0	54.79	16.30
4834.0	0	2.87	79	0	5.26	0	54.74	16.28
4835.0	0	2.87	98	0	4.31	0	54.69	16.28
4836.0	0	2.87	93	0	4.04	0	54.65	16.28
4837.0	0	2.86	83	0	3.89	0	54.61	16.27
4838.0	0	2.87	53	0	5.26	0	54.56	16.26
4839.0	0	2.87	39	0	7.00	0	54.51	16.23
4840.0	0	2.96	46	0	6.38	0	54.44	16.19
4841.0	0	2.86	59	0	6.07	0	54.38	16.16
4842.0	0	2.87	39	2	9.95	0	54.31	16.13
4843.0	0	2.85	42	1	8.27	0	54.21	16.07
4844.0	0	2.89	37	1	7.96	0	54.13	16.02
4845.0	0	2.90	42	0	7.19	0	54.05	15.97
4846.0	0	2.87	71	0	4.28	0	53.98	15.94
4848.0	0	2.86	106	0	2.12	0	53.93	15.93

DEPTH FT	VCL %	ROMA G/C3	SH %	PERM MD	FOR %	SPI %	CUMULATIVE POR/ FT	HC/ FT
4849.0	0	2.86	84	0	4.01	0	53.90	15.93
4850.0	0	2.86	67	0	5.07	0	53.86	15.92
4851.0	0	2.84	74	0	4.16	0	53.81	15.90
4852.0	0	2.85	64	0	6.46	0	53.77	15.89
4853.0	0	2.88	63	1	10.73	0	53.69	15.86
4854.0	0	2.85	85	0	8.09	0	53.59	15.83
4855.0	0	2.87	52	0	6.74	0	53.51	15.81
4856.0	0	2.90	40	1	7.10	0	53.44	15.78
4857.0	0	2.86	44	0	7.29	0	53.37	15.73
4858.0	0	2.88	45	0	7.40	0	53.30	15.69
4859.0	0	2.89	54	0	6.14	0	53.22	15.65
4860.0	0	2.88	68	0	5.14	0	53.16	15.63
4861.0	0	2.85	65	0	6.36	0	53.11	15.61
4862.0	0	2.86	71	0	8.43	0	53.05	15.50
4863.0	0	2.85	86	0	4.92	0	52.99	15.57
4864.0	0	2.87	74	0	4.59	0	52.94	15.55
4865.0	0	2.88	57	0	5.64	0	52.89	15.55
4866.0	0	2.87	43	1	8.01	0	52.82	15.52
4867.0	0	2.87	55	0	6.76	0	52.74	15.47
4868.0	0	2.86	69	0	5.72	0	52.68	15.44
4869.0	0	2.87	72	0	6.13	0	52.62	15.42
4870.0	0	2.87	77	0	6.88	0	52.56	15.41
4871.0	0	2.86	73	0	7.77	0	52.48	15.39
4872.0	0	2.87	75	0	7.41	0	52.40	15.37
4873.0	0	2.86	70	0	7.96	0	52.33	15.34
4874.0	0	2.88	66	0	9.13	0	52.24	15.32
4875.0	0	2.85	83	0	7.78	0	52.15	15.29
4876.0	0	2.86	100	0	3.83	0	52.09	15.28
4877.0	0	2.89	55	0	6.61	0	52.04	15.28
4878.0	0	2.88	43	1	9.64	0	51.97	15.24
4879.0	0	2.88	54	1	8.47	0	51.87	15.19
4880.0	0	2.87	64	0	6.41	0	51.79	15.16
4881.0	0	2.86	93	0	4.50	0	51.74	15.14
4882.0	0	2.86	91	0	3.42	0	51.69	15.14
4883.0	0	2.86	57	0	5.14	0	51.66	15.13
4884.0	0	2.85	74	0	4.62	0	51.60	15.11
4885.0	0	2.86	100	0	3.17	0	51.56	15.10
4886.0	0	2.86	100	0	5.38	0	51.53	15.10
4887.0	0	2.87	100	0	5.77	0	51.47	15.10
4888.0	0	2.87	95	0	6.88	0	51.41	15.10
4889.0	0	2.86	92	0	7.45	0	51.34	15.10
4890.0	0	2.85	94	0	8.31	0	51.26	15.09
4891.0	0	2.85	95	0	8.39	0	51.18	15.08
4892.0	0	2.85	98	0	7.48	0	51.10	15.08
4893.0	0	2.87	100	0	5.45	0	51.03	15.08
4894.0	0	2.88	100	0	4.80	0	50.98	15.08
4895.0	0	2.88	56	0	8.00	0	50.92	15.07
4896.0	0	2.88	62	0	8.14	0	50.83	15.03
4897.0	0	2.87	66	0	7.83	0	50.75	15.00

DEPTH FT	VCL %	ROMA G/GC3	SW %	PERM MD	POR %	SPI %	COMB LATIVE POR/ FT	HC/ FT
4898.0	0	2.89	56	1	9.03	0	50.67	14.97
4899.0	0	2.88	66	0	8.30	0	50.58	14.93
4900.0	0	2.86	83	0	7.15	0	50.50	14.91
4901.0	0	2.85	100	0	6.33	0	50.44	14.90
4902.0	0	2.86	100	0	6.09	0	50.37	14.90
4903.0	0	2.85	100	0	5.51	0	50.31	14.90
4904.0	0	2.85	99	0	6.66	0	50.25	14.90
4905.0	0	2.86	91	0	6.25	0	50.19	14.90
4906.0	0	2.87	100	0	3.68	0	50.13	14.89
4907.0	0	2.86	100	0	2.20	0	50.10	14.89
4908.0	0	2.85	90	0	3.48	0	50.08	14.89
4909.0	0	2.86	58	0	4.93	0	50.03	14.88
4910.0	0	2.87	98	0	3.02	0	49.99	14.86
4911.0	0	2.87	100	0	2.87	0	49.96	14.86
4912.0	0	2.86	100	0	3.16	0	49.93	14.86
4913.0	0	2.85	100	0	2.91	0	49.90	14.86
4920.0	0	2.84	68	0	5.39	0	49.80	14.86
4921.0	0	2.87	73	0	7.33	0	49.74	14.84
4922.0	0	2.87	97	0	7.66	0	49.67	14.83
4923.0	0	2.84	100	0	5.31	0	49.60	14.83
4924.0	0	2.85	77	0	6.14	0	49.54	14.83
4925.0	0	2.87	64	0	8.56	0	49.47	14.80
4926.0	0	2.84	100	0	4.55	0	49.40	14.78
4927.0	0	2.88	47	0	5.61	0	49.35	14.78
4928.0	0	2.84	40	0	5.90	0	49.29	14.74
4929.0	0	2.88	53	0	5.24	0	49.23	14.71
4930.0	0	2.87	68	0	4.59	0	49.18	14.68
4931.0	0	2.89	64	0	4.96	0	49.13	14.67
4932.0	0	2.88	59	0	4.65	0	49.08	14.65
4933.0	0	2.85	51	0	5.88	0	49.03	14.63
4934.0	0	2.86	58	0	7.90	0	48.97	14.60
4935.0	0	2.88	73	0	8.74	0	48.89	14.57
4936.0	0	2.86	71	1	10.36	0	48.80	14.54
4937.0	0	2.85	77	0	9.45	0	48.70	14.52
4938.0	0	2.88	72	0	9.43	0	48.60	14.50
4939.0	0	2.86	76	0	8.95	0	48.51	14.47
4940.0	0	2.85	87	0	6.14	0	48.43	14.45
4941.0	0	2.87	98	0	3.74	0	48.37	14.45
4942.0	0	2.85	75	0	3.83	0	48.34	14.45
4943.0	0	2.89	63	0	4.34	0	48.30	14.44
4944.0	0	2.89	45	0	6.27	0	48.25	14.42
4945.0	0	2.88	48	0	6.08	0	48.19	14.38
4946.0	0	2.85	61	0	4.20	0	48.13	14.36
4947.0	0	2.85	67	0	2.83	0	48.09	14.34
4955.0	0	2.82	60	0	2.56	0	48.06	14.34
4956.0	0	2.83	85	0	2.50	0	48.03	14.32
4957.0	0	2.83	100	0	2.00	0	48.01	14.32

DEPTH FT	VCL %	ROMA G/GC3	SW %	PERM MD	FOR %	SPI %	CUMULATIVE POR/ FT	HC/ FT
4960.0	0	2.85	100	0	2.35	0	47.97	14.32
4961.0	0	2.84	100	0	3.89	0	47.94	14.32
4962.0	0	2.85	100	0	3.19	0	47.90	14.32
4963.0	0	2.86	89	0	4.59	0	47.87	14.32
4964.0	0	2.87	72	0	6.40	0	47.82	14.31
4965.0	0	2.86	77	0	5.98	0	47.76	14.30
4966.0	0	2.87	68	0	5.47	0	47.70	14.28
4967.0	0	2.86	98	0	3.27	0	47.65	14.27
4975.0	0	2.88	100	0	2.37	0	47.54	14.26
4976.0	0	2.86	92	0	4.19	0	47.51	14.25
4977.0	0	2.86	96	0	3.65	0	47.47	14.25
4978.0	0	2.85	68	0	5.67	0	47.43	14.25
4979.0	0	2.88	49	1	8.78	0	47.37	14.23
4980.0	0	2.86	49	0	6.26	0	47.28	14.18
4981.0	0	2.85	75	0	3.26	0	47.23	14.17
4982.0	0	2.85	54	0	4.99	0	47.19	14.15
4985.0	0	2.83	55	0	3.73	0	47.12	14.13
4989.0	0	2.87	50	0	5.72	0	47.04	14.11
4990.0	0	2.86	47	1	8.16	0	46.98	14.08
4991.0	0	2.82	72	0	5.24	0	46.90	14.03
4992.0	4	2.89	69	0	4.81	0	46.86	14.03
4993.0	0	2.89	41	1	7.56	0	46.80	14.01
4994.0	0	2.88	54	0	4.39	0	46.73	13.97
4995.0	0	2.88	44	0	4.23	0	46.69	13.95
4996.0	0	2.87	42	0	6.18	0	46.64	13.92
4997.0	0	2.85	42	0	6.13	0	46.57	13.88
4998.0	0	2.86	100	0	2.11	0	46.52	13.86
5000.0	0	2.86	76	0	2.96	0	46.49	13.86
5001.0	0	2.85	63	0	4.30	0	46.45	13.84
5002.0	0	2.86	100	0	3.55	0	46.41	13.84
5003.0	0	2.85	98	0	3.71	0	46.38	13.83
5004.0	0	2.86	99	0	2.51	0	46.34	13.83
5005.0	0	2.87	56	0	3.21	0	46.31	13.83
5011.0	0	2.86	92	0	6.30	0	46.23	13.82
5012.0	0	2.89	70	2	12.12	0	46.15	13.80
5013.0	0	2.89	79	1	11.65	0	46.03	13.77
5014.0	0	2.89	76	1	11.06	0	45.91	13.74
5015.0	0	2.90	86	1	10.49	0	45.80	13.72
5016.0	0	2.87	94	0	8.86	0	45.70	13.71
5017.0	0	2.88	70	0	9.46	0	45.61	13.70
5018.0	0	2.88	78	0	9.12	0	45.52	13.67
5019.0	0	2.88	78	0	9.72	0	45.43	13.65
5020.0	0	2.89	73	4	13.79	0	45.31	13.62

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POW %	SPI %	CUMU LATIVE POR/ FT	NC/ FT
5021.0	0	2.86	100	0	9.50	0	45.18	13.59
5022.0	0	2.86	100	0	5.64	0	45.10	13.59
5023.0	0	2.85	79	0	6.31	0	45.04	13.59
5024.0	0	2.87	89	0	6.56	0	44.97	13.57
5025.0	0	2.85	97	0	5.91	0	44.91	13.56
5026.0	0	2.87	99	0	7.88	0	44.84	13.56
5027.0	0	2.89	100	0	8.97	0	44.76	13.56
5028.0	0	2.87	100	0	8.84	0	44.67	13.56
5029.0	0	2.86	100	0	7.27	0	44.58	13.56
5030.0	0	2.89	74	0	6.54	0	44.51	13.56
5031.0	0	2.86	71	0	8.87	0	44.42	13.53
5032.0	0	2.87	84	0	7.75	0	44.34	13.51
5033.0	0	2.88	69	0	8.49	0	44.26	13.50
5034.0	0	2.88	65	0	8.89	0	44.17	13.47
5035.0	0	2.89	73	0	7.97	0	44.08	13.44
5036.0	0	2.89	65	0	8.22	0	44.00	13.41
5037.0	0	2.85	82	0	6.45	0	43.92	13.39
5038.0	0	2.85	100	0	4.60	0	43.86	13.38
5039.0	0	2.83	91	0	4.91	0	43.82	13.38
5040.0	0	2.87	61	0	7.54	0	43.76	13.37
5041.0	0	2.86	100	0	5.00	0	43.69	13.34
5042.0	0	2.85	100	0	4.44	0	43.65	13.34
5043.0	0	2.86	71	0	7.04	0	43.59	13.34
5044.0	0	2.86	100	0	6.14	0	43.52	13.32
5045.0	0	2.87	100	0	3.55	0	43.47	13.32
5046.0	0	2.86	100	0	2.85	0	43.44	13.32
5047.0	0	2.85	100	0	2.35	0	43.41	13.32
5048.0	0	2.86	91	0	3.29	0	43.38	13.32
5049.0	0	2.85	70	0	3.95	0	43.35	13.31
5050.0	0	2.85	45	0	6.32	0	43.31	13.30
5051.0	0	2.83	67	0	6.43	0	43.24	13.27
5052.0	0	2.85	100	0	2.96	0	43.19	13.25
5053.0	0	2.85	100	0	2.57	0	43.16	13.25
5054.0	0	2.85	100	0	3.24	0	43.13	13.25
5055.0	0	2.84	100	0	2.74	0	43.10	13.25
5056.0	0	2.86	100	0	3.04	0	43.07	13.25
5057.0	0	2.87	100	0	4.73	0	43.04	13.25
5058.0	0	2.85	100	0	3.36	0	42.99	13.25
5059.0	0	2.85	100	0	3.63	0	42.96	13.25
5060.0	0	2.84	67	0	5.12	0	42.92	13.25
5061.0	0	2.85	91	0	4.15	0	42.87	13.23
5063.0	0	2.85	95	0	2.89	0	42.82	13.23
5064.0	0	2.83	99	0	2.45	0	42.79	13.23
5066.0	0	2.82	100	0	2.22	0	42.75	13.23
5075.0	0	2.83	100	0	2.33	0	42.67	13.23
5076.0	0	2.86	100	0	2.67	0	42.64	13.23

DEPTH FT	VCL %	FOMA G/C3	SW %	PERM MD	POR %	SPE %	CUMU LATIVE	
							POR/ FT	HC/ PT
5077.0	0	2.85	73	0	3.03	0	42.61	13.23
5078.0	0	2.85	81	0	2.78	0	42.58	13.22
5081.0	0	2.84	100	0	2.97	0	42.52	13.22
5082.0	0	2.85	100	0	2.79	0	42.49	13.22
5083.0	0	2.86	83	0	4.64	0	42.46	13.22
5084.0	0	2.85	100	0	4.77	0	42.41	13.21
5085.0	0	2.87	70	0	7.03	0	42.36	13.21
5086.0	0	2.85	83	0	4.66	0	42.29	13.18
5087.0	0	2.85	82	0	3.09	0	42.25	13.18
5088.0	0	2.85	69	0	3.93	0	42.22	13.18
5089.0	0	2.87	79	0	3.72	0	42.18	13.17
5090.0	0	2.86	84	0	3.88	0	42.15	13.16
5091.0	0	2.85	99	0	3.24	0	42.11	13.15
5092.0	0	2.85	84	0	3.53	0	42.07	13.15
5093.0	0	2.85	58	0	4.46	0	42.03	13.14
5094.0	0	2.87	69	0	3.80	0	41.99	13.12
5095.0	0	2.86	71	0	4.03	0	41.95	13.11
5096.0	0	2.87	75	0	3.60	0	41.91	13.10
5097.0	0	2.87	68	0	3.29	0	41.88	13.09
5098.0	0	2.83	62	0	3.66	0	41.84	13.08
5099.0	0	2.85	58	0	4.75	0	41.80	13.07
5100.0	0	2.88	36	1	8.52	0	41.75	13.04
5101.0	0	2.87	37	1	7.33	0	41.66	12.98
5102.0	0	2.87	54	0	4.35	0	41.60	12.94
5103.0	0	2.87	100	0	2.70	0	41.56	12.93
5104.0	0	2.87	100	0	2.38	0	41.53	12.93
5105.0	0	2.87	76	0	5.23	0	41.50	12.93
5106.0	0	2.87	63	0	5.35	0	41.45	12.91
5107.0	0	2.86	67	0	2.97	0	41.40	12.89
5108.0	0	2.86	98	0	3.83	0	41.37	12.89
5109.0	0	2.86	58	0	8.05	0	41.32	12.88
5110.0	0	2.86	54	0	8.00	0	41.24	12.84
5111.0	0	2.87	76	0	5.15	0	41.17	12.81
5112.0	0	2.87	61	0	6.75	0	41.11	12.80
5113.0	0	2.87	56	1	9.74	0	41.04	12.77
5114.0	0	2.86	51	2	11.26	0	40.93	12.72
5115.0	0	2.85	54	1	10.12	0	40.83	12.67
5116.0	0	2.86	58	1	9.41	0	40.72	12.62
5117.0	0	2.87	84	0	5.29	0	40.64	12.59
5118.0	0	2.88	57	0	5.58	0	40.59	12.58
5119.0	0	2.88	54	0	6.32	0	40.53	12.56
5120.0	0	2.88	54	0	7.19	0	40.47	12.53
5121.0	0	2.87	55	0	6.88	0	40.40	12.49
5122.0	0	2.85	100	0	2.87	0	40.34	12.47
5123.0	0	2.85	43	0	5.23	0	40.31	12.47
5124.0	0	2.86	41	0	5.14	0	40.25	12.44
5125.0	0	2.85	55	0	4.58	0	40.21	12.41
5126.0	0	2.88	45	0	7.57	0	40.15	12.39

DEPTH FT	VCL %	ROMA G/CC	SW %	PERM MD	FOR %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5127.0	0	2.89	46	2	10.18	0	40.07	12.34
5128.0	0	2.87	68	0	8.71	0	39.97	12.29
5129.0	0	2.86	78	0	7.63	0	39.89	12.27
5130.0	0	2.88	58	1	8.81	0	39.81	12.25
5131.0	0	2.87	65	1	9.21	0	39.72	12.22
5132.0	0	2.87	68	0	8.96	0	39.63	12.19
5133.0	0	2.87	72	0	8.41	0	39.54	12.16
5134.0	0	2.89	64	1	9.59	0	39.46	12.13
5135.0	0	2.88	63	1	9.40	0	39.36	12.10
5136.0	0	2.88	56	1	9.65	0	39.27	12.06
5137.0	0	2.86	61	0	7.60	0	39.18	12.02
5138.0	0	2.85	72	0	6.55	0	39.10	11.99
5139.0	0	2.85	100	0	4.14	0	39.04	11.98
5140.0	0	2.96	100	0	3.90	0	39.00	11.98
5141.0	0	2.84	100	0	4.32	0	38.96	11.98
5142.0	0	2.86	100	0	4.19	0	38.92	11.98
5143.0	0	2.87	100	0	3.32	0	38.88	11.98
5144.0	0	2.86	100	0	3.41	0	38.84	11.98
5145.0	0	2.85	100	0	3.75	0	38.81	11.98
5146.0	0	2.86	100	0	3.36	0	38.77	11.98
5147.0	0	2.86	100	0	3.16	0	38.74	11.98
5148.0	0	2.87	100	0	3.04	0	38.71	11.98
5149.0	0	2.89	100	0	2.09	0	38.68	11.98
5153.0	0	2.87	76	0	4.64	0	38.60	11.98
5154.0	0	2.86	53	1	8.37	0	38.55	11.96
5155.0	0	2.86	58	0	8.00	0	38.46	11.92
5156.0	0	2.87	46	1	9.06	0	38.38	11.89
5157.0	0	2.83	47	0	7.84	0	38.29	11.84
5158.0	0	2.83	50	1	8.75	0	38.21	11.80
5159.0	1	2.88	57	0	8.81	0	38.12	11.75
5160.0	2	2.89	67	0	7.63	0	38.04	11.73
5161.0	1	2.88	54	1	8.57	0	37.96	11.70
5162.0	5	2.89	69	0	6.94	0	37.89	11.66
5163.0	6	2.89	74	0	6.89	0	37.82	11.64
5164.0	1	2.88	85	0	5.36	0	37.75	11.63
5165.0	0	2.88	83	0	5.09	0	37.68	11.61
5166.0	0	2.88	60	0	6.13	0	37.63	11.60
5167.0	0	2.87	66	0	7.14	0	37.57	11.57
5168.0	0	2.86	65	0	7.50	0	37.49	11.55
5169.0	0	2.88	56	0	7.95	0	37.42	11.52
5170.0	0	2.88	60	0	7.64	0	37.34	11.48
5171.0	0	2.86	74	0	6.17	0	37.26	11.46
5172.0	0	2.85	70	0	6.55	0	37.20	11.44
5173.0	0	2.88	70	0	6.58	0	37.13	11.42
5174.0	0	2.87	66	0	5.72	0	37.07	11.40
5175.0	0	2.85	60	0	5.21	0	37.01	11.38
5176.0	0	2.87	53	0	5.57	0	36.96	11.35
5177.0	0	2.88	72	0	5.45	0	36.90	11.33

DEPTH FT	VOL %	ROMA G/GC	SW %	PERM MD	POB %	SPI %	CUMU LATIVE POR/ FT	NC/ FT
5178.0	0	2.86	80	0	5.91	0	36.85	11.32
5179.0	3	2.85	81	0	5.14	0	36.79	11.31
5180.0	6	2.87	61	0	6.56	0	36.74	11.29
5181.0	9	2.90	52	1	10.20	0	36.66	11.26
5182.0	0	2.89	56	1	9.17	0	36.56	11.21
5183.0	0	2.87	61	0	8.67	0	36.47	11.17
5184.0	0	2.88	70	0	6.88	0	36.39	11.14
5185.0	0	2.88	75	0	4.82	0	36.32	11.13
5186.0	0	2.86	71	0	5.71	0	36.27	11.11
5187.0	0	2.86	54	0	7.49	0	36.21	11.09
5188.0	0	2.86	50	0	5.74	0	36.14	11.06
5189.0	0	2.87	46	0	4.56	0	36.08	11.03
5190.0	0	2.86	50	0	4.49	0	36.04	11.01
5191.0	0	2.86	48	0	4.09	0	35.99	10.98
5192.0	0	2.84	54	0	2.62	0	35.96	10.96
5202.0	0	2.85	53	0	2.10	0	35.84	10.92
5203.0	0	2.84	43	0	2.92	0	35.82	10.91
5204.0	0	2.86	44	0	2.95	0	35.79	10.90
5205.0	0	2.85	34	0	4.05	0	35.75	10.88
5206.0	0	2.86	37	0	3.91	0	35.71	10.85
5207.0	0	2.85	39	0	3.68	0	35.68	10.83
5208.0	0	2.86	46	0	3.13	0	35.64	10.80
5209.0	0	2.88	66	0	2.40	0	35.61	10.79
5210.0	0	2.86	50	0	3.37	0	35.59	10.78
5211.0	0	2.86	65	0	3.48	0	35.55	10.77
5212.0	0	2.86	53	0	4.51	0	35.51	10.75
5213.0	0	2.86	43	0	4.35	0	35.47	10.73
5214.0	0	2.85	30	0	3.81	0	35.42	10.70
5254.0	0	2.84	46	0	3.71	0	35.28	10.66
5255.0	0	2.83	74	0	2.17	0	35.25	10.64
5256.0	0	2.87	96	0	2.28	0	35.22	10.64
5257.0	0	2.89	47	0	4.42	0	35.20	10.63
5258.0	0	2.88	30	0	4.62	0	35.15	10.60
5262.0	0	2.84	56	0	2.08	0	35.09	10.57
5263.0	0	2.84	61	0	3.17	0	35.06	10.56
5264.0	0	2.81	83	0	2.59	0	35.03	10.55
5266.0	0	2.84	72	0	2.13	0	34.99	10.54
5267.0	0	2.85	55	0	2.45	0	34.97	10.54
5268.0	0	2.83	50	0	3.08	0	34.94	10.52
5269.0	0	2.86	62	0	3.69	0	34.91	10.51
5270.0	0	2.86	74	0	3.34	0	34.87	10.50
5271.0	0	2.85	76	0	2.47	0	34.84	10.49
5272.0	0	2.83	54	0	2.11	0	34.82	10.49
5283.0	0	2.88	23	0	2.65	0	34.69	10.43

DEPTH FT	VCL %	FOMA G/C3	SW %	PERM MD	POR %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5286.0	0	2.90	36	0	4.64	0	34.63	10.39
5287.0	0	2.88	39	0	6.14	0	34.58	10.36
5288.0	0	2.87	35	1	7.02	0	34.51	10.32
5289.0	0	2.86	36	0	5.94	0	34.45	10.27
5290.0	0	2.86	45	0	3.15	0	34.39	10.24
5291.0	0	2.83	31	0	2.45	0	34.37	10.23
5295.0	0	2.85	57	0	4.37	0	34.29	10.18
5296.0	0	2.85	62	0	5.69	0	34.24	10.16
5297.0	0	2.82	61	0	7.47	0	34.18	10.14
5298.0	0	2.81	50	1	9.56	0	34.10	10.10
5299.0	0	2.85	57	1	8.77	0	34.01	10.06
5300.0	0	2.82	59	1	9.43	0	33.92	10.02
5301.0	0	2.83	61	0	8.96	0	33.82	9.98
5302.0	0	2.84	53	0	8.11	0	33.74	9.95
5303.0	0	2.84	74	0	3.93	0	33.67	9.92
5306.0	0	2.83	57	0	2.34	0	33.60	9.89
5307.0	0	2.86	47	0	2.80	0	33.58	9.88
5308.0	0	2.84	40	0	2.03	0	33.55	9.87
5326.0	0	2.82	37	0	5.10	0	33.44	9.85
5327.0	0	2.84	45	0	5.05	0	33.38	9.82
5328.0	0	2.84	37	0	5.20	0	33.34	9.79
5329.0	0	2.84	42	0	3.92	0	33.29	9.76
5330.0	0	2.85	50	0	2.51	0	33.25	9.74
5333.0	0	2.84	31	0	2.17	0	33.22	9.73
5334.0	0	2.86	30	1	6.49	0	33.19	9.71
5335.0	0	2.85	40	1	7.73	0	33.11	9.66
5336.0	0	2.87	52	0	6.96	0	33.04	9.62
5337.0	0	2.86	71	0	5.06	0	32.97	9.59
5338.0	0	2.85	100	0	2.85	0	32.93	9.58
5339.0	0	2.88	100	0	2.08	0	32.91	9.58
5340.0	0	2.87	31	0	5.19	0	32.88	9.57
5341.0	0	2.87	40	0	5.72	0	32.83	9.54
5342.0	0	2.87	42	0	6.53	0	32.77	9.51
5343.0	0	2.86	61	0	6.43	0	32.70	9.47
5344.0	0	2.88	62	0	7.45	0	32.64	9.45
5345.0	0	2.86	59	0	8.05	0	32.56	9.42
5346.0	0	2.84	98	0	4.60	0	32.49	9.39
5347.0	0	2.86	79	0	4.39	0	32.45	9.39
5348.0	0	2.86	72	0	4.04	0	32.40	9.38
5349.0	0	2.90	62	0	4.22	0	32.36	9.37
5350.0	0	2.89	60	0	4.20	0	32.32	9.35
5351.0	0	2.87	76	0	3.43	0	32.28	9.34
5352.0	0	2.88	68	0	5.37	0	32.24	9.33
5353.0	0	2.87	96	0	4.35	0	32.19	9.31

DEPTH FT	VCL %	RONA G/C3	SW %	PERM MD	PER %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5354.0	0	2.88	84	0	4.88	0	32.15	9.31
5355.0	0	2.87	67	0	7.02	0	32.04	9.30
5356.0	0	2.89	72	0	6.96	0	32.02	9.28
5357.0	0	2.89	65	0	7.73	0	31.95	9.25
5358.0	0	2.86	82	0	6.49	0	31.87	9.23
5359.0	0	2.88	100	0	4.27	0	31.82	9.22
5360.0	0	2.88	99	0	4.06	0	31.78	9.22
5361.0	0	2.89	100	0	3.57	0	31.74	9.22
5362.0	0	2.88	100	0	5.27	0	31.70	9.22
5363.0	0	2.87	99	0	6.67	0	31.64	9.22
5364.0	0	2.87	100	0	6.05	0	31.57	9.22
5365.0	0	2.86	100	0	4.30	0	31.51	9.22
5366.0	0	2.89	100	0	2.66	0	31.47	9.22
5367.0	0	2.89	100	0	3.88	0	31.45	9.22
5368.0	0	2.87	100	0	3.87	0	31.41	9.22
5369.0	0	2.87	100	0	3.06	0	31.37	9.22
5370.0	0	2.85	100	0	4.39	0	31.34	9.22
5371.0	0	2.86	100	0	5.20	0	31.29	9.22
5372.0	0	2.85	99	0	5.82	0	31.24	9.22
5373.0	0	2.87	99	0	6.12	0	31.18	9.22
5374.0	0	2.87	100	0	5.53	0	31.12	9.22
5375.0	0	2.87	100	0	5.60	0	31.07	9.22
5376.0	0	2.87	99	0	5.85	0	31.01	9.22
5377.0	0	2.85	96	0	6.43	0	30.95	9.22
5378.0	0	2.87	86	0	6.95	0	30.88	9.21
5379.0	0	2.88	80	0	6.72	0	30.81	9.20
5380.0	0	2.88	82	0	6.86	0	30.74	9.19
5381.0	0	2.87	100	0	5.12	0	30.68	9.18
5382.0	0	2.88	100	0	3.13	0	30.63	9.18
5383.0	0	2.86	44	0	4.84	0	30.60	9.17
5384.0	0	2.85	46	0	5.86	0	30.55	9.14
5385.0	0	2.88	58	0	6.09	0	30.49	9.11
5386.0	0	2.90	57	0	7.16	0	30.43	9.09
5387.0	0	2.88	61	0	8.64	0	30.35	9.05
5388.0	0	2.87	74	0	8.28	0	30.26	9.02
5389.0	0	2.88	67	0	9.69	0	30.18	9.00
5390.0	0	2.89	74	0	8.19	0	30.08	8.97
5391.0	0	2.88	76	0	6.90	0	30.01	8.95
5392.0	0	2.88	75	0	7.71	0	29.94	8.93
5393.0	0	2.89	95	0	6.90	0	29.86	8.92
5394.0	0	2.89	97	0	5.54	0	29.80	8.92
5395.0	0	2.87	75	0	7.14	0	29.74	8.91
5396.0	0	2.88	68	0	8.95	0	29.66	8.89
5397.0	0	2.86	75	0	7.81	0	29.57	8.86
5398.0	0	2.86	87	0	5.89	0	29.50	8.85
5399.0	0	2.87	63	0	5.81	0	29.44	8.83
5400.0	0	2.86	67	0	4.88	0	29.39	8.82
5401.0	0	2.87	48	0	7.52	0	29.34	8.80
5402.0	0	2.88	61	1	9.83	0	29.25	8.76

[illegible]

DEPTH FT	VCL %	RONA G/C3	SA %	PERM MD	PER %	SPI %	CUMULATIVE POR/ FT	NC/ FT
5452.0	0	2.88	95	0	4.70	0	26.43	8.17
5453.0	0	2.83	90	0	5.68	0	26.39	8.16
5454.0	0	2.83	100	0	4.95	0	26.33	8.16
5455.0	0	2.84	100	0	3.71	0	26.28	8.16
5456.0	0	2.84	90	0	5.62	0	26.24	8.16
5457.0	0	2.84	100	0	4.76	0	26.19	8.15
5458.0	0	2.88	100	0	2.46	0	26.14	8.15
5462.0	0	2.84	100	0	3.62	0	26.06	8.15
5463.0	0	2.91	84	0	7.31	0	26.01	8.15
5464.0	0	2.84	100	0	5.04	0	25.94	8.14
5465.0	0	2.85	100	0	3.08	0	25.90	8.14
5466.0	0	2.85	100	0	3.58	0	25.87	8.14
5467.0	0	2.85	100	0	3.17	0	25.83	8.14
5470.0	0	2.88	100	0	2.52	0	25.77	8.14
5471.0	0	2.86	100	0	3.19	0	25.74	8.14
5472.0	0	2.82	100	0	2.54	0	25.71	8.14
5473.0	0	2.80	100	0	2.39	0	25.68	8.14
5474.0	0	2.82	100	0	2.12	0	25.66	8.14
5476.0	0	2.85	100	0	2.56	0	25.62	8.14
5477.0	0	2.85	100	0	3.39	0	25.58	8.14
5478.0	0	2.85	100	0	2.66	0	25.55	8.14
5479.0	0	2.86	100	0	3.38	0	25.52	8.14
5480.0	0	2.85	100	0	3.59	0	25.49	8.14
5481.0	0	2.86	100	0	2.66	0	25.45	8.14
5483.0	0	2.83	100	0	2.62	0	25.41	8.14
5484.0	0	2.81	100	0	2.88	0	25.39	8.14
5485.0	0	2.82	100	0	2.56	0	25.36	8.14
5486.0	0	2.81	100	0	2.42	0	25.33	8.14
5489.0	0	2.79	61	0	2.28	0	25.27	8.13
5492.0	0	2.81	66	0	2.31	0	25.22	8.12
5493.0	0	2.83	66	0	2.76	0	25.19	8.11
5494.0	0	2.84	66	0	2.27	0	25.17	8.11
5495.0	0	2.80	70	0	2.02	0	25.15	8.10
5496.0	0	2.80	62	0	2.25	0	25.13	8.10
5497.0	0	2.81	58	0	2.36	0	25.10	8.08
5498.0	0	2.74	60	0	3.32	0	25.08	8.08
5499.0	0	2.81	100	0	2.39	0	25.05	8.06
5501.0	0	2.82	76	0	2.44	0	25.01	8.06
5502.0	0	2.78	39	0	6.00	0	24.98	8.05
5503.0	0	2.78	56	0	5.81	0	24.91	8.02
5504.0	0	2.78	100	0	3.60	0	24.86	8.00

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POP %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5506.0	0	2.83	100	0	2.14	0	24.82	8.00
5507.0	0	2.85	51	0	3.44	0	24.80	7.99
5508.0	0	2.85	33	0	4.45	0	24.76	7.97
5509.0	0	2.80	43	0	3.77	0	24.72	7.94
5513.0	0	2.87	67	0	3.85	0	24.63	7.93
5514.0	0	2.85	64	0	3.07	0	24.59	7.91
5515.0	3	2.86	100	0	2.19	0	24.56	7.91
5516.0	1	2.86	44	0	5.66	0	24.53	7.90
5517.0	0	2.86	40	0	6.04	0	24.48	7.87
5518.0	0	2.86	55	0	3.99	0	24.42	7.84
5520.0	0	2.85	58	0	3.59	0	24.37	7.83
5521.0	0	2.85	55	0	4.37	0	24.33	7.81
5522.0	0	2.88	57	0	3.44	0	24.29	7.80
5523.0	0	2.85	46	0	2.98	0	24.26	7.78
5524.0	0	2.85	54	0	3.56	0	24.23	7.77
5525.0	0	2.86	86	0	3.73	0	24.20	7.75
5526.0	0	2.87	100	0	2.25	0	24.16	7.75
5528.0	0	2.86	73	0	3.32	0	24.12	7.75
5529.0	0	2.87	69	0	5.94	0	24.07	7.73
5530.0	0	2.85	73	0	6.47	0	24.01	7.71
5531.0	0	2.88	99	0	4.71	0	23.94	7.70
5532.0	0	2.88	80	0	4.84	0	23.90	7.69
5533.0	0	2.89	69	0	6.66	0	23.84	7.68
5534.0	0	2.90	67	0	9.22	0	23.77	7.66
5535.0	0	2.88	71	0	8.34	0	23.68	7.63
5536.0	0	2.88	71	0	6.29	0	23.61	7.61
5537.0	0	2.87	62	0	7.53	0	23.54	7.60
5538.0	0	2.88	57	1	9.75	0	23.46	7.56
5539.0	0	2.87	56	1	9.73	0	23.36	7.52
5540.0	0	2.87	65	0	7.50	0	23.27	7.48
5541.0	0	2.87	54	0	7.95	0	23.20	7.46
5542.0	0	2.86	73	0	5.61	0	23.12	7.42
5543.0	0	2.85	89	0	4.54	0	23.07	7.41
5544.0	0	2.87	87	0	4.44	0	23.03	7.40
5545.0	0	2.88	68	0	5.65	0	22.98	7.40
5546.0	0	2.88	66	0	5.89	0	22.92	7.38
5547.0	0	2.90	61	0	6.33	0	22.86	7.36
5548.0	0	2.88	65	0	5.91	0	22.80	7.33
5549.0	0	2.88	95	0	3.97	0	22.74	7.32
5550.0	0	2.88	94	0	3.08	0	22.71	7.32
5551.0	0	2.87	74	0	2.25	0	22.68	7.31
5553.0	0	2.85	46	0	2.57	0	22.64	7.30
5554.0	0	2.86	55	0	2.14	0	22.61	7.29
5560.0	0	2.87	49	0	2.86	0	22.54	7.26

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POR %	SPI %	CUMULATIVE	
							POR/ FT	HC/ FT
5573.0	0	2.87	79	0	2.63	0	22.37	7.24
5574.0	0	2.86	87	0	2.37	0	22.35	7.23
5575.0	0	2.85	61	0	3.17	0	22.32	7.23
5576.0	0	2.87	64	0	2.35	0	22.29	7.22
5582.0	0	2.87	56	0	2.15	0	22.21	7.19
5583.0	0	2.85	68	0	2.61	0	22.19	7.19
5584.0	0	2.85	74	0	3.52	0	22.16	7.18
5585.0	0	2.85	66	0	4.97	0	22.12	7.17
5586.0	0	2.86	88	0	4.46	0	22.07	7.15
5587.0	0	2.88	100	0	3.44	0	22.03	7.15
5588.0	0	2.86	72	0	4.48	0	21.99	7.14
5589.0	0	2.86	76	0	3.34	0	21.95	7.13
5591.0	0	2.84	100	0	2.27	0	21.91	7.13
5592.0	0	2.87	54	0	6.95	0	21.88	7.12
5593.0	0	2.87	66	0	6.17	0	21.81	7.09
5594.0	0	2.86	69	0	4.83	0	21.75	7.07
5595.0	0	2.87	57	0	4.60	0	21.70	7.05
5596.0	0	2.88	64	0	3.16	0	21.66	7.03
5597.0	0	2.87	58	0	3.16	0	21.63	7.02
5598.0	0	2.87	61	0	2.81	0	21.60	7.01
5600.0	0	2.86	65	0	2.27	0	21.55	7.00
5601.0	0	2.85	82	0	2.11	0	21.53	6.99
5602.0	0	2.84	72	0	2.44	0	21.51	6.99
5603.0	0	2.82	53	0	3.75	0	21.48	6.98
5604.0	0	2.86	54	0	4.20	0	21.44	6.96
5605.0	0	2.88	77	0	4.17	0	21.40	6.94
5606.0	0	2.88	100	0	2.22	0	21.36	6.93
5607.0	0	2.86	100	0	2.00	0	21.34	6.93
5608.0	0	2.86	68	0	3.21	0	21.32	6.93
5609.0	0	2.85	60	0	4.53	0	21.28	6.92
5610.0	0	2.84	64	0	5.23	0	21.23	6.90
5611.0	0	2.86	72	0	4.75	0	21.18	6.88
5612.0	0	2.88	73	0	4.18	0	21.14	6.87
5613.0	0	2.86	96	0	2.51	0	21.10	6.86
5615.0	0	2.86	75	0	3.41	0	21.06	6.86
5616.0	0	2.86	85	0	4.13	0	21.02	6.85
5617.0	0	2.85	92	0	4.14	0	20.98	6.84
5618.0	0	2.87	88	0	4.35	0	20.94	6.84
5619.0	0	2.86	100	0	2.50	0	20.90	6.83
5620.0	0	2.86	68	0	2.63	0	20.88	6.83
5621.0	0	2.87	67	0	4.00	0	20.85	6.83
5622.0	0	2.86	75	0	3.98	0	20.81	6.82
5623.0	0	2.86	95	0	2.65	0	20.77	6.81

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POR %	SPI %	CUMU LATIVE	
							POR/ FT	HC/ FT
5625.0	0	2.82	65	0	3.86	0	20.73	6.81
5626.0	0	2.83	77	0	3.91	0	20.69	6.80
5627.0	0	2.84	97	0	3.31	0	20.65	6.79
5635.0	0	2.84	67	0	2.24	0	20.51	6.78
5637.0	0	2.83	100	0	2.32	0	20.47	6.77
5638.0	0	2.84	68	0	3.06	0	20.45	6.77
5639.0	0	2.85	70	0	2.09	0	20.42	6.76
5645.0	0	2.86	100	0	2.02	0	20.32	6.75
5646.0	0	2.85	70	0	2.76	0	20.30	6.75
5648.0	0	2.87	85	0	2.03	0	20.25	6.74
5649.0	0	2.87	70	0	2.45	0	20.23	6.74
5650.0	0	2.88	43	0	2.49	0	20.21	6.73
5651.0	0	2.86	33	0	3.62	0	20.17	6.71
5652.0	0	2.86	48	0	4.45	0	20.13	6.69
5653.0	0	2.85	55	0	4.71	0	20.09	6.66
5654.0	0	2.86	65	0	3.66	0	20.04	6.64
5655.0	0	2.88	98	0	2.05	0	20.01	6.63
5656.0	0	2.88	73	0	3.51	0	19.98	6.63
5657.0	0	2.87	61	0	5.05	0	19.94	6.61
5658.0	0	2.88	72	0	5.60	0	19.89	6.60
5659.0	0	2.88	64	0	6.46	0	19.84	6.58
5660.0	0	2.87	64	0	6.04	0	19.77	6.55
5661.0	0	2.88	68	0	4.42	0	19.71	6.53
5662.0	0	2.87	69	0	4.22	0	19.67	6.52
5663.0	0	2.88	61	0	5.30	0	19.63	6.51
5664.0	0	2.88	59	0	5.06	0	19.58	6.49
5665.0	0	2.88	58	0	5.05	0	19.53	6.47
5666.0	0	2.87	52	0	6.27	0	19.47	6.44
5667.0	0	2.87	70	0	4.31	0	19.41	6.42
5668.0	0	2.87	100	0	2.12	0	19.38	6.41
5669.0	0	2.86	83	0	2.10	0	19.36	6.41
5670.0	0	2.86	87	0	2.04	0	19.34	6.41
5671.0	0	2.85	46	0	2.63	0	19.31	6.40
5672.0	0	2.85	49	0	2.02	0	19.29	6.39
5673.0	0	2.86	40	0	2.34	0	19.27	6.37
5674.0	0	2.87	38	0	2.80	0	19.24	6.36
5675.0	0	2.89	42	0	3.76	0	19.21	6.34
5676.0	0	2.86	72	0	3.59	0	19.17	6.32
5677.0	0	2.86	94	0	2.93	0	19.14	6.31
5678.0	0	2.87	43	0	3.45	0	19.11	6.31
5679.0	0	2.84	60	0	3.31	0	19.07	6.29
5680.0	0	2.85	79	0	2.53	0	19.04	6.28
5681.0	0	2.89	47	0	3.25	0	19.02	6.27
5682.0	0	2.88	57	0	4.38	0	18.98	6.25
5683.0	0	2.86	61	0	4.56	0	18.93	6.23

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POR %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5684.0	0	2.87	67	0	4.41	0	18.89	6.21
5685.0	0	2.84	74	0	4.64	0	18.84	6.20
5686.0	0	2.81	68	0	5.75	0	18.80	6.19
5687.0	0	2.82	55	0	6.28	0	18.74	6.17
5688.0	0	2.86	83	0	4.48	0	18.68	6.15
5689.0	0	2.83	70	0	5.13	0	18.64	6.14
5690.0	0	2.84	64	0	4.40	0	18.58	6.12
5691.0	0	2.83	78	0	3.49	0	18.54	6.11
5692.0	6	2.83	100	0	2.27	0	18.51	6.10
5693.0	5	2.86	74	0	3.12	0	18.49	6.10
5694.0	1	2.84	60	0	4.21	0	18.45	6.09
5695.0	0	2.83	72	0	4.57	0	18.41	6.07
5696.0	0	2.82	100	0	4.11	0	18.37	6.07
5697.0	0	2.85	99	0	3.55	0	18.33	6.07
5698.0	0	2.84	22	0	3.98	0	18.30	6.06
5699.0	0	2.87	42	0	2.93	0	18.26	6.04
5700.0	0	2.80	91	0	3.14	0	18.23	6.02
5701.0	0	2.77	93	0	4.29	0	18.20	6.02
5702.0	0	2.79	76	0	6.06	0	18.15	6.02
5703.0	0	2.82	100	0	3.48	0	18.10	6.01
5704.0	0	2.83	59	0	2.67	0	18.07	6.01
5705.0	0	2.84	44	0	2.55	0	18.04	5.99
5706.0	0	2.84	29	0	2.91	0	18.02	5.98
5707.0	0	2.83	34	0	2.84	0	17.99	5.96
5708.0	0	2.91	66	0	3.22	0	17.96	5.94
5709.0	0	2.82	94	0	3.25	0	17.93	5.93
5710.0	0	2.81	100	0	3.70	0	17.89	5.93
5711.0	0	2.78	100	0	3.84	0	17.85	5.93
5712.0	0	2.80	100	0	3.50	0	17.81	5.93
5713.0	0	2.77	100	0	5.94	0	17.77	5.93
5714.0	0	2.77	97	0	6.79	0	17.71	5.93
5715.0	0	2.77	100	0	4.84	0	17.64	5.93
5716.0	0	2.81	98	0	2.93	0	17.60	5.93
5717.0	0	2.82	68	0	2.78	0	17.57	5.92
5718.0	0	2.82	82	0	2.76	0	17.54	5.91
5719.0	0	2.80	100	0	2.24	0	17.52	5.91
5720.0	0	2.81	99	0	3.29	0	17.49	5.91
5721.0	0	2.80	88	0	4.28	0	17.45	5.91
5722.0	0	2.75	91	0	4.89	0	17.41	5.90
5723.0	0	2.76	99	0	4.80	0	17.36	5.90
5724.0	0	2.80	100	0	3.97	0	17.32	5.90
5725.0	0	2.82	100	0	2.70	0	17.28	5.90
5726.0	0	2.79	100	0	3.05	0	17.25	5.90
5727.0	0	2.80	93	0	5.02	0	17.22	5.90
5728.0	0	2.82	100	0	4.36	0	17.17	5.90
5729.0	0	2.80	100	0	3.04	0	17.13	5.90
5730.0	0	2.79	100	0	5.78	0	17.09	5.90
5731.0	0	2.85	100	0	3.68	0	17.04	5.90
5732.0	0	2.84	66	0	2.84	0	17.00	5.90

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POR %	SPI %	CUMU LATIVE	
							POR/ FT	HC/ FT
5733.0	0	2.83	67	0	2.76	0	16.98	5.89
5734.0	0	2.83	100	0	2.19	0	16.95	5.88
5735.0	0	2.84	100	0	2.89	0	16.93	5.88
5736.0	0	2.86	62	0	2.83	0	16.90	5.88
5737.0	0	2.86	26	0	3.98	0	16.87	5.86
5738.0	0	2.87	30	0	3.34	0	16.83	5.83
5739.0	0	2.86	39	0	2.47	0	16.80	5.81
5740.0	0	2.84	34	0	3.66	0	16.77	5.79
5741.0	0	2.83	37	0	3.33	0	16.73	5.77
5742.0	0	2.84	30	0	4.66	0	16.70	5.75
5743.0	0	2.85	50	0	3.69	0	16.66	5.73
5744.0	0	2.87	61	0	3.38	0	16.63	5.71
5745.0	0	2.86	58	0	3.51	0	16.60	5.70
5746.0	0	2.85	32	0	4.45	0	16.56	5.68
5747.0	0	2.84	42	0	2.84	0	16.52	5.65
5748.0	0	2.85	48	0	3.01	0	16.49	5.64
5749.0	0	2.85	76	0	3.07	0	16.46	5.62
5752.0	0	2.81	83	0	3.31	0	16.39	5.62
5753.0	0	2.83	63	0	4.73	0	16.35	5.61
5754.0	0	2.84	51	0	5.13	0	16.30	5.59
5755.0	0	2.87	67	0	3.52	0	16.26	5.56
5756.0	0	2.86	64	0	4.18	0	16.22	5.55
5757.0	0	2.87	53	0	4.60	0	16.18	5.54
5758.0	0	2.88	43	0	4.59	0	16.14	5.52
5759.0	0	2.86	40	0	4.20	0	16.10	5.49
5760.0	0	2.89	32	0	3.98	0	16.05	5.47
5761.0	0	2.88	53	0	2.70	0	16.01	5.44
5762.0	0	2.84	77	0	2.13	0	15.99	5.43
5764.0	0	2.85	100	0	2.18	0	15.95	5.43
5765.0	0	2.84	71	0	3.35	0	15.92	5.41
5766.0	0	2.84	66	0	3.54	0	15.89	5.41
5767.0	0	2.87	77	0	3.50	0	15.85	5.40
5768.0	0	2.87	54	0	5.54	0	15.81	5.39
5769.0	0	2.88	56	0	4.81	0	15.76	5.37
5770.0	0	2.88	45	0	4.44	0	15.71	5.34
5771.0	0	2.87	48	0	4.24	0	15.67	5.32
5772.0	0	2.85	45	0	4.69	0	15.62	5.29
5773.0	0	2.85	51	0	4.94	0	15.58	5.27
5774.0	0	2.85	50	0	6.69	0	15.52	5.24
5775.0	0	2.87	53	0	6.77	0	15.45	5.21
5776.0	0	2.87	66	0	5.86	0	15.39	5.18
5777.0	0	2.89	63	0	5.82	0	15.33	5.16
5778.0	0	2.89	62	0	5.02	0	15.27	5.14
5779.0	0	2.89	57	0	4.94	0	15.22	5.12
5780.0	0	2.87	52	0	5.24	0	15.17	5.09
5781.0	0	2.86	45	0	5.48	0	15.12	5.07
5782.0	4	2.87	59	0	3.18	0	15.07	5.04

DEPTH FT	VCL %	NOMA G/C3	SW %	PERM MD	POB %	SPI %	CUMULATIVE POR/ FT	HC/ FT
5784.0	1	2.87	60	0	2.92	0	15.02	5.03
5786.0	0	2.84	90	0	2.44	0	14.98	5.01
5787.0	0	2.81	98	0	4.74	0	14.95	5.01
5788.0	0	2.82	100	0	5.13	0	14.90	5.01
5789.0	0	2.81	100	0	5.74	0	14.85	5.01
5790.0	0	2.84	100	0	3.63	0	14.80	5.01
5791.0	0	2.87	58	0	2.77	0	14.76	5.01
5792.0	0	2.84	49	0	2.49	0	14.73	5.00
5794.0	0	2.85	70	0	3.40	0	14.69	4.98
5795.0	0	2.84	64	0	3.45	0	14.65	4.97
5796.0	0	2.84	38	0	2.88	0	14.62	4.96
5797.0	0	2.85	28	0	2.39	0	14.59	4.94
5798.0	0	2.86	51	0	2.13	0	14.57	4.92
5799.0	0	2.36	63	0	2.22	0	14.55	4.91
5800.0	0	2.84	100	0	2.64	0	14.53	4.91
5801.0	0	2.80	100	0	4.57	0	14.49	4.91
5802.0	0	2.79	100	0	5.29	0	14.44	4.91
5803.0	0	2.81	96	0	5.62	0	14.38	4.91
5804.0	0	2.84	100	0	2.25	0	14.34	4.91
5805.0	0	2.86	37	0	2.66	0	14.31	4.90
5806.0	0	2.83	43	0	3.18	0	14.29	4.88
5807.0	0	2.83	44	0	4.16	0	14.25	4.87
5808.0	0	2.84	41	0	4.12	0	14.21	4.84
5810.0	0	2.87	39	0	2.12	0	14.16	4.81
5811.0	0	2.87	34	0	2.63	0	14.13	4.80
5812.0	0	2.89	39	0	3.42	0	14.11	4.78
5813.0	0	2.89	48	0	3.34	0	14.07	4.76
5814.0	0	2.87	64	0	2.71	0	14.04	4.75
5815.0	0	2.88	48	0	4.06	0	14.01	4.73
5816.0	0	2.88	58	0	3.95	0	13.97	4.71
5817.0	0	2.85	55	0	2.55	0	13.94	4.70
5818.0	0	2.87	86	0	3.06	0	13.92	4.69
5819.0	0	2.86	86	0	3.35	0	13.88	4.69
5820.0	0	2.85	75	0	3.69	0	13.85	4.68
5821.0	0	2.85	97	0	4.25	0	13.80	4.66
5822.0	0	2.84	73	0	6.83	0	13.75	4.66
5823.0	0	2.83	70	0	7.34	0	13.68	4.64
5824.0	0	2.84	82	0	7.19	0	13.61	4.62
5825.0	0	2.83	98	0	7.39	0	13.54	4.61
5826.0	0	2.83	99	0	6.97	0	13.47	4.61
5827.0	0	2.82	77	0	8.65	0	13.39	4.61
5828.0	0	2.81	72	0	9.14	0	13.30	4.58
5829.0	0	2.82	71	0	8.34	0	13.22	4.56
5830.0	0	2.79	72	0	7.48	0	13.14	4.54
5831.0	0	2.79	76	0	6.75	0	13.07	4.52

DEPTH FT	VCL %	ROMA G/C3	SN %	PERM MD	POR %	SPI %	CUMU LATIVE	
							POR/ FT	HC/ FT
5832.0	0	2.79	69	0	7.05	0	13.00	4.51
5833.0	0	2.79	64	0	7.85	0	12.93	4.48
5834.0	0	2.80	65	0	7.87	0	12.85	4.46
5835.0	0	2.79	65	0	7.48	0	12.78	4.43
5836.0	0	2.80	73	0	6.48	0	12.70	4.41
5837.0	0	2.81	75	0	5.70	0	12.64	4.39
5838.0	0	2.78	73	0	5.38	0	12.58	4.37
5839.0	0	2.78	73	0	4.67	0	12.53	4.36
5840.0	0	2.75	73	0	4.46	0	12.48	4.35
5841.0	0	2.77	66	0	6.74	0	12.43	4.33
5842.0	0	2.74	76	0	6.48	0	12.37	4.31
5843.0	0	2.81	63	0	7.58	0	12.30	4.30
5844.0	0	2.74	66	0	7.17	0	12.22	4.27
5845.0	0	2.79	74	0	5.47	0	12.16	4.25
5846.0	0	2.78	97	0	3.48	0	12.11	4.24
5847.0	0	2.79	82	0	3.47	0	12.08	4.24
5848.0	0	2.78	88	0	4.01	0	12.04	4.23
5849.0	0	2.78	79	0	3.48	0	12.00	4.22
5850.0	0	2.77	71	0	3.76	0	11.97	4.21
5851.0	0	2.78	100	0	2.50	0	11.93	4.20
5852.0	0	2.76	91	0	3.03	0	11.91	4.20
5853.0	0	2.76	100	0	2.72	0	11.88	4.20
5854.0	0	2.74	100	0	2.61	0	11.85	4.20
5855.0	0	2.76	95	0	3.70	0	11.82	4.20
5856.0	0	2.79	96	0	3.78	0	11.78	4.20
5857.0	0	2.81	100	0	3.14	0	11.74	4.19
5858.0	0	2.80	100	0	2.89	0	11.71	4.19
5859.0	0	2.77	82	0	3.53	0	11.68	4.19
5860.0	0	2.77	80	0	3.45	0	11.64	4.18
5861.0	0	2.79	100	0	2.53	0	11.61	4.18
5862.0	0	2.80	100	0	2.56	0	11.58	4.18
5863.0	0	2.79	98	0	2.93	0	11.56	4.18
5864.0	0	2.77	94	0	2.89	0	11.53	4.18
5865.0	0	2.77	100	0	2.96	0	11.50	4.18
5866.0	0	2.79	100	0	2.59	0	11.47	4.18
5867.0	0	2.80	100	0	2.27	0	11.45	4.18
5868.0	0	2.81	100	0	2.41	0	11.42	4.18
5869.0	0	2.82	100	0	3.19	0	11.40	4.18
5870.0	0	2.80	85	0	3.70	0	11.36	4.18
5871.0	0	2.79	87	0	3.43	0	11.33	4.17
5872.0	0	2.78	81	0	3.19	0	11.29	4.17
5873.0	0	2.80	74	0	3.04	0	11.26	4.16
5874.0	0	2.79	46	0	3.47	0	11.23	4.15
5875.0	0	2.80	62	0	3.30	0	11.20	4.13
5876.0	0	2.79	75	0	3.20	0	11.16	4.12
5877.0	0	2.80	76	0	3.33	0	11.13	4.11
5878.0	0	2.78	59	0	3.91	0	11.10	4.10
5879.0	0	2.78	87	0	2.54	0	11.06	4.09
5880.0	0	2.78	74	0	2.54	0	11.03	4.08

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POB %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
5882.0	0	2.81	94	0	2.15	0	10.99	4.08
5887.0	0	2.80	50	0	2.31	0	10.91	4.07
5888.0	0	2.83	66	0	2.18	0	10.89	4.06
5889.0	0	2.81	62	0	2.53	0	10.86	4.06
5897.0	0	2.79	100	0	2.83	0	10.72	4.03
5898.0	0	2.79	100	0	2.98	0	10.59	4.03
5899.0	0	2.78	100	0	2.76	0	10.66	4.03
5900.0	0	2.76	100	0	2.61	0	10.64	4.03
5901.0	0	2.77	100	0	2.42	0	10.61	4.03
5902.0	0	2.80	100	0	2.59	0	10.59	4.03
5903.0	0	2.80	100	0	3.22	0	10.56	4.03
5904.0	0	2.80	73	0	3.73	0	10.53	4.03
5905.0	0	2.82	51	0	4.43	0	10.49	4.02
5906.0	0	2.80	74	0	2.97	0	10.45	4.00
5907.0	0	2.82	75	0	2.44	0	10.42	3.99
5908.0	0	2.83	52	0	2.91	0	10.39	3.98
5909.0	0	2.85	49	0	2.95	0	10.36	3.97
5913.0	0	2.72	36	0	4.69	0	10.24	3.95
5914.0	0	2.75	51	0	3.55	0	10.24	3.92
5915.0	0	2.78	71	0	2.71	0	10.21	3.91
5916.0	0	2.78	87	0	2.23	0	10.19	3.91
5930.0	0	2.86	54	0	2.18	0	9.98	3.83
5931.0	0	2.86	46	0	2.63	0	9.95	3.82
5932.0	0	2.86	46	0	2.40	0	9.93	3.81
5938.0	0	2.87	39	0	2.20	0	9.87	3.78
5954.0	0	2.85	48	0	2.27	0	9.71	3.73
5955.0	0	2.87	42	0	2.39	0	9.68	3.72
5956.0	0	2.85	45	0	2.08	0	9.66	3.71
5959.0	0	2.87	47	0	2.54	0	9.62	3.68
5960.0	0	2.89	39	0	4.31	0	9.58	3.66
5961.0	7	2.87	60	0	2.72	0	9.54	3.64
5969.0	6	2.88	72	0	3.15	0	9.44	3.61
5970.0	5	2.89	74	0	3.55	0	9.40	3.60
5971.0	1	2.89	82	0	3.18	0	9.37	3.60
5972.0	0	2.89	55	0	3.64	0	9.33	3.59
5973.0	0	2.87	58	0	2.97	0	9.30	3.57
5974.0	0	2.86	75	0	2.53	0	9.27	3.56
5975.0	0	2.86	92	0	2.22	0	9.25	3.56
5976.0	0	2.88	65	0	2.05	0	9.22	3.56

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	FOR %	SPI %	CUMULATIVE POR/ FT	HC/ FT
5978.0	0	2.87	25	0	2.96	0	9.19	3.54
5984.0	0	2.86	62	0	2.22	0	9.08	3.50
5985.0	0	2.84	67	0	2.41	0	9.05	3.48
5995.0	0	2.88	44	0	2.47	0	8.93	3.45
5996.0	0	2.89	52	0	2.37	0	8.90	3.43
5997.0	0	2.89	56	0	2.54	0	8.88	3.42
5998.0	0	2.84	47	0	3.82	0	8.85	3.41
5999.0	0	2.87	61	0	2.24	0	8.81	3.39
6000.0	1	2.87	34	0	3.14	0	8.79	3.38
6001.0	0	2.90	33	0	3.42	0	8.76	3.36
6002.0	0	2.88	48	0	2.50	0	8.72	3.34
6004.0	0	2.88	26	0	2.69	0	8.68	3.32
6005.0	0	2.88	36	0	3.13	0	8.66	3.29
6006.0	0	2.89	32	0	4.49	0	8.62	3.27
6007.0	0	2.88	28	0	4.99	0	8.57	3.24
6008.0	0	2.86	38	0	2.61	0	8.53	3.21
6012.0	13	2.70	100	0	3.02	0	8.49	3.19
6013.0	16	2.71	100	0	3.06	0	8.46	3.19
6014.0	19	2.73	100	0	2.42	0	8.43	3.19
6028.0	16	2.71	100	0	3.78	0	8.31	3.19
6029.0	17	2.71	100	0	5.19	0	8.27	3.19
6030.0	14	2.70	100	0	5.17	0	8.22	3.19
6031.0	19	2.70	100	0	2.62	0	8.17	3.19
6032.0	0	2.82	100	0	2.90	0	8.14	3.19
6039.0	16	2.70	100	0	2.60	0	8.05	3.16
6040.0	19	2.70	100	0	3.13	0	8.02	3.16
6043.0	27	2.72	100	0	2.25	0	7.97	3.16
6044.0	24	2.70	100	0	3.65	0	7.95	3.16
6045.0	25	2.70	100	0	8.46	0	7.90	3.16
6046.0	31	2.73	100	0	6.68	0	7.81	3.16
6047.0	6	2.86	100	0	2.76	0	7.75	3.16
6063.0	13	2.70	100	0	3.32	0	7.66	3.16
6064.0	6	2.71	100	0	6.94	0	7.62	3.16
6065.0	7	2.71	100	0	7.01	0	7.55	3.16
6066.0	18	2.70	100	0	3.98	0	7.48	3.16
6081.0	20	2.71	100	0	7.44	0	7.36	3.16
6082.0	15	2.71	97	0	8.77	0	7.28	3.16
6083.0	16	2.72	67	1	12.34	0	7.19	3.15
6084.0	18	2.71	73	1	12.66	0	7.06	3.10
6085.0	26	2.70	95	0	9.88	0	6.94	3.08

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	FOR %	SP1 %	CUMU LATIVE POR/ FT	HC/ FT
6086.0	8	2.83	64	1	11.20	0	6.84	3.07
6087.0	0	2.89	30	16	13.97	0	6.72	3.01
6088.0	0	2.88	26	38	16.03	0	6.58	2.91
6089.0	0	2.89	32	31	16.63	0	6.41	2.79
6090.0	0	2.89	32	43	17.97	0	6.25	2.68
6091.0	0	2.88	35	24	16.33	0	6.07	2.56
6092.0	0	2.90	36	17	15.43	0	5.91	2.46
6093.0	0	2.88	38	13	14.89	0	5.76	2.36
6094.0	0	2.90	36	18	15.76	0	5.61	2.27
6095.0	0	2.88	36	21	16.14	0	5.45	2.17
6096.0	0	2.89	41	12	15.16	0	5.29	2.07
6097.0	0	2.89	45	8	14.34	0	5.14	1.98
6098.0	0	2.90	39	23	16.98	0	4.99	1.90
6099.0	0	2.88	38	28	17.61	0	4.82	1.79
6100.0	0	2.88	40	19	16.52	0	4.65	1.69
6101.0	0	2.89	39	16	15.85	0	4.49	1.59
6102.0	0	2.89	46	4	12.55	0	4.34	1.50
6103.0	0	2.90	51	1	9.50	0	4.22	1.44
6104.0	0	2.86	55	0	6.37	0	4.13	1.40
6105.0	0	2.87	44	0	6.15	0	4.07	1.37
6106.0	0	2.89	45	1	8.05	0	4.00	1.33
6107.0	0	2.88	49	1	8.54	0	3.92	1.29
6108.0	0	2.88	66	0	7.10	0	3.84	1.25
6109.0	0	2.89	55	0	6.49	0	3.76	1.22
6110.0	0	2.89	57	1	8.79	0	3.67	1.18
6111.0	0	2.83	73	0	6.92	0	3.59	1.14
6112.0	0	2.81	53	1	9.37	0	3.52	1.12
6113.0	0	2.86	45	2	10.84	0	3.44	1.07
6114.0	0	2.87	49	1	9.65	0	3.31	1.01
6115.0	0	2.88	53	0	8.09	0	3.22	.97
6116.0	0	2.89	49	0	9.02	0	3.14	.93
6117.0	0	2.89	53	0	7.25	0	3.06	.89
6118.0	0	2.89	52	1	8.39	0	2.99	.85
6119.0	0	2.90	50	1	9.72	0	2.89	.81
6120.0	0	2.88	67	0	7.85	0	2.80	.76
6121.0	0	2.86	100	0	5.43	0	2.72	.74
6122.0	0	2.86	63	0	7.20	0	2.67	.74
6123.0	0	2.87	64	0	6.33	0	2.60	.71
6124.0	0	2.88	87	0	4.25	0	2.54	.70
6125.0	0	2.85	58	0	5.12	0	2.50	.69
6126.0	0	2.89	48	0	5.18	0	2.45	.66
6127.0	0	2.90	35	0	5.66	0	2.39	.63
6128.0	0	2.89	47	0	3.94	0	2.34	.60
6129.0	0	2.89	43	0	3.75	0	2.30	.58
6130.0	0	2.86	52	0	4.71	0	2.26	.56
6131.0	0	2.88	77	0	6.29	0	2.21	.54
6132.0	0	2.89	95	0	6.19	0	2.14	.52
6133.0	0	2.86	75	0	6.45	0	2.08	.51
6134.0	0	2.90	100	0	4.70	0	2.02	.50

DEPTH FT	VCL %	ROMA G/C3	SW %	PERM MD	POR %	SPI %	CUMU LATIVE POR/ FT	HC/ FT
6135.0	0	2.89	100	0	6.27	0	1.97	.50
6136.0	0	2.90	99	0	7.75	0	1.90	.50
6137.0	0	2.88	96	0	7.53	0	1.82	.50
6138.0	0	2.89	83	0	7.31	0	1.74	.49
6139.0	0	2.90	63	0	8.82	0	1.67	.48
6140.0	0	2.86	78	0	7.56	0	1.58	.45
6141.0	0	2.85	100	0	5.78	0	1.52	.44
6142.0	0	2.86	83	0	7.98	0	1.46	.44
6143.0	0	2.88	62	0	8.74	0	1.38	.42
6144.0	0	2.90	62	0	7.39	0	1.29	.39
6145.0	0	2.89	73	0	6.48	0	1.22	.37
6146.0	0	2.90	62	0	6.52	0	1.16	.35
6147.0	0	2.89	79	0	4.28	0	1.10	.33
6148.0	0	2.88	65	0	4.49	0	1.06	.32
6149.0	0	2.88	49	0	5.12	0	1.01	.29
6150.0	0	2.90	51	0	5.25	0	.96	.27
6151.0	0	2.89	37	0	5.48	0	.90	.24
6152.0	0	2.89	64	0	3.83	0	.85	.21
6153.0	0	2.88	74	0	4.28	0	.81	.20
6154.0	0	2.87	66	0	4.77	0	.77	.19
6155.0	0	2.89	72	0	3.91	0	.72	.17
6156.0	0	2.86	65	0	3.63	0	.69	.16
6157.0	0	2.85	68	0	4.23	0	.65	.15
6158.0	0	2.86	100	0	3.31	0	.61	.14
6159.0	0	2.90	73	0	5.71	0	.57	.14
6160.0	0	2.88	98	0	6.01	0	.51	.13
6161.0	0	2.89	89	0	7.76	0	.46	.13
6162.0	0	2.89	64	1	10.31	0	.37	.11
6163.0	0	2.89	67	0	9.88	0	.27	.07
6164.0	0	2.89	68	0	9.37	0	.17	.04
6165.0	0	2.89	81	0	8.23	0	.08	.02