Submit 3 Copies To Appropriate District	oropriate District State of New Mexico				Form C	
Office District I	Energy, Minerals and Natural Resources			r	Revised March 25	5, 1999
1625 N. French Dr., Hobbs, NM 88240				WELL API NO.		
District II	OIL CONSERVATION DIVISION			30-025-27948		
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Francis Dr.			5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505				FEE	
District IV	Santa Fe	e, MWI 8	/303	1	Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM				EO-	-2519	
87505 SUNDRY NOT	ICES AND REPORTS OF	VWFLLS	,	7 Lease Name o	or Unit Agreement N	lame:
(DO NOT USE THIS FORM FOR PROPO				7. Doube rame (onic rigidement re	anic.
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH				East E-K Queen Unit		
PROPOSALS.)				East E	A Queen onit	
1. Type of Well:	Lau					
Oil Well X Gas Well	Other				·	
2. Name of Operator				8. Well No.		
Kevin O. Butler & Associates				12		
3. Address of Operator				9. Pool name or Wildcat		
P. O. Box 1171 Midland, TX 79702				E-K Queen; East		
4. Well Location						
F	2393	North		2388	West	1.
Unit Letter:	feet from the	100	line and	feet fr	om the	_line
Section 22	Township	18S	34E ange	NMPM	Lea	
Section	10. Elevation (Show v				County	
	10. Elevation (Bhow)	4015 GL		<i>c.)</i>		
11 Check	Appropriate Box to In			Report or Othe	r Data	•
		idicale is		_		
				SEQUENT RE		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	ı 🔀	REMEDIAL WOR	KK [.]	ALTERING CASIN	IG 📙
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DB	RILLING OPNS.	PLUG AND	П
TEMI ONAMET ABANDON	CHANGE I LANG		COMMENSE	ALLING OF NO.	ABANDONMENT	Ш
PULL OR ALTER CASING	MULTIPLE					
	COMPLETION		CEMENT JOB			
OTHER:			OTHER:			
12. Describe proposed or complete						
starting any proposed work). S	EE RULE 1103. For Mu	ltiple Con	ipletions: Attach w	ellbore diagram of	proposed completion	n or
recompilation.						
1) MIRU. POOH w/ rods &	& pump. Release TAC a	nd POOI	H w/ tubing.			
2) DIVI and set CIDD in 5 to	(")!4 4400 f4					
2) RIH and set CIBP in 5 ½	2" casing at 4490 it.					
2) DIU w/ 2.7/9" tubing wo	rk string and tog CIRD	ot 4400 ft	Snot coment plu	a from 4400 to 426	00 ft m/ 10 4 ava aar	m.am.t
3) RIH w/2 7/8" tubing wo 5 POT /00 CE	MENT PING F	17777 T	· An Roach	RASE AF	14, T	nent.
4) Spot mud from 4390 ft. 1	to 2066 ft	porte	10,5070	(Onsc of s	ner)	
4) Spot mud from 4550 fa		ust be	in complianc	e with Rule		
Continued on next page			-	s /	<u>(r </u>	
1 8	Ź	201	by /	11/11/02 1	i .	
I hereby certify that the information	above is true and comple	te to the h	est of my knowled	ge and belief	6	
		oto to the t	Operations Ma		(Ş.	
SIGNATURE	roo	TITLE	o positione size		CDATE 9-10-	- ZOO 3
					-fc	
Type or print name W. G. V	Vebb		Telep	hone No. (915)	682-1178	
(This space for State use) ORIGINA						
			NIA CED		_	
APPPROVED BY OC FIELD	. WINK D REPRESENTATIVE II/S	TAFTEL	NAGEK		DASEP 1 1 2	າຍນວ
Conditions of approval, if any:		· - <u></u>			1 1 2	שטע
**			THE COMMISSION	ON MUST BE NO	Times	
			HOURS PRIOR	JO THE BEGINI	HIFIED 24	
			PLUGGING OPP	RATIONS FOR TI	MING OF	
			TO BE APPROVE	D.	10 C- 103	

Form C-103

12) continued

- 5) Spot 25 sxs cement plug from 2066 to 1825 ft. (107 ft. above top of salt and 50 ft. above 8 5/8" csg. shoe)
- 6) Spot mud from 1825 to 450 ft.
- 7) POOH w/ tubing work string. RIH and cut 5 ½" casing at 450 ft. (this is 50 ft. below the 13 3/8" casing shoe at 400 ft.). POOH w/ 5 ½" casing.
- 8) RIH w/ tubing work string and spot cement from 450 ft. to the surface. (133 sxs cement)
- 9) Cut off 8 5/8" & 13 3/8" casing 3 ft. below ground level.
- 10) Regulatory marker to be set in cement over wellbore.



Pé A Wellbore Diegrein East E-K Queen Unit #12

