## STATE OF NEW MEXICO

MG. OF COPIES ACCEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR	1	1

Form C-103

STATE OF NEW MEXICO		
ENERGY AND MINERALS DEPARTMEN	T	
ME. OF COPIES ACCEIVED	OIL CONSERVATION DIVISION	
DISTRIBUTION	P. O. BOX 2088	•
SANTAFE	SANTA FE, NEW MEXICO 87501	
FILE		5a. Indicate Type
U.S.G.S.		State X

SANTA FE, NEW MEXICO 87501  FILE  U.S.G.S.  LAND OFFICE  OPERATOR	
U.S.G.S.  LAND OFFICE	
LAND OFFICE	5a. Indicate Type of Lease
	State X Fee
OBERATOR	5. State Oil & Gas Lease No.
30-025-281	16 B-1446
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO CRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RES  USE "APPLICATION FOR PERMIT -" (FORM C-131) FOR SUCH PROPOSALS.)	ERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	7. Unit Agreement Name
1. OIL GAS (	
WELL OTHER- Water Injection	West Vacuum Unit
2. Name of Operator	
TEXACO Inc.	West Vacuum Unit
3. Address of Operator	1
P. O. Box 728, Hoods, New Mexico 88240	55
4. Location of Well	10. Field and Pool, or Wildcat
UNIT LETTER A . 170 FEET FROM THE NORTH LINE AND 110	Vicuum Grayburg San Andres
UNIT LETTER A LIVE FEET FROM THE TOUR LINE AND	
THE East LINE, SECTION 3 TOWNSHIP 18-S HANGE	34-E
THE <u>EAST</u> LINE, SECTION	
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
4022' (GR)	Lea
Check Appropriate Box To Indicate Nature of Notice,	Report of Other Data
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON COMMENCE DRILLING O	<del></del>
PULL OR ALTER CASING CHANGE PLANS CASING TEST AND CEM	ENT JQB [X]
OTHER	
OTHER .	
	the state of transfer and propored
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent	dates, including estimated date of starting any proposed
work) SEE RULE 1103.	dates, including estimated date of starting any proposed
work) see RULE 1103.  TOTAL DEPTH 1660'	
work) SEE RULE 1103.	
TOTAL DEPTH 1660'  13 3/8" OD 43% H-40 CSG SET	@ 3 <b>7</b> 8 <b>'</b>
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET (	@ 378' o'.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660'  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.	@ 378' o'.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Tele Complete 2:30 PM 3-0-33	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Tele Correlate 2:30 PM 3-0-3 WOL 18 Hrs.	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-0-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Tele Correlate 2:30 PM 3-6-3 WOL 18 Hrs.	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-83. VOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOL 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43% H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36% J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000% for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOL 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 10 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-03. VOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A	378' O'. Cement Circulated.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET (  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 166  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-3. NOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A  Job Complete 9:00 AM, 3-7-83.	378' O'. Cement Circulated. M, 3-7-83. Tested OK.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET (  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 166  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-3. NOC 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 A  Job Complete 9:00 AM, 3-7-83.	378' O'. Cement Circulated. M, 3-7-83. Tested OK.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOC 12 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 Amage of the set of the set of my knowledge and be set of the set of my knowledge and be set of the set of my knowledge and be set of my knowledge.	@ 378' O'. Cement Circulated. M, 3-7-83. Tested OK.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET (  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 166  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-3. VOU 18 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 AJ  Job Complete 9:00 AM, 3-7-83.	@ 378' O'. Cement Circulated. M, 3-7-83. Tested OK.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET (  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-0-03. VOC 18 Mrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 AM  Job Complete 9:00 AM, 3-7-83.	@ 378' O'. Cement Circulated. M, 3-7-83. Tested OK.
TOTAL DEPTH 1660'  13 3/8" OD 43# H-40 CSG SET  1. Ran 1650' (40 Jts.) 9 5/8" OD 36# J-55 Csg & Set @ 1660  2. Cemented W/800 Sx. Class H Cement containing 2% CaCl.  Job Complete 2:30 PM, 3-6-33. WOL 13 Hrs.  3. Tested 9 5/8" Csg to 1000# for 30 minutes, 8:30-9:00 Al Job Complete 9:00 AM, 3-7-83.	@ 378' O'. Cement Circulated. M, 3-7-83. Tested OK.