

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

API# 30-025-28265

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- INJECTOR	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator SHELL OIL COMPANY	5. State Oil & Gas Lease No.
3. Address of Operator P. O. BOX 991, HOUSTON, TEXAS 77001	7. Unit Agreement Name N. HOBBS (G/SA) UNIT
4. Location of Well (SURFACE LOCATION, BOTTOMHOLE LOCATION) UNIT LETTER <u>M/N</u> , <u>610/31</u> FEET FROM THE <u>SOUTH</u> LINE AND <u>1210/1377</u> FEET FROM THE <u>WEST</u> LINE, SECTION <u>32</u> TOWNSHIP <u>18-S</u> RANGE <u>38-E</u> N.M.P.M.	8. Farm or Lease Name SECTION 32
	9. Well No. 142
	10. Field and Pool, or Wildcat HOBBS (G/SA)
15. Elevation (Show whether DF, RT, GR, etc.) 3625.5' GL	12. County LEA

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOBS ☐
OTHER ☒ COMPLETE AS A SAN ANDRES II, IIIU & IIIIL INJECTOR
(ORDER NO. R-6199-A)

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

12-30-83: Cleaned out to 4400'.

1-03-84: Spotted 250 gals 15% HCl-NEA acid from 4313' to 4063'. Perforated from top down

Zone II 4135' to 4178' (14 holes)
Zone IIIU 4191' to 4274' (22 holes)
Zone IIIIL 4279' to 4313' (12 holes) - Total 48 perforations.

1-04-84: Acidized perforations 4135' to 4313' with 9,600 gals 15% HCl-NEA acid.

1-05-84: Set 5-1/2" Guiberson Uni-Pkr VI @ 4001' with 10,000# tension. Well complete for injection.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. Sexton for A. J. FORE

TITLE SUPERVISOR REG. & PERMITTING

DATE JANUARY 18, 1984

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY

TITLE

DATE

FEB 21 1984

RECEIVED

JAN 23 1984

O.C.D.
HOBBS OFFICE