

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	State ☒ Fee ☐
5. State Oil & Gas Lease No.	E-1632

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐ <u>temp. abandoned</u>	7. Unit Agreement Name
2. Name of Operator CONOCO INC.	8. Farm or Lease Name state 27
3. Address of Operator P. O. Box 460, Hobbs, N.M. 88240	9. Well No. 1
4. Location of Well UNIT LETTER <u>P</u> , <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>27</u> TOWNSHIP <u>18S</u> RANGE <u>34</u> N.M.P.M.	10. Field and Pool, or Wildcat Undesignated Wolfcamp/Bone Spring
15. Elevation (Show whether DF, RT, GR, etc.)	12. County

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOBS ☐	OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- ① MIRD. Pump mud from PBTD @ 9023' - 7640'. Spot 100' cmt plug from 7640' - 7540' to isolate top of the Bone Spring.
- ② Pump mud from 7540' - 4048'. Spot 100' cmt plug from 4048' - 3948' to isolate 9 7/8" shoe.
- ③ Perf @ 1500' w/ 4 JS PF. Pump cmt to spot plug and circ. to surface. This will isolate top of salt section.
- ④ Spot 100' surface plug. Cut off wellhead and install P & A marker.
- ⑤ A proposed P & A sketch is attached.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Administrative Supervisor DATE 1-20-87

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT SUPERVISOR


APPROVED BY [Signature] TITLE [Signature] DATE JAN 23 1987

CONDITIONS OF APPROVAL, IF ANY:

1/MCCN-Hobbs(3)F11

ELEV: 3995'
ZERO: 16' AGL

TOPS: RUSTLER 1630'
SALADO 1940'
TR 3770
QUEEN 4580'
GRAYBURG 5250'
DELAWARE 6170'
BONESPRING 7590'
WOLFCAMP 10,700'



* SURFACE PLUG FROM 0-100'

* PERFORATE 7" @ 1500' & CIRCULATE CEMENT TO SURFACE

* CEMENT PLUG FROM 3945'-4045' TO ISOLATE 9 5/8" SHOE

* CEMENT PLUG FROM 7540'-7640' TO ISOLATE THE TOP OF THE BONE SPRING

BAH

Calculation Sheet

14 JANUARY, 1987

STATE 27 #1
PROPOSED F&A CONDITIONS

State

RECEIVED
JAN 22 1987
OCD
HONOLULU OFFICE