

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
V-1374	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. Unit Agreement Name
2. Name of Operator Cavalcade Oil Corporation		8. Farm or Lease Name Golden State
3. Address of Operator P.O. Box 16187, Lubbock, Texas 79490		9. Well No. #2
4. Location of Well UNIT LETTER <u>L</u> , <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>12</u> TOWNSHIP <u>18S</u> RANGE <u>36E</u> NMPM.		10. Field and Pool, or Wildcat Arkansas Junction (San Andres)
15. Elevation (Show whether DF, RT, GR, etc.) 3795.1 GR		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3/23/85 Set 1350' of 8 5/8" - 24# casing. circulated 140 sx cement at surface. Total cement used - 480 sx. Pacesetter "Lite" with 1/4# sx. cello seal and 3# sx. salt, followed by 200 sx. Class "C" 3# sx. salt. Float held at 800# for 15 min.

3/30/85 Set 5250' of 4 1/2" - 10.5# casing. Total cement used: 400 sx. Pacesetter "Lite" with 1/4# sx. cello-seal + 3# sx. salt, followed by 275 sx. Class "C" + 3# sx. salt. Float held 1500# for 15 min.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.
Michael G. Mooney

SIGNED Michael G. Mooney TITLE Drilling & Production Mgr. DATE 4/30/85

ORIGINAL FILED IN THE OFFICE OF THE
DISTRICT ENGINEER

APPROVED BY _____ TITLE _____ DATE MAY 3 1985

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAY 1 1985

O.C.D.
DEBTS OFFICE