

RECEIVED
FEB 20 1986
O.C.D.
HOBBS OFFICE

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depth. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____
T. Salt _____ 1870'
B. Salt _____ 2830'
T. Yates _____
T. 7 Rivers _____
T. Queen _____ 4219'
T. Grayburg _____ 4750'
T. San Andres _____
T. Glorieta _____
T. Paddeek _____
T. Blinberry _____
T. Tubb _____
T. Drinkard _____
T. Abo _____
T. Wolfcamp _____
T. Penn _____
T. Cisco (Bough C) _____

Northwestern New Mexico

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todillo _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn. "A" _____
T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Qtzite _____
T. Granite _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
No. 2, from _____ to _____
No. 3, from _____ to _____
No. 4, from _____ to _____
No. 5, from _____ to _____
No. 6, from _____ to _____

IMPORTANT WATER SANDS


Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
-0-	1870	1870	Redbed				
1870	2830	960	Salt				
2830	4219	1389	Anhydrite				
4219	4750	531	Sand & Anhydrite				
4750	5050	300	Dolomite & Sand				

RECEIVED
FEB 20 1986
O.C.D.
HOBBS OFFICE



Telephone (505) 748-2205

L & M DRILLING, INC. — Oil Well Drilling Contractors

P. O. BOX ~~678~~ / ARTESIA, NEW MEXICO 88210
470

June 30, 1985

Santa Fe Exploration
PO Box 1136
Roswell, NM 88201

Re: Corbin Fee #1
330' FSL & 330' FWL
Sec. 3, T18S, R33E
Lea County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
522'	1/4°
1044'	1/4°
1539'	1/2°
2025'	1/4°
2521'	3/4°
3015'	3/4°
3510'	3/4°
4003'	3/4°
4499'	3/4°
5050'	1°

Very truly yours,

B. N. Muncy Jr.
President

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 1st day of July, 1985.

NOTARY PUBLIC

RECEIVED
FEB 20 1986
C-2
MOBILE OFFICE