

NO. OF COPIES RECEIVED		
DISTRIBUTION		
ANTA FE		
ILE		
S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
LG-2945

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER ☐
Name of Operator
Maralo, Inc.
Address of Operator
P. O. Box 832, Midland, Texas 79702
Location of Well
UNIT LETTER L 1748 FEET FROM THE South LINE AND 742 FEET FROM THE West
THE LINE, SECTION 16 TOWNSHIP 18-S RANGE 35-E NMPM.

7. Unit Agreement Name
8. Farm or Lease Name
Maralo SV 16 State
9. Well No.
10. Field and Pool, or Wildcat
Wildcat
12. County
Lea

15. Elevation (Show whether DF, RT, GR, etc.)
3931 GL

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
LL OR ALTER CASING ☐
OTHER ☐
PLUG AND ABANDON ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☒
CASING TEST AND CEMENT JOB ☒
OTHER ☐
ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

Spudded on July 29, 1985 @ 10:00 p.m. Ran 11 jts. 13 3/8" 54.5# K-55 ST&C casing. Set @415'. 13 3/8" hole. Cemented with 400 sx Class "C" w/2% CaCl & 1/2#/sx flocele. Cement circulated to ground surface. WOC 24 1/2 hours. Tested to 1200 psi - okay.

Logged well on 8-13-85. Ran DLL/GR from 4722' to 2000' and CN/LD/GR from 4734' and 4762' (CN) to 2000' w/CN/GR to surface.

FORMATION TOPS

Rustler	1692'	Queen Pay	4316'
Yates	3134'	Penrose	4555'
7 Rivers	3562'	Est Grayburg	4825'
Queen	3988'		

Decided to drill well to a depth of 11,800'.

8-14-85 Ran 119 jts. 36# 8 5/8" casing. Set @ 4745'. Cemented 1st stage with 1100 sacks Class "C" w/2% CaCl. Cemented 2nd stage with 900 sx Class "C" w/2% CaCl. Hole size 11". WOC 24 hrs.+ 8-31-85 Tested casing to 2000 psi - okay.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Brenda Coffman

TITLE Agent

DATE 9-10-85

SEP 12 1985

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE