

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPI  
(Other instruction  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

NM-50920

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "I"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

UNDESIGNATED

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

14-18S-35E

12. COUNTY OR PARISH 13. STATE

Lea

N.M.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR  
Mewbourne Oil Company

3. ADDRESS OF OPERATOR  
P. O. Box 7698, Tyler, Texas 75711

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface  
1980' FSL & 1980' FEL

14. PERMIT NO.  
API #30-025-29345

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
3876.4' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐

PULL OR ALTER CASING

☐

FRACTURE TREAT

☐

MULTIPLE COMPLETE

☐

SHOOT OR ACIDIZE

☐

ABANDON\*

☐

REPAIR WELL

☐

CHANGE PLANS

☐

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐

REPAIRING WELL

☐

FRACTURE TREATMENT

☒

ALTERING CASING

☐

SHOOTING OR ACIDIZING

☐

ABANDONMENT\*

☐

(Other)

(NOTE: Report results of multiple completion on Well  
Completion or Rec completion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5/02/86 - RU Halliburton and frac'd Delaware Sand from 6080' - 6106'  
down 2-7/8" tubing with 10,200 gallons Versagel 1300 carrying  
12,700# 20/40 sand as follows:

2500 gallons pad, 1800 gallons with 1 PPG sand, 1800 gallons  
with 1-1/2 PPG sand, 4100 gallons with 2 PPG sand. Flushed  
with 2000 gallons slick 2% KCL water. Min. press. 2720#,  
Max. press. 3120#, AIR 21.0 BPM at 2850#. ISDP 1540#, 15 mins.  
1200#.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Engr. Oprns. Sec.

DATE

5/19/86

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side