

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NEW MEXICO 88240
1980
Bureau No. 1004-0135
Exp. Date March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Other Injection	5. Lease Designation and Serial No. 13NM-4609
2. Name of Operator Mewbourne Oil Company	6. Field or Lease or Tract or Tract Name 13NM-91005X
3. Address and Telephone No. P.O. Box 5270 Hobbs, New Mexico (505) 393-5905	7. Lease or C.A. Agreement Designation PBSSU 7A-11
4. Location of Well (Footage Sec., T., R., M., or Survey Description) 660' FNL & 530' FEL Sec. 27-T18S-R32E	8. Well Name and No. 30-025-29516
	9. A.P. Well No. 10. Field and Pool or Exploration Area Guerecho Plains
	11. County or Parish, State Sone Springs Lea County, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
☐ Notice of Intent	☐ Abandonment
☒ Subsequent Report	☐ Recompletion
☐ Final Abandonment Notice	☐ Plugging Back
	☐ Casing Repair
	☐ Altering Casing
	☐ Other <u>Clean out/replace tbg.</u>
	☐ Change of Plans
	☐ New Construction
	☐ Non-Routine Fracturing
	☐ Water Shut-Off
	☐ Conversion to Injection
	☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details and give pertinent dates including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)


04/02/96 MIRU well service. Release packer. Started LD tubing. SDFN.
04/03/96 Continue to LD tubing. PU bit & new tubing string. Tagged @ 8371'. SDFN.
04/04/96 Circulated hole clean to PBTD @ 8792'. PCOH w/tubing & bit. RIH w/packer. Set packer @ 8272'. Released from packer. Circulated 150 bbls. 2% KCL down casing. Latched onto packer. Performed MIT. Held 300# for 15 min. Original chart enclosed. Turn on injection. RD & MC well service.

14. I hereby certify that the foregoing is true and correct.

Signed Rich S. Brown Title Engineer Date April 24, 1996

(This space for Federal or State office use)

Approved by _____ Title _____ Date June
Conditions of approval, if any



96 Mini Case
100# Spring
4/4/96
67822 U 7A-11
HARRISBURG Co. G

