

RECEIVED
MAY 10 8 22 AM '93
OFFICE

Form 100-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N. M. GEN. CONS. C. HISSON
P. O. BOX 1980
HOBBS, NEW MEXICO 88240

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Mewbourne Oil Company

3. Address and Telephone No.

P.O. Box 5270 Hobbs, New Mexico 88241

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit M 660' FSL & 660' FWL
Sec. 24-T18S-R32E

5. Lease Designation and Serial No.

NM-2945

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

French Federal #1

9. API Well No.

30-025-29623

10. Field and Pool, or Exploratory Area

Querecho Plains Delaware

11. County or Parish, State

Lea County, N.M.

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____

☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Squeezed Delaware Perforations (6650'-6670') with 200 sx. Class "C" cement to 3000#.
2. Drilled out squeeze and tested to 2000#. Held ok.
3. Drilled out CIBP at 8440'. Cleaned well out to PBTD at 8650'.
4. Acidized Bone Springs Perforations (8534'-8568') with 3000 gallons 7 1/2% HCL.
5. Put well on pump. Test and evaluate.

J. Lara
11 1993

14. I hereby certify that the foregoing is true and correct

Signed *Erick W. Nelson*

Title Erick W. Nelson

Date 05/01/93

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any

Mexbourne Oil Company
French Federal #1
Sec 24-T18S-R32E
County, New Mexico

