

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Metex Pipe & Supply
3. ADDRESS OF OPERATOR
P. O. Box 1037 Artesia, N. M. 88210
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
2310' FSL & 990' FEL
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

- | REQUEST FOR APPROVAL TO: | TEST WATER SHUT-OFF | FRACTURE TREAT | SHOOT OR ACIDIZE | REPAIR WELL | PULL OR ALTER CASING | MULTIPLE COMPLETE | CHANGE ZONES | ABANDON* | (other) |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|---------|
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |

SUBSEQUENT REPORT OF:

5. LEASE
N M - 025497
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Hess & Peterson Fed
9. WELL NO.
#1
10. FIELD OR WILDCAT NAME
Lusk North East Yates
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
S-14, T-19S, R-32E
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3629.5

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. hole @3,314' 5-07-86 and ran Schlumberger CN & SDL logs. Requesting approval to abandon well by the following method: To pump ~~100'~~ 100' of class 'H' cement at T. D., 100' at base of salt 2775', 100' at 1370' (top of salt) and 100' at surface pipe shoe 372' & a 10 sack surface. We will tag the 100' plugs. We will clean up and restore location, and set dry hole marker as soon as possible. Plugging orders as per verbal BLM Carlsbad, N. M., & OCD, Hobbs, N. M.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Martin B. Murey TITLE d/b/a Metex Pipe & Supply DATE May 8, 1986

Oct. 8, 1986

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE 5-23-86

CONDITIONS OF APPROVAL, IF ANY:

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GTO : 1976 O - 214-149

Surface Pipe Shoe	372'
Top of Salt	1,370
Base of Salt	2776'
Top Yates	2980'
TD	3314

RECEIVED
MAY 26 1986
HOBBS OFFICE