35. LIST OF ATTACHMENTS

SIGNED

SUBMIT IN DUPLI UN ED STATES E\* Form approved. Budget Bureau No. 42-R355.5. i Sec ier in-DEPARTMENT OF THE INTERIOR structions on reverse side) 5. LEASE DESIGNATION AND SERIAL NO. GEOLOGICAL SURVEY ~ . . . O N M - 025497 6. IF INDIAN, ALLOTTEE OR TRIBE NAME WELL COMPLETION OR RECOMPLETION REPORT AND LOG\* 18. TYPE OF WELL: WELL X 7. UNIT AGREEMENT NAME DRY Other b. TYPE OF COMPLETION: WORK OVER NEW X DEEP-EN PLUG DIFF. 8. FARM OR LEASE NAME Other 2. NAME OF OPERATOR Hess & Peterson Fed Metex Pipe & Supply 10. SIELD AND POOL, OR WILDCAT

Note to the fact of the last Yates

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA P. O. Box 1037 Artesia, N. M. 88210
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements). 2310' FSL &990' FEL At top prod. interval reported below At total depth S-14, T-19S, R-32E14. PERMIT NO. 12. COUNTY OR DATE ISSUED 13. STATE Lea NM 19. ELEV. CASINGHEAD 15. DATE SPUDDED 16. DATE T.D. REACHED | 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, REB, RT, GR, ETC.)\* P & A 5-7-86
., MD & TVD | 22. IF MULTIPLE COMPL., 4-30-86 5-6-86 3629.5 Same CABLE TOOLS 20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 23. INTERVALS DRILLED BY ROTARY TOOLS HOW MANY a11 24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TYD) 25. WAS DIRECTIONAL SURVEY MADE Yes Prev. Mailed toBLM 26. TYPE ELECTRIC AND OTHER LOGS RUN 27. WAS WELL CORED Schlumberger CN & SDL Logs No 28 CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT, LB./FT. DEPTH SET (MD) HOLE SIZE CEMENTING RECORD AMOUNT PULLED 8 5/8 24# 372 12 ½ Circulated None Halliburton Class'H' at T.D., 100' at Base of Salt 2775' at 1370' (top of at surface pipe shoe 372', & A 10 sack surface plug down @1:15 29. LINER RECORD TUBING RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) 31. PERFORATION RECORD (Interval, size and number) ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED None 33.\* DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) well status (*Producing or* Plugged & Abandoned None P & A FOR RECORD PROD'N. FOR CE OIL B DATE OF TEST HOURS TESTED CHOKE SIZE WATER-BBL. GAS-OIL RATIO TEST PERIOD None FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL--BBL WATER-OIL GRAVITY-API (CORR.) 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

CARLSBAD, Nº

TEST WITNESSED BY

MEMICO

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

## INSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments Comment. This fame is decimand for enhantling a complete and correct and correct and loren all terms of lands and losens to either a Paderal ganax on a State account

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State should be listed on this form, see item 35.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval. Hem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) or Federal office for specific instructions.

How to the second secon					
				3314	Top Yates TD
			2776	1370	Top of Salt Base of Salt
			372'	•	Surface Pipe Shoe
MEAS. DEPTH TRUE VERT. DEPTH	10 O D				
TOP	V A A A A A A A A A A A A A A A A A A A	DESCRIPTION, CONTENTS, ETC.	воттом	TOP	FORMATION
GEOLOGIC MARKERS		MARY OF POROUS ZONES: SHOW ALL IMPOURANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL BRILL-STEM TESTS, INCLUDING 38. DEPTH INTERVAL TENIED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	OROSITY AND CONTEN	(OUS ZONES: REARY ZONES OF P JESTED, CUSHION	37. SCMMARY OF POROUS ZONES: show all important zones of objth interval tened, cush



## LaRue Drilling Co., Inc. — Oil Well Drilling Contractors

P. O. BOX **20%**2 470 ARTESIA, NEW MEXCIO 88210

May 12, 1986

Metex Pipe & Supply PO Box 1037 Artesia, NM 88210

> Re: Hess & Peterson Federal #1 2310' FSL & 990' FEL Sec. 14, T19S, R32E Lea County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
375 <b>'</b>	1/2°
868'	1 3/4°
1332'	1 1/2°
1795'	1°
2195'	1/2°
2629'	2 3/4°
2971 <b>'</b>	1 3/4°
3314'	1/2°

Very truly yours,

B. N. Muncy Jr. President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 12th day of May, 1986.

NOTARY PUBLIC



OFFICIAL SEAL REGINIA L GARNER

NOTARY PUBLIC - NEW MEXICO SOTARY BOND FILED WITH SECRETARY OF STATE

Commission Expires <u>9-75-88</u>