Submit 3 Copies to Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources Department		Form C-103 Revised 1-1-89
DISTRICT I P.O. Box 1980, Hobbs, NM 88240	OIL CONSERVATION DIVISION		WELL API NO.
P.O. Box 2088 DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-2088			<u>30-025-29805</u> 1 5. Indicate Type of Lease
DISTRICT III			STATE X FEE
1000 Rio Brazos Rd., Aztec, NM 87410			6. State Oil & Gas Lease No. LG 2944
(DO NOT USE THIS FORM FOR PRO DIFFERENT RESER	ICES AND REPORTS ON WEL DPOSALS TO DRILL OR TO DEEPEN RVOIR. USE "APPLICATION FOR PER -101) FOR SUCH PROPOSALS.)	OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
1. Type of Well: OL CONVERT TO SWD WELL WELL OTHER ORDER NO. SWD-498			Shooting Star SWD
2. Name of Operator YATES PETROLEUM CORPORATION			8. Well No.
3. Address of Operator			9. Pool name or Wildcat
105 South 4th St., Artesia, NM 88210 4. Well Location			Undes. Bone Springs
	Feet From The South	Line and 2310	
		Line and	J Feet From TheEast Line
Section 11	Township 18S Ra	nge 35E	NMPM Lea County
	3891.1		
11. Check	Appropriate Box to Indicate N		eport, or Other Data
NOTICE OF INT	ENTION TO:		SEQUENT REPORT OF:
		REMEDIAL WORK	
PULL OR ALTER CASING		CASING TEST AND CE	
OTHER:		OTHER: Convert	well to SWD
12. Describe Proposed or Completed Operat work) SEE RULE 1103.	tions (Clearly state all pertinent details, an		ding estimated date of starting any proposed
Well converted to SWD .	as follows: Set retain	er at 5710 '. S	Sting into retainer and pressure
annulus to JOU psi. Pui	nped IUU sx class H + .	4% F.L. and 100) sy H Noat Squaagad aanfa
on orbi at 0000 . Dfl.	LIED OUT CIEP and N' of	cement Dron	retainer at 5710'. Continued drilli down to retainer at 8250'. Drilled
out retainer at 0200 a	and cement to 8594'. D	ron down and to	α bottom of 00001 D 11
crean, remonated as	COLLOWS: Zone I) 8646.	50. 59 62 67	
		13 26 27 2	18 3/ 35 3/ 51 50 50 5/ 55
(0)	10, 23, 24, 27, 17, 18	4/ 44 60 67	43, 44, 70, 74, 76, 77, 83, 85, 87 (33 holes). Spot 700g. 20% acid a
	LIUWS: ZONE I – W/TOND	110 - 7117 NEEE 7	(2 - 2) = (10000) = 00%
W/ 50000g. 20% NEFE. Fel	LOFALED AS TOLLOWS! Z	one 4) /497_757	
TOTES, ZOIR	=)) /)/0-/400'. /414-	20' (/h holes).	7_{000} (c) 7079 700 (c) 1_{-1} (c)
20% NEFE.			20000g. 20% NEFE; Zone $6 - w/4000g$
I hereby certify that the information above is true	and complete to the best of my knowledge and t	age 2) xelief.	
			pervisor DATE2-17-93
	Goodlett		теlephone no. 505/748-1471
(This space for State Use)	BARD SY IPPDY COVERS		
	RNED BY JERRY SEXTON ION I SUPERVISOR		FEB 1 9 1993
APPROVED BY	ml	E	DATE
CONDITIONS OF APPROVAL, IF ANY:			A 002 ···
July -	+ 248 tea ameni	d e L	Comp. B.S. Sund post

5 - Belder the se

- State of New Mexico Submit 3 Copies Energy, Minerals and Natural Resources District Office	Department Revised 1-1-89			
DISTRICT I P.O. Box 1980, Hobbs, NM 88240 OIL CONSERVATION DI P.O. Box 2088	VISION WELL API NO. 30-025-29805			
DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 87504-	2088 5. Indicate Type of Lease STATE X FEE			
DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410	6. State Oil & Gas Lease No. LG 2944			
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLU DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				
1. Type of Well: OL GAS WELL OTHER SWD Order	Shooting Star SWD \$SWD-498			
2. Name of Operator YATES PETROLEUM CORPORATION	8. Well No. 1			
3. Address of Operator 105 South 4th St., Artesia, NM 88210	9. Pool name or Wildcat Undes. Bone Springs			
4. Well Location Unit Letter J : 1650 Feet From The South	Line and Feet From The Line			
	35E NMPM Lea County			
10. Elevation (Show whether DF, RKE 3891.1' GR				
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT				
	R: Convert well to SWD X			
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give p work) SEE RULE 1103. page 2 - continued. Picked up nickel-plated 5-1/2" Baker lock set p joints plastic-coated 2-7/8" tubing. Set packe Pumped 110 bbls packer fluid down annulus. Set NU new wellhead. Flanged up. Pressure tested Well ready for injection from perforations 7078.	acker and 2-7/8" seating nipple. Ran 215 r at 7014'. Set seating nipple at 7009'. packer with 10000# compression. ND BOP. casing for 35 minutes to 500 psi (holding).			
Was not witnessed by NMOCD. Copy of casing int	egrity chart enclosed.			
Work began 2-5-93 - completed 2-13-93.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE <u>Alanda Dec. (1.0.1)</u> TITLE Pr	oduction Supervisor DATE 2-17-93			
TYPE OR PRINT NAME Juanita Goodlett	<u>теlephone no. 505/748-1</u> 47			

-- TITLE ----

.

FEB **1** 9 1993

_ DATE __

(This space for State Use) COMMAL & CANDER BY JERRY SEXTON SWITCHEST I SUPERVISOR

APPROVED BY -----

CONDITIONS OF APPROVAL, IF ANY:



·····