

WRS COMPLETION REPORTCOMPLETIONS SEC 21 TWP 17S RGE 33E
PI# 30-T-0012 04/20/87 30-025-29815-0000 PAGE 1NMEX LEA * 1805FSL 1980FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
39 LEAMEX
WELL NO. LEASE NAME
4177KB 4166GR MALJAMAR
OPER ELEV FIELD/POOL/AREA
API 30-025-29815-0000LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
01/01/1987 03/24/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4900 GRBG-SAD ROD RIC CORP 8 RIG SUB 10
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4805 PB 4744 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.**LOCATION DESCRIPTION**

6 MI SE MALJAMAR, NM

CASING/LINER DATACSG 8 5/8 @ 1538 W/ 1000 SACKS
CSG 5 1/2 @ 4805 W/ 1600 SACKS**TUBING DATA**

TBG 2 3/8 AT 4555

INITIAL POTENTIALIPP 40BOPD 18 MCFD 18BW 24HRS
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS
GTY 37.8 GOR 450

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1413 2764	
LOG	YATES		2730 1447	
LOG	QUEEN		3710 467	
LOG	GRAYBURG		4074 103	
LOG	SN ANDRS		4487 -310	

PRODUCTION TEST DATAGRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS
PERF 4282- 4286 4411- 4415 4456- 4463 4476- 4480

CONTINUED IC# 300257035086

Copyrighted 1987
Reproduction
Prohibited**Petroleum Information****DB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 187

COMPLETIONS
PI# 30-T-0012 04/20/87 SEC 21 TWP 17S RGE 33E
30-025-29815-0000 PAGE 2

PHILLIPS PET
39 LEAMEX D DO

PRODUCTION TEST DATA

PERF 4532- 4544
ACID 4282- 4544 1800GALS
15% NEFE HCL

PTS 2BO
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS
ACID 4282- 4544 1900GALS
15% NEFE HCL
SWBD 2 BO + 38 BLW

PTS 5BO
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 4HRS
SWFR 4282- 4544 32000GALS 62000LBS SAND
KCL WTR 20/40 MESH ADDTVGELA
SWBD 5 BO + 130 BLW IN 4 HRS

PTS 29BO 121BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 10HRS

PTP 10BOPD 61BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

PTP 37BOPD 28BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

PTP 36BOPD 29BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

PTP 10BOPD 3BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

PTP 39BOPD 21BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

PTP 40BOPD 18BW
GRBG-SAD PERF W/ 62/IT 4282- 4544 GROSS 24HRS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4805 DLL 2500- 4805 MSFL 2500- 4805 GR
LOGS 2500- 4805 CAL 2500- 4805 CNL 2500- 4805 LDT

CONTINUED

COMPLETIONS SEC 21 TWP 17S RGE 33E
PI# 30-T-0012 04/20/87 30-025-29815-0000 PAGE 3

PHILLIPS PET D DO
39 LEAMEX

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 0- 2500 CNL 0- 2500 GR 0- 2500 CAL
LOGS 3700- 4805 LSS 3500- 4744 GR 3500- 4744 CCL

DRILLING MEDIA /TYPE,DEPTH/

3350 10.0 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK ROOM 401
ODESSA, TX 79762
915-367-1266
12/09 LOC/1986/
01/06 DRLG 3350 (ANHY), VIS 29
01/13 4805 TD, PB 4744, WOCT
02/05 4805 TD, PB 4744, SI
02/19 4805 TD, PB 4744, PREP TOP
02/24 4805 TD, PB 4744, TSTG
02/25 4805 TD, PB 4744, RECG LD
03/02 4805 TD, PB 4744, SI WO ELEC
03/05 4805 TD, PB 4744, SI WO ELEC
03/09 4805 TD, PB 4744, SI
03/12 4805 TD, PB 4744, TSTG
03/16 4805 TD, PB 4744, TSTG
03/17 4805 TD, PB 4744, TSTG
03/25 4805 TD, PB 4744, TSTG
03/26 4805 TD, PB 4744, WOCT
04/13 TD REACHED 01/10/87 RIG REL 01/11/87
4805 TD, PB 4744
COMP 3/24/87, IPP 40 BO, 18 MCFG, 18 BWPD,
GOR 450, GTY 37.8
PROD ZONE - GRAYBURG-SAN ANDRES 4282-4544
NO CORES OR DSTS RPTD