

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

IC-069276

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Buffalo Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 30, T18S, R33E

12. COUNTY OR PARISH 13. STATE

Lea

NM

SUNDRY NOTICES AND REPORTS ON WELLS  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Harrison Interests, Ltd.

3. ADDRESS OF OPERATOR

520 Post Oak Blvd., Suite 600 Houston, Texas 77027

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface

1980' FSL & 1980' FEL, Sec. 30, T-18-S, R-33-E

14. PERMIT NO.

N/A

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3,758 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other) Casing Cementing & Perfs

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

Casing Cemented: 4-7-87

Casing Information:

Size - 4½"

Grade - K-55

Weight - 11.6#

Hole Size - 7 7/8"

Depth Set - 4,448'

Cementing Information:

Amount - 800 Sacks

Type - Halliburton Light W 5# Salt/SX

Amount - 225 Sacks

Type - Class 'C', 50/50 Pozmix W 6# Salt/SX & .05% CFR2

Cement Circulated To Surface

Cementing Tools Used:

(8) Centralizers Used From 4,450' to 4,018'

Float Shoe: 4,448'

Float Collar: 4,406'

Perforated: 4-15-87

Perfs - 4,117' - 4,122'

4,128' - 4,133'

Results - Swab Tested 100% Saltwater

ACCEPTED FOR RECORD  
SJS

APR 27 1987

CARLSBAD, NEW MEXICO



18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Regulatory Coordinator

DATE April 20, 1987

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side