

WRS COMPLETION REPORT

COMPLETIONS SEC 35 TWP 17S RGE 33E
PI# 30-T-0007 01/04/88 30-025-30068-0000 PAGE 1

NMEX LEA * 660FNL 1980FEL SEC NW NE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN

24 PHILMEX
WELL NO. LEASE NAME
4119KB 4110GR VACUUM
OPER ELEV FIELD/POOL/AREA

API 30-025-30068-0000
LEASE TYPE/NO. PERMIT OR WELL I.D. NO.

10/21/1987 12/14/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS

4900 GRBG-SAD ARTESIA FSHG TOOL 2 RIG SUB 8
PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4800 PB 4754 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1485 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1600 SACKS

TUBING DATA

TBG 2 7/8 AT 4670

INITIAL POTENTIAL

IPP 104BOPD 144 MCFD 230BW 24HRS
GRAYBURG PERF 4197- 4534 GROSS
SN ANDRS PERF 4538- 4666 GROSS
GTY 37.6 GOR 1384
RESV- GRAYBURG-SAN ANDRES
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1430 2689	
LOG	SALT		1600 2519	2630 1489
LOG	QUEEN		3769 350	
LOG	GRAYBURG		4151 -32	
LOG	SN ANDRS		4538 -419	

CONTINUED IC# 300257030887

Copyrighted 1988
Petroleum
Information Corporation

Petroleum Information

DB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS SEC 35 TWP 17S RGE 33E
PI# 30-T-0007 01/04/88 30-025-30068-0000 PAGE 2

PHILLIPS PET D DO
24 PHILMEX

CORES

CORE 1 4356- 4418 REC 62.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE
CORE 2 4418- 4444 REC 26.00FT GRAYBURG CONV
CORE BBL JAMMED
CORE 3 4444- 4503 REC 59.00FT GRAYBURG CONV D
NO DESCRIPTION AVAILABLE
CORE 4 4503- 4553 REC 50.00FT GRBG-SAD CONV D
NO DESCRIPTION AVAILABLE
CORE 5 4553- 4613 REC 60.00FT SN ANDRS CONV D
NO DESCRIPTION AVAILABLE
CORE 6 4613- 4660 REC 47.00FT SN ANDRS CONV D
NO DESCRIPTION AVAILABLE

PRODUCTION TEST DATA

PTS 17BOPD 55BW 24HRS
GRAYBURG PERF 4197- 4534 GROSS
SN ANDRS PERF 4538- 4666 GROSS
PERF 4197- 4200 4265- 4268 4290- 4294 4342- 4348
PERF 4365- 4368 4422- 4427 4434- 4438 4459- 4464
PERF 4487- 4490 4512- 4522 4526- 4530 4534- 4538
PERF 4548- 4556 4578- 4584 4590- 4602 4640- 4656
PERF 4660- 4666
ACID 4197- 4666 10000GALS
15% NEFE HCL
COMMINGLED

PTS 21B0 10HRS
GRAYBURG PERF 4197- 4534 GROSS
SN ANDRS PERF 4538- 4666 GROSS
SWFR 4197- 4666 104000GALS 200000LBS SAND
ADDTVGELA

X-LINK 2% KCL 20/40 MESH
SWBD 21 B0 + 210 BLW IN 10 HRS
COMMINGLED

CONTINUED

COMPLETIONS SEC 35 TWP 17S RGE 33E
PI# 30-T-0007 01/04/88 30-025-30068-0000 PAGE 3

PHILLIPS PET
24

PHILMEX

D DO

PRODUCTION TEST DATA

PTP 104BOPD 230BW 24HRS
GRAYBURG PERF 4197- 4534 GROSS
SN ANDRS PERF 4538- 4666 GROSS
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 DLL	2500- 4800 MSFL	2500- 4800 GR
LOGS 2500- 4800 CAL	2500- 4800 CNL	2500- 4800 LDT
LOGS 0- 2500 CNL	0- 2500 GR	0- 2500 CAL
LOGS 3500- 4754 GR	3500- 4754 CORL	3500- 4754 CNL

DRILLING MEDIA /TYPE,DEPTH/

3124 10.2 3770 10.2 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK RM 401
ODESSA, TX 79762
915-367-1266
09/29 LOC/1987/
10/28 DRLG 3124 (ANHY), VIS 29
10/30 DRLG 3770 (ANHY), VIS 30
11/10 4800 TD, PB 4754, WOCT
11/18 4800 TD, PB 4754, PREP PERF
11/20 4800 TD, PB 4754, PREP FRAC
12/01 4800 TD, PB 4754, PREP TEST
12/15 4800 TD, PB 4754, WOPT
12/29 TD REACHED 11/08/87 RIG REL 11/09/87
4800 TD, PB 4754
COMP 12/14/87, IPP 104 BO, 144 MCFG, 230
BWP, GOR 1384, GTY 37.6
PROD ZONE - GRAYBURG-SAN ANDRÉS 4197-4666
(COMMINGLED)
SIX CORES, NO DSTS RPTD