

**WRS COMPLETION REPORT**

COMPLETIONS SEC 26 TWP 17S RGE 33E  
PI# 30-T-0013 02/22/88 30-025-30069-0000 PAGE 1

NMEX LEA \* 1980FSL 960FWL SEC NW SW  
STATE COUNTY FOOTAGE SPOT  
PHILLIPS PET D DO  
OPERATOR WELL CLASS INIT FIN  
26 PHILMEX  
WELL NO. LEASE NAME  
4139KB 4130GR MALJAMAR  
OPER ELEV FIELD/POOL/AREA  
API 30-025-30069-0000  
LEASE TYPE NO. PERMIT OR WELL I.D. NO.  
11/23/1987 01/26/1988 ROTARY OIL  
SPUD DATE COMP. DATE TYPE TOOL STATUS  
4900 GRBG-SAD ARTESIA FSHG TOOL 2 RIG SUB 8  
PROJ. DEPTH PROJ. FORM CONTRACTOR  
DTD 4800 PB 4717 FM/TD SN ANDRS  
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

**LOCATION DESCRIPTION**

8 MI SE MALJAMAR, NM

**WELL IDENTIFICATION/CHANGES**

FIELD CHGD FROM VACUUM

**CASING/LINER DATA**

CSG 8 5/8 @ 1478 W/ 1000 SACKS  
CSG 5 1/2 @ 4800 W/ 1650 SACKS

**TUBING DATA**

TBG 2 3/8 AT 4610

**INITIAL POTENTIAL**

IPP 80BOPD 63 MCFD 35BW 24HRS  
GRAYBURG PERF 4192- 4530 GROSS  
SN ANDRS PERF 4566- 4599 GROSS  
GTY 37.4 GOR 787  
RESV- GRAYBURG-SAN ANDRES  
PERFED W/138 IT  
COMMINGLED

| TYPE | FORMATION | LTH | TOP DEPTH/SUB | BSE DEPTH/SUB |
|------|-----------|-----|---------------|---------------|
| LOG  | RUSTLER   |     | 1411 2728     |               |
| LOG  | SALT      |     | 1568 2571     | 2913 1226     |

CONTINUED IC# 300257030487

Copyrighted 1988  
Petroleum  
Information Corporation

**Petroleum Information**

**BB** a company of  
The Dun & Bradstreet Corporation

PI-WRS-GET  
Form No 187

COMPLETIONS SEC 26 TWP 17S RGE 33E  
 PI# 30-T-0013 02/22/88 30-025-30069-0000 PAGE 2

PHILLIPS PET  
 26

PHILMEX

D DO

| TYPE | FORMATION | LTH | TOP  | DEPTH/SUB | BSE | DEPTH/SUB |
|------|-----------|-----|------|-----------|-----|-----------|
| LOG  | QUEEN     |     | 3764 | 375       |     |           |
| LOG  | GRAYBURG  |     | 4146 | -7        |     |           |
| LOG  | SN ANDRS  |     | 4533 | -394      |     |           |

PRODUCTION TEST DATA

PTS 18BO 60BW 5HRS  
 GRAYBURG PERF 4192- 4530 GROSS  
 SN ANDRS PERF 4566- 4599 GROSS  
 PERF 4192- 4194 4222- 4224 4281- 4283 4326- 4333  
 PERF 4346- 4348 4417- 4419 4421- 4425 4439- 4441  
 PERF 4458- 4462 4486- 4490 4504- 4509 4518- 4520  
 PERF 4527- 4530 4566- 4576 4581- 4599  
 ACID 4192- 4599 6900GALS  
 15% NEFE HCL  
 SWBD 18 BO + 60 BW IN 5 HRS & SWBD DRY  
 PERFED W/138 IT  
 COMMINGLED

PTP 80BOPD 24HRS  
 GRAYBURG PERF 4192- 4530 GROSS  
 SN ANDRS PERF 4566- 4599 GROSS  
 SWFR 4192- 4599 74000GALS 140000LBS SAND  
 ADDTVGELA

X-LINK 2% KCL WTR  
 20/40 MESH  
 PPD 80 BO + 38 BLW IN 24 HRS  
 COMMINGLED

PTP 80BOPD 35BW 24HRS  
 GRAYBURG PERF 4192- 4530 GROSS  
 SN ANDRS PERF 4566- 4599 GROSS  
 COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

| LOGS            | DLL | MSFL          | GR  |
|-----------------|-----|---------------|-----|
| LOGS            | CAL | CNL           | LDT |
| LOGS 3500- 4717 | GR  | 3500- 4717 CL |     |

CONTINUED

COMPLETIONS  
PI# 30-T-0013 02/22/88 SEC 26 TWP 17S RGE 33E  
30-025-30069-0000 PAGE 3

PHILLIPS PET  
26

PHILMEX

D DO

DRILLING MEDIA /TYPE,DEPTH/  
-----

3924 10.3

PPG

DRILLING PROGRESS DETAILS  
-----

PHILLIPS PET  
4001 PENBROOK RM 401  
ODESSA, TX 79762  
915-367-1266  
09/29 LOC/1987/  
12/02 DRLG 3924 (DOLO), VIS 30  
12/16 4800 TD, WOCT  
12/16 DEV SURVEY @ 1129 (1 DEG), 1943 (0.75 DEG), 2441  
(0.50 DEG), 2972 (0.25), 3471 (0.75 DEG), 4002  
(0.75 DEG), 4502 (1 DEG)  
12/17 4800 TD, WOCT  
01/05 4800 TD, PB 4717, PREP TEST  
01/14 4800 TD, PB 4717, WO ELEC  
01/26 4800 TD, PB 4717, TOP  
02/01 4800 TD, PB 4717, WOCT  
02/18 TD REACHED 12/06/87 RIG REL 12/06/87  
4800 TD, PB 4717  
COMP 1/26/88, IPP 80 BO, 63 MCFG, 35 BWPD,  
GOR 787, GTY 37.4  
PROD ZONE - GRAYBURG-SAN ANDRES 4192-4599  
(COMMINGLED)  
NO CORES OR DSTS RPTD