

WRS COMPLETION REPORT

COMPLETIONS SEC 26 TWP 17S RGE 33E
PI# 30-T-0014 02/08/88 30-025-30071-0000 PAGE 1

NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN

28 PHILMEX
WELL NO. LEASE NAME
4146KB 4137GR VACUUM
OPER ELEV FIELD POOL AREA

LEASE TYPE NO API 30-025-30071-0000
PERMIT OR WELL I.D. NO.

11/09/1987 01/06/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS

4900 GRBG-SAD ARTESIA FSHG TOOL 2 RIG SUB 18

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4800 PB 4751 FM/TD SN ANDRS

DRILLERS T.D. LOG I.D. PLUG BACK T.D. OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1475 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1500 SACKS

TUBING DATA

TBG 2 3/8 AT 4640

INITIAL POTENTIAL

IPP 72BOPD 62 MCFD 50BW 24HRS
GRAYBURG PERF 4251- 4585 GROSS
SN ANDRS PERF 4614- 4629 GROSS
GTY 36.8 GOR 861
RESV- GRAYBURG-SAN ANDRES
PERFED W/114 IT
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1462 2684	
LOG	SALT		1603 2543	2555 1591
LOG	YATES		2815 1331	
LOG	QUEEN		3809 337	
LOG	GRAYBURG		4206 -60	
LOG	SN ANDRS		4587 -441	

CONTINUED IC# 300257030687

COMPLETIONS SEC 26 TWP 17S RGE 33E
PI# 30-T-0014 02/08/88 30-025-30071-0000 PAGE 2

PHILLIPS PET
28

PHILMEX

D DO

PRODUCTION TEST DATA

GRAYBURG PERF 4251- 4585 GROSS
SN ANDRS PERF 4614- 4629 GROSS
PERF 4251- 4254 4279- 4281 4333- 4336 4370- 4374
PERF 4393- 4395 4436- 4439 4454- 4456 4481- 4485
PERF 4500- 4504 4524- 4530 4542- 4545 4548- 4550
PERF 4554- 4556 4563- 4565 4570- 4573 4583- 4585
PERF 4614- 4620 4625- 4629
ACID 4251- 4629 5700GALS
15% NEFE HCL
SWBD 100 BLW IN 3 HRS
PERFED W/114 IT
COMMINGLED

PTS 35BO 10HRS
GRAYBURG PERF 4251- 4585 GROSS
SN ANDRS PERF 4614- 4629 GROSS
SWFR 4251- 4629 64000GALS 120000LBS SAND ADDTVGELA

X-LINK 2% KCL 20/40 MESH
SWBD 35 BO + 128 BLW IN 10 HRS
COMMINGLED

PTP 73BOPD 51BW 24HRS
GRAYBURG PERF 4251- 4585 GROSS
SN ANDRS PERF 4614- 4629 GROSS
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 DLL 2500- 4800 MSFL 2500- 4800 GR
LOGS 2500- 4800 CAL 2500- 4800 CNL 2500- 4800 LDT
LOGS 0- 2500 CNL 0- 2500 GR 0- 2500 CAL

DRILLING MEDIA /TYPE,DEPTH/

760 8.9 3955 10.2 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK RM 401
ODESSA, TX 79762

CONTINUED

COMPLETIONS SEC 26 TWP 17S RGE 33E
PI# 30-T-0014 02/08/88 30-025-30071-0000 PAGE 3

PHILLIPS PET
28

PHILMEX

D DO

DRILLING PROGRESS DETAILS

915-367-1266
09/29 LOC/1987/
11/10 DRLG 760 (RD BD), VIS 34
11/18 DRLG 3955 (DOLO), VIS 31
11/18 DEV SURVEY @ 770 (0.50 DEG), 990 (0.25 DEG),
1144 (0.50 DEG), 1215 (0.50 DEG), 1700 (0.75
DEG), 2194 (0.75 DEG), 2694 (1 DEG), 3194 (0.50
DEG), 3691 (0.75 DEG)
11/22 4800 TD, WOCT
12/02 4800 TD, WOCT
12/16 4800 TD, PB 4751, TSTG
12/17 4800 TD, PB 4751, SWBG
01/05 4800 TD, PB 4751, TOP
02/03 TD REACHED 11/22/87 RIG REL 11/22/87
4800 TD, PB 4751
COMP 1/6/88, IPP 72 BO, 62 MCFG, 50 BWPD,
GOR 861, GTY 36.8
PROD ZONE - GRAYBURG-SAN ANDRES 4251-4629
(COMMINGLED)
NO CORES OR DSTS RPTD