

WRS COMPLETION REPORT

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0008 02/29/88 30-025-30080-0000 PAGE 1

NMEX LEA * 660FNL 660FWL SEC NW NW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
45 LEAMEX
WELL NO. LEASE NAME
4150KB 4141GR MALJAMAR
OPER ELEV FIELD POOL/ AREA
API 30-025-30080-0000
LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
11/05/1987 12/29/1987 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4900 GRBG-SAD LA RUE C E 2 RIG SUB 8
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4761 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1489 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1350 SACKS

TUBING DATA

TBG 2 3/8 AT 4602

INITIAL POTENTIAL

IPP 24BOPD 189 MCFD 15BW 24HRS
GRAYBURG PERF 4336- 4522 GROSS
SN ANDRS PERF 4524- 4594 GROSS
GTY 36.6 GOR 7850
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES
PERFED W/114 IT
COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1460	2690		
LOG	SALT		1650	2500	2870	1280
LOG	QUEEN		3770	380		
LOG	GRAYBURG		4222	-72		
LOG	SN ANDRS		4524	-374		

CONTINUED IC# 300257030287

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0008 02/29/88 30-025-30080-0000 PAGE 2

PHILLIPS PET D DO
45 LEAMEX

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	502 0377 CT		2870	1280		

PRODUCTION TEST DATA

PTS 18BO 3HRS
GRAYBURG PERF 4336- 4522 GROSS
SN ANDRS PERF 4524- 4594 GROSS
PERF 4336- 4341 4371- 4376 4421- 4424 4454- 4456
PERF 4461- 4465 4481- 4484 4492- 4500 4511- 4517
PERF 4522- 4524 4557- 4560 4573- 4575 4578- 4583
PERF 4585- 4594
ACID 4336- 4594 5700GALS
15% NEFE HCL
SWBD 18 BO + 35 BLW IN 3 HRS
PERFED W/114 IT
COMMINGLED

PTP 24BOPD 15BW 24HRS
GRAYBURG PERF 4336- 4522 GROSS
SN ANDRS PERF 4524- 4594 GROSS
SWFR 4336- 4594 64000GALS 120000LBS SAND
X-LINK 2% KCL 20/40 MESH
COMMINGLED ADDTVGELA

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	0- 4800 DLL	0- 4800 MSFL	0- 4800 GR
LOGS	0- 4800 CAL	0- 4800 CNL	0- 4800 LDT
LOGS	3500- 4739 GR	3500- 4739 CCL	

DRILLING MEDIA /TYPE,DEPTH/

3280 10.1 PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK RM 401
ODESSA, TX 79762
915-367-1266
09/29 LOC/1987/

CONTINUED

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0008 02/29/88 30-025-30080-0000 PAGE 3

PHILLIPS PET
45

LEAMEX

D DO

DRILLING PROGRESS DETAILS

11/10 DRLG 3280 (ANHY), VIS 28
11/16 4800 TD, PB 4761, WOCT
11/16 DEV SURVEY @ 453 (0.25 DEG), 971 (1.25 DEG),
1368 (1.50 DEG), 1998 (1 DEG), 2497 (1 DEG),
2937 (1.50 DEG), 3339 (1 DEG), 3990 (1 DEG),
4400 (1 DEG)
11/20 4800 TD, PB 4761, WOCT
12/17 4800 TD, PB 4761, TSTG
01/05 4800 TD, PB 4761, WOCT
TD REACHED 11/15/87 RIG REL 11/16/87
02/22 4800 TD, PB 4761
COMP 12/29/87, IPP 24 BO, 189 MCFG, 15
BWP, GOR 7850, GTY 36.6
PROD ZONE - GRAYBURG-SAN ANDRES 4336-4594
(COMMINGLED)
NO CORES OR DSTS RPTD