

WRS COMPLETION REPORTREISSUES SEC 32 TWP 19S RGE 32E
PI# 30-T-0005 04/10/89 30-025-30133-0000 PAGE 1NMEX LEA * 330FNL 1662FWL SEC NE NW
STATE COUNTY FOOTAGE SPOT
TEXACO INC D D
OPERATOR WELL CLASS INIT FIN4 NEW MEXICO "CR" STATE
WELL NO. LEASE NAME
3549KB 3540GR LUSK W
OPER ELEV FIELD POOL AREAAPI 30-025-30133-0000
LEASE TYPE NO. PERMIT OR WELL I.D. NO.11/16/1987 02/17/1988 ROTARY D&A
SPUD DATE COMP. DATE TYPE TOOL STATUS

6850 DELAWARE BASIN 7 RIG SUB 8

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 6863 FM/TD DELAWARE

DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI NW HALFWAY, NM

CASING/LINER DATACSG 11 3/4 @ 950 W/ 1000 SACKS
CSG 8 5/8 @ 3800 W/ 2200 SACKS
CSG 5 1/2 @ 6863 W/ 1600 SACKS

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB

LOG RUSTLER 872 2677
LOG SALT 1059 2490
LOG YATES 2500 1049
LOG DELWR SD 4434 -885

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

DELAWARE PERF W/ 16/IT 6442- 6452 GROSS

PERF 6442- 6446 6450- 6452

ACID 6442- 6452 2000GALS

15% NEFE

SWFR 6442- 6452 20000GALS 30000LBS SAND

ADDTVGELA

20/40

BRPG @ 6362 6442- 6452

DELAWARE PERF

PERF 4800- 4810

4800- 4810

CONTINUED IC# 300257037387

Copyrighted 1989
Petroleum
Information Corporation**Petroleum Information****DB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 1B7

REISSUES SEC 32 TWP 19S RGE 32E
PI# 30-T-0005 04/10/89 30-025-30133-0000 PAGE 2

TEXACO INC D D
4 NEW MEXICO "CR" STATE

PRODUCTION TEST DATA

ACID 4800- 4810 2000GALS
15% NEFE
BRPG @ 4750 4800- 4810

PTS 1UW
DELAWARE PERF W/ 2/FT 4520- 4528
PERF 4520- 4528
ACID 4520- 4528 2500GALS
15% NEFE
BRPG @ 4500 4520- 4528
SWBD FWTR

DELAWARE PERF W/ 2/FT 4336- 4343
PERF 4336- 4343
ACID 4336- 4343 2000GALS
15% NEFE
SQZD W/ 150S 4336- 4343
CMT RET @ 4325

DELAWARE PERF W/ 2/FT 4276- 4320 GROSS
PERF 4276- 4280 4315- 4320
ACID 4276- 4320 2000GALS
15% NEFE
BRPG @ 4165 4276- 4320

DELAWARE PERF W/ 2/FT 2604- 2664 GROSS
PERF 2604- 2616 2640- 2664
ACID 2604- 2664 1600GALS
15% NEFE
SQZD W/ 200S 2604- 2664
CMT RET @ 2586
SQZD & DOC

DELAWARE PERF W/ 2/FT 2505- 2515
PERF 2505- 2515
ACID 2505- 2515 2500GALS
15% NEFE
SWFR 2505- 2515 31750GALS 43740LBS SAND ADDTVGELA
X-LINK 35000 LBS 20/40
8740 LBS 8/12

CONTINUED

REISSUES
PI# 30-T-0005 04/10/89 SEC 32 TWP 19S RGE 32E
30-025-30133-0000 PAGE 3

D D

TEXACO INC
4

NEW MEXICO "CR" STATE

PRODUCTION TEST DATA

2604- 2664 GROSS
DELAWARE REPERF
PERF 2604- 2616 2640- 2664
ACID 2604- 2664 1600GALS
15% NEFE

2505- 2664 GROSS
DELAWARE PERF
PERF 2505- 2664
BRPG @ 2475 2505- 2664
PPD 5 BLW IN 24 HRS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 4000- 6863 GR 4000- 6863 SP 4000- 6863 DILL
LOGS 4000- 6863 SONL 4000- 6863 FOCL 0- 6861 GR
LOGS 0- 6861 CAL 0- 6861 CNL 4000- 6863 MINL
LOGS GR 2400- 6700 GR 2400- 6700 CBL
LOGS 2400- 6700 CCL

DRILLING PROGRESS DETAILS

TEXACO INC
BOX 728
HOBBS, NM 88240
505-393-7191
11/03 LOC/1987/
11/18 950 TD, WOC
12/02 DRLG 6863
12/09 6863 TD, WOCT
12/16 6863 TD, PB 6700, NU BOP
12/23 6863 TD, PB 6700, TOP
01/06 6863 TD, PB 6362, RNG PKR
01/13 6863 TD, PB 4500, SWBG
01/20 6863 TD, PB 4165, SWBG
02/03 6863 TD, PB 4165, WO EQUIP
02/10 6863 TD, PB 4165, TOP
02/23 OPERATOR MAY USE AS WDW AT A LATER DATE
TD REACHED 12/02/87
02/24 6863 TD
COMP 2/17/88, D&A
NO CORES OR DSTS RPTD
04/04 REISSUED TO ADD LOG TOPS
REPLACEMENT FOR CT ISSUED 2/29/88