

# WRS COMPLETION REPORT

COMPLETIONS SEC 29 TWP 19S RGE 32E  
PI# 30-T-0021 06/06/88 30-025-30329-0000 PAGE 1

NMEX LEA \* 990FNL 1900FEL SEC NW NE  
STATE COUNTY FOOTAGE SPOT  
DAMSON OIL D DO  
OPERATOR SOUTHERN CALIFORNIA FEDERAL  
WELL NO. 8 LEASE NAME  
3574KB 3563GR LUSK W  
OPER ELEV FIELD POOL AREA  
API 30-025-30329-0000

LEASE TYPE NO 04/16/1988 05/14/1988 ROTARY OIL  
SPUD DATE COMP. DATE TYPE TOOL STATUS  
7200 DELAWARE W E K DRLG 3 RIG SUB 10  
PROJ. DEPTH PROJ. FORM CONTRACTOR  
DTD 7200 PB 7158 FM/TD BONE SPG  
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

## LOCATION DESCRIPTION

7 MI NW HALFWAY, NM

## CASING/LINER DATA

CSG 13 3/8 @ 908 W/ 722 SACKS  
CSG 8 5/8 @ 4504 W/ 2700 SACKS  
CSG 5 1/2 @ 7192 W/ 800 SACKS

## TUBING DATA

TBG 2 3/8 AT 6503

## INITIAL POTENTIAL

IPP 176BOPD 189 MCFD 58BW 24HRS  
DELAWARE PERF W/ 14/IT 6446- 6452  
GTY 42.1 GOR 1073

| TYPE | FORMATION | LTH | TOP DEPTH/SUB | BSE DEPTH/SUB |
|------|-----------|-----|---------------|---------------|
|------|-----------|-----|---------------|---------------|

|     |          |      |       |  |
|-----|----------|------|-------|--|
| LOG | DELAWARE | 4600 | -1037 |  |
| LOG | BONE SPG | 7170 | -3607 |  |

SUBSEA MEASUREMENTS FROM GR

## CORES

#SPL 25 4655- 6464 REC 25 SP DELAWARE SDWL FLRN  
\* 4655.0FSD,VFG, LT GRY FLU  
\* 4656.0FSD,AA

CONTINUED IC# 300257012688

Copyrighted 1988  
Petroleum  
Information Corporation

Petroleum Information

**BB** a company of  
The Dun & Bradstreet Corporation

PI-WRS-GET  
Form No 187

COMPLETIONS SEC 29 TWP 19S RGE 32E  
PI# 30-T-0021 06/06/88 30-025-30329-0000 PAGE 2

DAMSON OIL D DO  
8 SOUTHERN CALIFORNIA FEDERAL

CORES

\* 4658.0FSD,AA  
\* 4808.0FSD,VFG, GRY-TAN FLU, DULL YLLW  
\* 4810.0FSD,AA  
\* 4812.0FSD,AA  
\* 4814.0FSD,AA  
\* 4815.0FSD,AA  
\* 4816.0FSD,AA  
\* 4818.0FSD,AA  
\* 6447.0FSD,VFG, GRY FLU, LT YLLW  
\* 6448.0FSD,AA  
\* 6449.0FSD,AA  
\* 6451.0FSD,AA  
\* 6452.0FSD,AA  
\* 6454.0FSD,AA  
\* 6456.0FSD,VFG, LT GRY FLU  
\* 6457.0FSD,AA  
\* 6458.0FSD,AA  
\* 6459.0FSD,AA  
\* 6460.0FSD,AA  
\* 6461.0FSD,AA  
\* 6462.0FSD,AA  
\* 6463.0FSD,VFG, GRY FLU  
\* 6464.0FSD,AA

PRODUCTION TEST DATA

PTP 240BOPD 44BW 24HRS  
DELAWARE PERF W/ 14/IT 6446- 6452  
PERF 6446- 6452  
ACID 6446- 6452 2000GALS  
15% NEFE

LOGS AND SURVEYS /INTERVAL,TYPE/

|      |     |      |     |
|------|-----|------|-----|
| LOGS | DLL | MSMG | SL  |
| LOGS | DSN | CAVL | CBL |
| LOGS | GR  |      |     |

DRILLING PROGRESS DETAILS

DAMSON OIL  
3300 NORTH A ST BLDG 8 STE 100

CONTINUED

COMPLETIONS  
PI# 30-T-0021 06/06/88 SEC 29 TWP 19S RGE 32E  
30-025-30329-0000 PAGE 3

DAMSON OIL  
8

SOUTHERN CALIFORNIA FEDERAL

D DO

DRILLING PROGRESS DETAILS

MIDLAND, TX 79705  
915-687-0455  
02/29 LOC/1988/  
04/22 DRLG 2549  
04/28 DRLG 4760  
05/03 DRLG 6866  
05/12 7200 TD, WOCT  
05/19 7200 TD, PB 7158, TOP  
TD REACHED 05/04/88 RIG REL 05/04/88  
06/01 7200 TD, PB 7158  
COMP 5/14/88, IPP 176 BO, 189 MCFG, 58  
BWP, GOR 1073, GTY 42.1  
PROD ZONE - DELAWARE 6446-6452  
NO CORES OR DSTS, 25 SDWL CORES RPTD