

WRS COMPLETION REPORT

COMPLETIONS SEC 27 TWP 17S RGE 33E
PI# 30-T-0011 11/11/88 30-025-30446-0000 PAGE 1

NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET
OPERATOR D DO
34 PHILMEX WELL CLASS IN1 FIN

WELL NO. 4150KB 4139GR LEASE NAME
OPER ELEV MALJAMAR
FIELD POOL AREA

LEASE TYPE NO. API 30-025-30446-0000
PERMIT OR WELL I.D. NO.

09/09/1988 10/18/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS

4900 GRBG-SAD ROD RIC CORP 6 RIG SUB 10
PROJ DEPTH PROJ FORM CONTRACTOR

DTD 4800 PB 4752 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI W BUCKEYE, NM

CASING/LINER DATA

CSG 8 5/8 @ 1482 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1200 SACKS

INITIAL POTENTIAL

IPP 45BOPD 29 MCFD 15BW
GRAYBURG PERF 4094- 4512 GROSS
SN ANDRS PERF 4516- 4588 GROSS
GTY 36.9 GOR 645
PERFED W/144 SHOTS TOTAL
COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1430	2720		
LOG	SALT		1575	2575	2630	1520
LOG	QUEEN		3771	379		
LOG	GRAYBURG		4074	76		
LOG	SN ANDRS		4513	-363		

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

PTS 40BO 10HRS
GRAYBURG PERF 4094- 4512 GROSS

CONTINUED IC# 300257033788

Copyrighted 1988
Petroleum
Information Corporation

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

COMPLETIONS SEC 27 TWP 17S RGE 33E
PI# 30-T-0011 11/11/88 30-025-30446-0000 PAGE 2

PHILLIPS PET
34

PHILMEX

D DO

PRODUCTION TEST DATA

SN ANDRS PERF 4516- 4588 GROSS
PERF 4094- 4097 4113- 4116 4117- 4119 4149- 4152
PERF 4154- 4156 4199- 4201 4215- 4218 4222- 4224
PERF 4253- 4255 4277- 4280 4316- 4320 4331- 4334
PERF 4398- 4406 4445- 4447 4451- 4454 4473- 4475
PERF 4479- 4481 4484- 4486 4493- 4496 4508- 4512
PERF 4516- 4521 4566- 4568 4573- 4578 4586- 4588
ACID 4094- 4588 7600GALS
15% NEFE HCL
SWFR 4094- 4588 75000GALS 143200LBS SAND

ADDTVGELA

X-LINK KCL 131200 LBS 20/40 MESH
12000 LBS 20/40 SANOTROL RESIN-
COATED
SWBD 40 BO + 61 BLW IN 10 HRS
PERFED W/144 SHOTS TOTAL
COMMINGLED

PTP 36BOPD 118BW 24HRS
GRAYBURG PERF 4094- 4512 GROSS
SN ANDRS PERF 4516- 4588 GROSS
COMMINGLED

PTP 45BOPD 15BW 24HRS
GRAYBURG PERF 4094- 4512 GROSS
SN ANDRS PERF 4516- 4588 GROSS
GTY 36.9 GOR 645
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 0- 4800 CNL 0- 4800 GR 0- 4800 LDT
LOGS 0- 4800 CAL RFT 3500- 4800 CCL
LOGS 3500- 4800 GR CNL CAL

DRILLING MEDIA /TYPE,DEPTH/

4775 10.0

PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET

CONTINUED

COMPLETIONS
PI# 30-T-0011 11/11/88 SEC 27 TWP 17S RGE 33E
30-025-30446-0000 PAGE 3

PHILLIPS PET
34

PHILMEX

D DO

DRILLING PROGRESS DETAILS

4001 PENBROOK
ODESSA, TX 79762
915-367-1266
08/17 LOC/1988/
09/15 DRLG 4775 (DOLO), VIS 29
09/15 WIRELINE SURVEY @ 481 (1/4 DEG), 971 (1/4 DEG),
1447 (1/2 DEG), 1965 (1 1/4 DEG), 2465 (1 DEG),
2950 (1 1/2 DEG), 3450 (1 1/2 DEG), 3934 (3/4
DEG), 4410 (1 DEG), 4800 (3/4 DEG)
TOTAL DISPLACEMENT 74.05 FT @ TD
09/19 4800 TD, WOCT
09/20 4800 TD, WOCT
09/23 4800 TD, PB 4752, PREP ACID
09/28 4800 TD, PB 4752, PREP TEST
10/03 4800 TD, PB 4752, SWBG
10/10 4800 TD, PB 4752, TOP
10/18 4800 TD, PB 4752, WOCT
11/08 TD REACHED 09/15/88 RIG REL 09/17/88
4800 TD, PB 4752
COMP 10/18/88, IPP 45 BO, 29 MCFG, 15
BWP, GOR 645, GTY 36.9
PROD ZONE - GRAYBURG-SAN ANDRES 4094-4588
(COMMINGLED)
NO CORES OR DSTS RPTD