

WRS COMPLETION REPORT

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0002 10/31/88 30-025-30448-0000 PAGE 1

NMEX LEA * 1980FSL 660FWL SEC NW SW
STATE COUNTY FOOTAGE SPOT

PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN

47 LEAMEX
WELL NO. LEASE NAME

4137KB 4125GR MALJAMAR
OPER ELEV FIELD/POOL/AREA

API 30-025-30448-0000
LEASE TYPE NO. PERMIT OR WELL I.D. NO.

08/26/1988 10/06/1988 ROTARY OIL
SPUD DATE COMP DATE TYPE TOOL STATUS

4900 GRBG-SAD ROD RIC CORP 6 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4750 PB 4712 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

7 MI W BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

LSE NAME CHGD FROM PHILMEX

CASING/LINER DATA

CSG 8 5/8 @ 1489 W/ 1000 SACKS
CSG 5 1/2 @ 4750 W/ 1300 SACKS

TUBING DATA

TBG 2 3/8 AT 4690

INITIAL POTENTIAL

IPP 19BOPD 18 MCFD 17BW 24HRS
GRAYBURG PERF 4168- 4605 GROSS
SN ANDRS PERF 4653- 4688 GROSS
GTY 36.2 GOR 947
PERFED W/144 IT
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1455 2682	
LOG	SALT		1645 2492	2670 1467
LOG	QUEEN		3814 323	

CONTINUED IC# 300257033488

COMPLETIONS SEC 25 TWP 17S RGE 33E
 PI# 30-T-0002 10/31/88 30-025-30448-0000 PAGE 2

PHILLIPS PET D DO
 47 LEAMEX

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	GRAYBURG		4134 3	
LOG	SN ANDRS		4614 -477	
SUBSEA MEASUREMENTS FROM KB				

PRODUCTION TEST DATA

PTS	7BO	58BW	4HRS
GRAYBURG PERF		4168- 4605 GROSS	
SN ANDRS PERF		4653- 4688 GROSS	
PERF 4168- 4171	4291- 4293	4348- 4351	4393- 4395
PERF 4469- 4471	4515- 4518	4531- 4533	4550- 4558
PERF 4568- 4571	4584- 4586	4591- 4598	4602- 4605
PERF 4653- 4682	4684- 4688		
ACID 4168- 4688	7500GALS		
15% NEFE HCL			
SWFR 4168- 4688	76000GALS	144800LBS SAND	ADDTVGE LA
X-LINK 2% KCL WTR 132800 LBS 20/40 MESH OTTAWA			
12000 LBS 20/40 SANOTROL RESIN COATED SD			
PERFED W/144 IT			
COMMINGLED			

PTP	14BOPD	24HRS
GRAYBURG PERF		4168- 4605 GROSS
SN ANDRS PERF		4653- 4688 GROSS
PPD 14 BO + 122 BLW IN 24 HRS		
COMMINGLED		

PTP	17BOPD	63BW	24HRS
GRAYBURG PERF		4168- 4605 GROSS	
SN ANDRS PERF		4653- 4688 GROSS	
COMMINGLED			

PTP	18BO	39BW
GRAYBURG PERF		4168- 4605 GROSS
SN ANDRS PERF		4653- 4688 GROSS
COMMINGLED		

PTP	19BCPD	18 MCFD	17BW	24HRS
GRAYBURG PERF				4168- 4605 GROSS
SN ANDRS PERF				4653- 4688 GROSS
GTY 36.2 GOR	947			

CONTINUED

COMPLETIONS
PI# 30-T-0002 10/31/88 SEC 25 TWP 17S RGE 33E
30-025-30448-0000 PAGE 3

PHILLIPS PET
47 LEAMEX D DO

PRODUCTION TEST DATA

COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 3500- 4750 CCL 3500- 4750 GR LDT
LOGS CNL CAL

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK
ODESSA, TX 79762
915-367-1266
08/17 LOC/1988/
09/07 4750 TD, WOCT
09/07 DEVIATION SURVEYS @ 495 (.25 DEG), 990 (.50 DEG)
1489 (.75 DEG), 1972 (1.25 DEG), 2448 (1 DEG),
2925 (1 DEG), 3401 (1.25 DEG), 3908 (1.50 DEG),
4383 (1 1/4 DEG), 4750 (1 1/2 DEG)
TOTAL DISPLACEMENT 83.88 FT @ TD
09/15 4750 TD, PB 4712, RNG TBG
09/20 4750 TD, PB 4712, TSTG
09/23 4750 TD, PB 4712, TSTG
09/28 4750 TD, PB 4712, CHG PUMP
10/03 4750 TD, PB 4712, TOP
10/10 4750 TD, PB 4712, WOPT
10/27 TD REACHED 08/31/88 RIG REL 09/01/88
4750 TD, PB 4712
COMP 10/6/88, IPP 19 BO, 18 MCFG, 17 BWPD,
GOR 947, GTY 36.2
PROD ZONE - GRAYBURG-SAN ANDRES 4168-4688
(COMMINGLED)
NO CORES OR DSTS RPTD