

WRS COMPLETION REPORT

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0014 12/19/88 30-025-30453-0000 PAGE 1

NMEX LEA * 1980FNL 1980FWL SEC SE NW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN
53 LEAMEX
WELL NO. LEASE NAME
4128KB 4116GR MALJAMAR
OPER ELEV FIELD POOL AREA
API 30-025-30453-0000
LEASE TYPE NO. PERMIT OR WELL I.D. NO.
09/24/1988 11/21/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4900 GRBG-SAD ROD RIC CORP 6 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4800 PB 4752 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK T.D. OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1512 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1700 SACKS

TUBING DATA

TBG 2 3/8 AT 4660

INITIAL POTENTIAL

IPP 23BOPD 16 MCFD 6BW 24HRS
GRAYBURG PERF W/ 156/IT 4249- 4559 GROSS
SN ANDRS PERF W/ 16/IT 4654- 4662
GTY 37.0 GOR 695.7
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1475 2653	
LOG	SALT		1670 2458	2656 1472
LOG	QUEEN		3810 318	
LOG	GRAYBURG		4204 -76	
LOG	SN ANDRS		4571 -443	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257035788

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0014 12/19/88 30-025-30453-0000 PAGE 2

PHILLIPS PET D DO
53 LEAMEX

PRODUCTION TEST DATA

PTS 1UO 10HRS
GRAYBURG PERF W/ 156/IT 4249- 4559 GROSS
SN ANDRS PERF W/ 16/IT 4654- 4662
PERF 4249- 4252 4265- 4271 4273- 4276 4278- 4281
PERF 4321- 4325 4327- 4330 4358- 4361 4364- 4369
PERF 4426- 4433 4463- 4468 4485- 4497 4518- 4526
PERF 4529- 4531 4541- 4552 4556- 4559 4654- 4662
ACID 4249- 4662 9000GALS
15% NEFE HCL
SWFR 4249- 4662 91200GALS 171900LBS SAND

ADDTVGELA

30 LB X-LINK KCL 20/40 MESH
SWBD 210 BLW (W/TR OIL) IN 10 HRS
COMMINGLED

PTP 29BOPD 24HRS
GRAYBURG PERF 4249- 4559 GROSS
SN ANDRS PERF 4654- 4662
PPD 29 BO + 88 BLW IN 24 HRS
COMMINGLED

PTP 25BOPD 88BW 24HRS
GRAYBURG PERF 4249- 4559 GROSS
SN ANDRS PERF 4654- 4662
COMMINGLED

PTP 22BOPD 102BW 24HRS
GRAYBURG PERF 4249- 4559 GROSS
SN ANDRS PERF 4654- 4662
COMMINGLED

PTP 23BOPD 24HRS
GRAYBURG PERF 4249- 4559 GROSS
SN ANDRS PERF 4654- 4662
PPD 23 BO + 67 BLW IN 24 HRS
COMMINGLED

PTP 23BOPD 16 MCFD 6BW 24HRS
GRAYBURG PERF 4249- 4559 GROSS
SN ANDRS PERF 4654- 4662
GOR 695.7

COMMINGLED

CONTINUED

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0014 12/19/88 30-025-30453-0000 PAGE 3

PHILLIPS PET D DO
53 LEAMEX

LOGS AND SURVEYS /INTERVAL,TYPE/
LOGS 2500- 4800 CNL 2500- 4800 LDT 2500- 4800 GR
LOGS 2500- 4800 CAL 0- 2500 CNL 0- 2500 GR
LOGS 0- 2500 CAL

DRILLING MEDIA /TYPE,DEPTH/
3493 10.0 PPG

DRILLING PROGRESS DETAILS
PHILLIPS PET
4001 PENBROOK
ODESSA, TX 79762
915-367-1266
08/30 LOC/1988/
09/28 DRLG 3493, VIS 28, PH 9.5
10/03 4800 TD, PB 4752, WOCT
10/03 DEVIATION SURVEYS @ 489 (1/4 DEG), 792 (1/4 DEG)
1090 (1/4 DEG), 1512 (1/4 DEG), 1999 (3/4 DEG),
2507 (1 DEG), 3006 (1 DEG), 3493 (1 DEG), 3971
(1 DEG), 4443 (1 1/4 DEG), 4800 (3/4 DEG)
TOTAL DISPLACEMENT 62.51 FT @ TD
10/18 4800 TD, PB 4752, CO SAND
10/26 4800 TD, PB 4752, SI
11/01 4800 TD, PB 4752, TOP
11/07 4800 TD, PB 4752, TOP
11/10 4800 TD, PB 4752, TOP
11/17 4800 TD, PB 4752, TOP
11/23 4800 TD, PB 4752, WOCT
TD REACHED 09/30/88 RIG REL 10/01/88
12/13 4800 TD, PB 4752
COMP 11/21/88, IPP 23 BO, 16 MCFG, 6 BWPD,
GOR 695.7, GTY 37
PROD ZONE - GRAYBURG-SAN ANDRES 4249-4662
(COMMINGLED)
NO CORES OR DSTS RPTD