

WRS COMPLETION REPORT

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-1-0011 12/12/88 30-025-30467-0000 PAGE 1

NMEX LEA * 660FNL 660FWL SEC NW NW
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INIT FIN

52 LEAMEX
WELL NO LEASE NAME
4137KB 4125GR MALJAMAR
OPER ELEV FIELD POOL AREA

API 30-025-30467-0000
LEASE TYPE NO PERMIT OR WELL I.D. NO

10/02/1988 11/22/1988 ROTARY OIL
SPUD DATE COMP DATE TYPE LOG STATUS

4900 GRBG-SAD ROD RIC CORP 6 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 4800 PB 4754 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUS BACK T.D. FORM T.D.

LOCATION DESCRIPTION

7 MI W BUCKEYE, NM

CASING/LINER DATA

CSG 8 5/8 @ 1540 W/ 1000 SACKS
CSG 5 1/2 @ 4800 W/ 1050 SACKS

TUBING DATA

TBG 2 3/8 AT 4612

INITIAL POTENTIAL

IPP 82BOPD 383 MCFD 1BW 24HRS
GRAYBURG PERF JET W/ 174/IT 4216- 4564 GROSS
SN ANDRS PERF JET W/ 36/IT 4603- 4623 GROSS
GTY 36.8 GOR 4671
COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1485	2652		
LOG	SALT		1685	2452	2652	1485
LOG	QUEEN		3797	340		
LOG	GRAYBURG		4204	-67		
LOG	SN ANDRS		4566	-429		

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257036788

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0011 12/12/88 30-025-30467-0000 PAGE 2

PHILLIPS PET
52

LEAMEX

D DO

PRODUCTION TEST DATA

GRAYBURG PERF W/ 174/IT 4216- 4564 GROSS
SN ANDRS PERF W/ 36/IT 4603- 4623 GROSS
PERF 4216- 4218 4264- 4270 4328- 4338 4370- 4375
PERF 4385- 4387 4432- 4437 4481- 4498 4507- 4514
PERF 4519- 4523 4525- 4528 4529- 4533 4538- 4551
PERF 4555- 4564 4603- 4613 4615- 4623
ACID 4216- 4623 11300GALS

15% NEFE HCL
SWBD 50 BLW IN 5 HRS & SWBD DRY
COMMINGLED

PTS 40BO 10HRS
GRAYBURG PERF 4216- 4564 GROSS
SN ANDRS PERF 4603- 4623 GROSS
SWFR 4216- 4623 60000GALS 108000LBS SAND ADDTVGELA

40# X-LINK 2% KCL 16/30 MESH
SWBD 40 BO + 200 BLW IN 10 HRS
COMMINGLED

PTP 59BO 34BW 16HRS
GRAYBURG PERF 4216- 4564 GROSS
SN ANDRS PERF 4603- 4623 GROSS
COMMINGLED

PTP 82BOPD 383 MCFD 1BW 24HRS
GRAYBURG PERF 4216- 4564 GROSS
SN ANDRS PERF 4603- 4623 GROSS
GTY 36.8 GOR 4671
COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4800 CNL 2500- 4800 LDT 2500- 4800 GR
LOGS 2500- 4800 CAL 0- 2500 CNL 0- 2500 GR
LOGS 0- 2500 CAL 2500- 4800 DLL 2500- 4800 MSFL

DRILLING PROGRESS DETAILS

PHILLIPS PET
400 PENBROOK ST
ODESSA, TX 79762

CONTINUED

COMPLETIONS SEC 25 TWP 17S RGE 33E
PI# 30-T-0011 12/12/88 30-025-30467-0000 PAGE 3

PHILLIPS PET
52 LEAMEX

D DO

DRILLING PROGRESS DETAILS

915-367-1266
09/15 LOC/1988/
10/03 DRLG 1069
10/11 4800 TD, PB 4756, WOCT
10/11 DEVIATION SURVEYS @ 491 (34/ DEG), 971 (1/2 DEG)
1069 (1/2 DEG), 1540 (3/4 DEG), 2028 (1 1/4 DEG)
2504 (3/4 DEG), 3004 (1 1/4 DEG), 3485 (3/4 DEG)
3966 (1 DEG), 4443 (1 1/2 DEG), 4800 (1 1/2 DEG)
TOTAL DISPLACEMENT 81.98 FT @ TD
10/26 4800 TD, PB 4756, SI EVAL
11/01 4800 TD, PB 4756, RU SERVICE UT
11/07 4800 TD, PB 4756, PREP LOG
11/10 4800 TD, PB 4756, SWBG
11/17 4800 TD, PB 4756, TOP
11/23 4800 TD, PB 4756, WOCT
12/06 TD REACHED 10/08/88 RIG REL 10/09/88
4800 TD, PB 4754
COMP 11/22/88, IPP 82 BO, 383 MCFG, 1 BWPD
GOR 4671, GTY 36.8
PROD ZONE - GRAYBURG-SAN ANDRES 4216-4623
(COMMINGLED)
NO CORES OR DSTS RPTD