

WRS COMPLETION REPORT

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0011 01/09/89 30-025-30480-0000 PAGE 1

NMEX LEA * 1980FSL 1980FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR LEAMEX WELL CLASS INIT FIN
55
WELL N LEASE NAME
4144KB 4132GR MALJAMAR
OPER ELEV FIELD POOL AREA
API 30-025-30480-0000
RELEASE TYPE NO. PERMIT OR WELL I.D. NO
10/09/1988 12/22/1988 ROTARY OIL
SPUD DATE COME DATE TYPE TOOL STATUS
4900 GRBG-SAD ROD RIC CORP 6 RIG SUB 11
PROJ DEPTH PROJ FORM CONTRACTOR
DTD 4750 PB 4671 FM/TD SN ANDRS
DRILLERS LOG TO PLUG BACK TO OLD TD FORM TD

LOCATION DESCRIPTION

8 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1515 W/ 1000 SACKS
CSG 5 1/2 @ 4750 W/ 1300 SACKS

TUBING DATA

TBG 2 3/8 AT 4624

INITIAL POTENTIAL

IPP 73BOPD 115 MCFD 27BW 24HRS
GRAYBURG PERF W/ 126/IT 4314- 4622 GROSS
GTY 36.4 GOR 1575

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1475	2669		
LOG	SALT		1625	2519	2642	1502
LOG	QUEEN		3806	338		
LOG	GRAYBURG		4244	-100		
LOG	SN ANDRS		4630	-486		

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

GRAYBURG PERF W/ 126/IT 4314- 4622 GROSS

CONTINUED IC# 300257038088

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0011 01/09/89 30-025-30480-0000 PAGE 2

PHILLIPS PET
55

LEAMEX

D DO

PRODUCTION TEST DATA

PERF 4314- 4316 4318- 4320 4368- 4371 4406- 4410
PERF 4462- 4466 4489- 4492 4500- 4503 4513- 4518
PERF 4530- 4536 4543- 4551 4560- 4564 4578- 4580
PERF 4586- 4589 4591- 4594 4600- 4602 4606- 4608
PERF 4612- 4614 4617- 4622
ACID 4314- 4622 6500GALS

15% NEFE HCL

SWFR 4314- 4622 110000GALS 204500LBS SAND

ADDTV GELA

40# VERSAGEL 175500 LBS 16/30 MESH OTTAWA
29000 LBS 16/30 MESH SANDTROL RESIN-COATED TAGGED
IRIDIUM & SCANDIUM
FLWD 10 BLW IN 24 HRS

PTP 5BO

GRAYBURG PERF

PPD 5 BO + 80 BLW IN 16 HRS

4314- 4622 GROSS 16HRS

PTP 50BOPD

GRAYBURG PERF

PPD 50 BO + 118 BLW IN 24 HRS

4314- 4622 GROSS 24HRS

PTP 76BOPD

GRAYBURG PERF

112BW

4314- 4622 GROSS 24HRS

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS
LOGS

CNL
CAL

LDT

GR

DRILLING MEDIA /TYPE, DEPTH/

1080 8.9

PPG

DRILLING PROGRESS DETAILS

PHILLIPS PET
4001 PENBROOK
ODESSA, TX 79762
915-367-1266
09/27 LOC/1988/
10/10 DRLG 1080 (RD BD, ANHY), VIS 32

CONTINUED

COMPLETIONS SEC 23 TWP 17S RGE 33E
PI# 30-T-0011 01/09/89 30-025-30480-0000 PAGE 3

PHILLIPS PET D DO
55 LEAMEX

DRILLING PROGRESS DETAILS

10/18 4750 TD, PB 4706, WOCT
11/17 4750 TD, PB 4671, SI
11/17 DEVIATION SURVEYS @ 490 (1/2 DEG), 1039 (1/2
DEG), 1515 (1 1/2 DEG), 1995 (1/4 DEG), 2530
(1/2 DEG), 2981 (1 DEG), 3476 (3/4 DEG), 3976
(1 DEG), 4476 (1 DEG), 4750 (3/4 DEG)
TOTAL DISPLACEMENT 55.4 FT @ TD
PB TO 4671
11/23 4750 TD, PB 4671, SI
12/01 4750 TD, PB 4671, CO SAND
12/07 4750 TD, PB 4671, TOP
12/09 4750 TD, PB 4671, TOP
12/20 4750 TD, PB 4761, TOP
01/05 RIG REL 10/16/88
4750 TD, PB 4761
COMP 12/22/88, IPP 73 BO, 115 MCFG, 27
BWP, GOR 1575, GTY 36.4
PROD ZONE - GRAYBURG 4314-4622
NO CORES OR DSTS RPTD