

WRS COMPLETION REPORTREISSUES
PI# 30-T-0003 12/12/88 SEC 21 TWP 19S RGE 32E
30-025-30496-0000 PAGE 1NMEX LEA * 660FNL 330FWL SEC NW NW
STATE COUNTY FOOTAGE SPOT
WOODBINE PET D DO
OPERATOR WELL CLASS INIT FIN1 AMOCO FEDERAL
WELL NO. LEASE NAME
3606KB 3593GR LUSK W
OPER ELEV FIELD/POOL/AREA

API 30-025-30496-0000

LEASE TYPE NO PERMIT OR WELL ID NO
09/23/1988 10/31/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
6700 DELAWARE CACTUS DRLG 53 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 6650 PB 6592 FM/TD DELAWARE
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.**LOCATION DESCRIPTION**

7 MI N HALFWAY, NM

CASING/LINER DATACSG 13 3/8 @ 450 W/ 475 SACKS
CSG 8 5/8 @ 4250 W/ 1900 SACKS
CSG 5 1/2 @ 6650 W/ 525 SACKS**TUBING DATA**

TBG 2 3/8 AT 6463

INITIAL POTENTIALIPF 115BOPD 77 MCFD 20/64CK 24HRS
DELAWARE PERF 6490- 6493
PERF 6490- 6493
ACID 6490- 6493 1000GALS
15% NEFE
TP 180
GTY 43.0 GOR 666
FCP PKR

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	TANSILL		2549 1057	
LOG	YATES		2679 927	
LOG	SVN RVRS		2879 727	
LOG	DELAWARE		4820 -1214	

CONTINUED IC# 300257040588

Copyrighted 1988
Petroleum
Information Corporation**Petroleum Information****EB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 187

REISSUES
 PI# 30-T-0003 12/12/88 SEC 21 TWP 19S RGE 32E
 30-025-30496-0000 PAGE 2

WOODBINE PET D DO
 1 AMOCO FEDERAL

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB
 SUBSEA MEASUREMENTS FROM KB

 CORES

#SPL 9	4890-	4908 REC 9	SP DELAWARE SDWL	D
NO DESCRIPTION AVAILABLE				
#SPL 9	5024-	5084 REC 9	SP DELAWARE SDWL	D
NO DESCRIPTION AVAILABLE				
#SPL 7	5737-	5784 REC 7	SP DELAWARE SDWL	D
NO DESCRIPTION AVAILABLE				
#SPL 17	6490-	6516 REC 17	SP DELAWARE SDWL	D
NO DESCRIPTION AVAILABLE				

 LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	GR	DLL	DENL
LOGS	NEUT		

 DRILLING PROGRESS DETAILS

WOODBINE PET
 1445 ROSS AVE STE 5600
 DALLAS, TX 75202
 214-855-6263
 WELL LOCATION WAS HELD CONFIDENTIAL BY NM OCD
 10/10 LOC/1988/
 10/27 6650 TD, PB 6592, TSTG
 11/04 6650 TD, PB 6592, WOPT
 11/15 6650 TD, PB 6592, WO STATE FORMS
 11/22 DEV SURVEYS @ 254 (.25 DEG), 450 (.50 DEG), 672
 (.75 DEG), 915 (.50 DEG), 1163 (.75 DEG), 1413
 (.75 DEG), 1662 (.25 DEG), 1909 (1.25 DEG), 2002
 (.75 DEG), 2126 (1.25 DEG), 2249 (.75 DEG), 2496
 (2.00 DEG), 2558 (1.50 DEG), 2618 (1.50 DEG),
 2680 (1.00 DEG), 2742 (1.50 DEG), 2807 (2.25
 DEG), 2869 (1.50 DEG), 2962 (1.00 DEG), 3459
 (1.50 DEG), 4250 (2.00 DEG), 4385 (2.00 DEG),
 4508 (1.25 DEG), 5001 (1.50 DEG), 5495 (2.00
 DEG), 5991 (2.00 DEG), 6488 (2.00 DEG), 6650

CONTINUED

REISSUES
PI# 30-T-0003 12/12/88 SEC 21 TWP 19S RGE 32E
30-025-30496-0000 PAGE 3

WOODBINE PET D DO
1 AMOCO FEDERAL

DRILLING PROGRESS DETAILS

(1.50 DEG)
TOTAL DISPLACEMENT 163.79 FT @ TD
TD REACHED 10/10/88
11/22 6650 TD, PB 6592
COMP 10/31/88, IPF 115 BO, 77 MCFGPD,
20/64 CHK, GOR 666, GTY
43, FTP 180, FCP PKR
PROD ZONE - DELAWARE 6490-6493
NO CORES OR DSTS, 42 SDWL CORES RPTD
12/06 REISSUED TO CORRECT TD DATE, CSGS, IP &
ADD LOG TOPS, LOGS RUN & SDWL CORES
REPLACEMENT FOR CT ISSUED 11/28/88