

WRS COMPLETION REPORT

REISSUES
 PI# 30-T-0003 12/01/89 SEC 24 TWP 18S RGE 32E
 30-025-30636-0000 PAGE 1

NMEX LEA * 1980FNL 330FWL SEC SW NW
 STATE COUNTY FOOTAGE SPOT
 MEWBOURNE OIL
 OPERATOR D DO
 2 FEDERAL "P" WELL CLASS INIT FIN
 WELL NO. LEASE NAME
 3797KB 3787GR
 OPER ELEV

QUERRECHO PLAINS

API 30-025-30636-0000

08/05/1989 09/30/1989 ROTARY VERT OIL
 SPUD DATE COMF. DATE TYPE TOOL HOLE TYPE STATUS
 9000 BONE SPG W E K DRLG 3 RIG SUB 9
 PROJ. DEPTH PROJ. FORM CONTRACTOR PB 8685 FM/TD BONE SP2
 DTD 8725 PLUG BACK TO OLD T.D. FORM T.D.
 DRILLERS T.D. LOG T.D.

LOCATION DESCRIPTION

13 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 13 3/8 @ 430 W/ 450 SACKS
 CSG 8 5/8 @ 4330 W/ 1950 SACKS
 CSG 5 1/2 @ 8725 W/ 1425 SACKS

TUBING DATA

TBG 2 3/8 AT 8471

INITIAL POTENTIAL

IPP 41BOPD 62 MCFD 33BW 24HRS
 BONE SP1 PERF W/ 36/IT 8468- 8524 GROSS
 GTY 42.0 GOR 1512
 FIELD /RESERVOIR
 /BONE SPRING

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	SALT					
LOG	YATES				2571	1226
LOG	QUEEN	2727	1070			
LOG	PENROSE	3990	-193			
LOG	SN ANDRS	4234	-437			
LOG	DELAWARE	4840	-1043			
LOG	BONE SPG	5446	-1649			
		6860	-3063			

CONTINUED IC# 300257015789

Petroleum Information

Copyrighted 1989
 Reproduction
 Prohibited

BB a company of
 The Dun & Bradstreet Corporation

PI-WRS-GF
 Form No 18

REISSUES
 PI# 30-T-0003 12/01/89 SEC 24 TWP 18S RGE 32E
 30-025-30636-0000 PAGE 2

D DO

MEWBOURNE OIL
 2 FEDERAL "P"

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	BONE SP1		8354 -4557	
LOG	BONE SP2		8649 -4852	
SUBSEA MEASUREMENTS FROM KB				

PRODUCTION TEST DATA

BONE SP1 PERF W/ 36" IT 8468- 8524 GROSS
 PERF 8468- 8476 8488- 8496 8507- 8524
 ACID 8468- 8524 3500GALS
 7 1/2% NEFE
 SWFR 8468- 8524 8000GALS 120000LBS SAND
 (90000# 20/40 OTTAWA. 30000# 20/40 ADDTVGELA

RESIN COATED)

LOGS AND SURVEYS /INTERVAL TYPE/

LOGS	DLL	SDBL	DSN
------	-----	------	-----

DRILLING PROGRESS DETAILS

MEWBOURNE OIL
 701 S CECIL
 HOBBS, NM 88240
 505-393-5905
 LOC/1989/
 06/01 DRLG 3080
 08/10 4330 TD, RNG 8 5/8 CSG
 08/17 DRLG 6378
 08/23 DRLG 8603
 08/30 8725 TD, WOCT
 09/07 DEVIATION SURVEYS @ 430 (1/2 DEG), 790 (1/2 DEG)
 09/07 1240 (1 DEG), 1775 (1 DEG), 2205 (3/4 DEG), 2251
 (1 3/4 DEG), 2822 (2 DEG), 2887 (2 DEG), 3189
 (1 3/4 DEG), 3497 (1 DEG), 3893 (1 1/2 DEG),
 4330 (1/2 DEG), 4802 (1/2 DEG), 5271 (1/2 DEG),
 5732 (1/2 DEG), 6193 (3/4 DEG), 6685 (3/4 DEG),
 7176 (1 1/4 DEG), 7677 (1 DEG), 8167 (1 DEG),
 8603 (1 1/2 DEG), 8725 (1 1/2 DEG)
 09/13 8725 TD, PB 8685, PREP TEST
 09/20 8725 TD, PB 8685, SWBG
 09/28 8725 TD, PB 8635, POP

CONTINUED

REISSUES
PI# 30-T-0003 12/01/89 SEC 24 TWP 18S RGE 32E
30-025-30636-0000 PAGE 3

MEWBOURNE OIL
2

FEDERAL "P"

D DO

DRILLING PROGRESS DETAILS

10/03 8725 TD, PB 8685, TOP
10/11 8725 TD, PB 8685, PREP POT
10/18 8725 TD, PB 8685, TOP
11/01 RIG REL 09/01/89
8725 TD, PB 8685
COMP 9/30/89, IPP 41 BO, 62 MCFG, 33 BWPD,
GOR 1512, GTY 42
PROD ZONE - BONE SPRING 8468-8524
NO CORES OR DSTS RPTD
11/28 REISSUE TO CORRECT FM @ TD, TRTMTS, IP &
ADD TBG, LOG TOPS & LOGS RUN
REPLACEMENT FOR CT ISSUED 11/3/89