

WRS COMPLETION REPORT

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0028 05/11/90 30-025-30756-0000 PAGE 1

NMEX LEA * 1980FNL 10FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WELL CLASS INIT FIN
140 VACUUM (GRAYBURG-SAN ANDRES) UNIT
WELL NO. LEASE NAME
4013KB 4000GR VACUUM
OPER ELEV FIELD POOL AREA
API 30-025-30756-0000
LEASE NO. PERMIT OR WELL ID NO.
03/08/1990 04/12/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
5000 GRBG-SAD BASIN 10 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 5000 PB 4900 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 9 5/8 @ 1550 W/ 800 SACKS
CSG 7 @ 5000 W/ 1125 SACKS

TUBING DATA

TBG 2 7/8 AT 4839

INITIAL POTENTIAL

IPP 96BOPD 88 MCFD 256BW 24HRS
GRAYBURG PERF 4378- 4385
SN ANDRS PERF 4397- 4792 GROSS
GTY 39.3 GOR 917
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	RUSTLER		1515	2498		
LOG	SALT		1685	2328	2890	1123
LOG	SN ANDRS		4395	-382		

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257037089

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-GET
Form No 187

BB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0028 05/11/90 30-025-30756-0000 PAGE 2

TEXACO PROD D DO
140 VACUUM (GRAYBURG-SAN ANDRES) UNIT

CORES

CORE 1	4343-	4372 REC .	FT GRAYBURG CONV
	NO OTHER DETAILS		
CORE 2	4372-	4403 REC .	FT GRBG-SAD CONV
	NO OTHER DETAILS		
CORE 3	4403-	4433 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 4	4433-	4462 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 5	4462-	4493 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 6	4493-	4523 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 7	4523-	4553 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 8	4553-	4583 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 9	4583-	4613 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 10	4613-	4641 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 11	4641-	4672 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 12	4672-	4703 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 13	4704-	4734 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		
CORE 14	4734-	4764 REC .	FT SN ANDRS CONV
	NO OTHER DETAILS		

CONTINUED

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0028 05/11/90 30-025-30756-0000 PAGE 3

TEXACO PROD D DO
140 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

PTP 16BOPD 40 MCFD 66BW 24HRS
SN ANDRS PERF W/ 38/IT 4754- 4792 GROSS
PERF 4754- 4757 4762- 4772 4786- 4792
ACID 4754- 4792 2700GALS
28% NEFE

SN ANDRS PERF W/ 146/IT 4478- 4724 GROSS
PERF 4478- 4486 4498- 4501 4507- 4510 4516- 4518
PERF 4522- 4524 4534- 4538 4558- 4564 4570- 4575
PERF 4581- 4585 4594- 4598 4616- 4619 4632- 4634
PERF 4642- 4648 4656- 4661 4678- 4682 4688- 4691
PERF 4710- 4715 4720- 4724
ACID 4478- 4724 8400GALS
28% NEFE

GRAYBURG PERF 4378- 4385
SN ANDRS PERF 4397- 4457 GROSS
PERF 4378- 4385 4397- 4400 4403- 4406 4417- 4420
PERF 4434- 4446 4454- 4457
ACID 4378- 4457 3000GALS
28% NEFE
PERFED W/62 SHOTS

PTP 96BOPD 88 MCFD 256BW 24HRS
GRAYBURG PERF 4378- 4385
SN ANDRS PERF 4397- 4792 GROSS
GTY 39.3 GOR 917
COMMINGLED

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS	GR	DLL	CAL
LOGS	MSMG	SDBL	DSN

DRILLING PROGRESS DETAILS

12/14 TEXACO PROD
BOX 3109
MIDLAND, TX 79702
915-688-4100
LOC/1989/

CONTINUED

COMPLETIONS
PI# 30-T-0028 05/11/90 SEC 2 TWP 18S RGE 34E
30-025-30756-0000 PAGE 4

TEXACO PROD
140

VACUUM (GRAYBURG-SAN ANDRES) UNIT D DO

DRILLING PROGRESS DETAILS

03/13 DRLG, NO DETAILS
03/15 DRLG 4010
03/20 DRLG, NO DETAILS
03/28 5000 TD, WOCT
03/28 DEVIATION SURVEYS @ 250 (1/2 DEG), 745 (1/4 DEG)
1240 (1/2 DEG), 1550 (3/4 DEG), 2037 (1 1/4 DEG)
2535 (1 1/2 DEG), 3035 (1 3/4 DEG), 3535 (1 3/4
DEG), 4006 (2 DEG), 4340 (1 3/4 DEG), 4433 (1
3/4 DEG), 4640 (1 3/4 DEG), 4736 (1 DEG),
5000 (1 3/4 DEG)
04/12 5000 TD, PB 4900, SWBG
04/24 5000 TD, PB 4900, TOP
04/25 5000 TD, PB 4900, TOP
04/26 5000 TD, PB 4900, WOCT
05/03 5000 TD, PB 4900, WO STATE FORMS
05/10 TD REACHED 03/25/90 RIG REL 03/27/90
5000 TD, PB 4900
COMP 4/12/90, IPP 96 BO, 88 MCFG, 256 BWPD
GOR 917, GTY 39.3
PROD ZONE - GRAYBURG-SAN ANDRES 4378-4792
(COMMINGLED)
14 CORES, NO DSTS RPTD