

WRS COMPLETION REPORT

REISSUES

PI# 30-T-0003 06/22/90

SEC 34 TWP 17S RGE 33E

30-025-30778-0000

PAGE 1

NMEX LEA * 989FNL 660FEL SEC NE NE
STATE COUNTY FOOTAGE SPOT
PHILLIPS PET D DO
OPERATOR WELL CLASS INT FIN
9 EILLIAMS FEDERAL
WELL NO LEASE NAME
4152KB 4144GR MALJAMAR
OPER ELEV FIELD POOL AREA
API 30-025-30778-0000
LEASE NO PERMIT OR WELL ID. NO
02/16/1990 05/19/1990 ROTARY VERT OIL
SPUD DATE COMP DATE TYPE TOOL HOLE TYPE STATUS
4800 GRBG-SAD L & M DRLG CO 1
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4750 PB 4580 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

8 MI SE MALJAMAR, NM

CASING/LINER DATA

CSG 8 5/8 @ 1519 W/ 1000 SACKS
CSG 5 1/2 @ 4750 W/ 1000 SACKS

TUBING DATA

TBG 2 3/8 AT 4542

INITIAL POTENTIAL

IPP 155BOPD 70 MCFD 131BW 24HRS
GRAYBURG PERF 4301- 4518 GROSS
SN ANDRS PERF 4523- 4564 GROSS
GTY 36.8 GOR 451.61
PERFED W/114 IT
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER	1440	2712	
LOG	SALT	1610	2542	2650 1502
LOG	QUEEN	3790	362	
LOG	GRAYBURG	4148	4	
LOG	SN ANDRS	4519	-367	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257037289

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

BB a company of
The Hunt & Bradstreet Corporation

PI-WRS-GF
Form No 18

REISSUES
PI# 30-T-0003 06/22/90 SEC 34 TWP 17S RGE 33E
30-025-30778-0000 PAGE 2

PHILLIPS PET
9

EILLIAMS FEDERAL

D DO

PRODUCTION TEST DATA

PTS 6B0
SN ANDRS PERF 54BW
PERF 4590- 4594 4602- 4607 4611- 4619 4629- 4642 10HRS
ACID 4590- 4642 3600GALS
15% NEFE
SQZD W/ 100S 4590- 4642
RET @ 4580

PTS 2B0
GRAYBURG PERF 38BW
SN ANDRS PERF 4301- 4518 GROSS 10HRS
PERF 4301- 4307 4342- 4351 4413- 4418 4454- 4460
PERF 4486- 4496 4512- 4518 4523- 4525 4529- 4540
PERF 4546- 4548 4552- 4564
ACID 4301- 4564 5600GALS
15% NEFE HCL
RBP @ 4472 4486- 4564
PERFED W/114 IT
COMMINGLED

PTS 1U0
GRAYBURG PERF 7BW
SN ANDRS PERF 4301- 4518 GROSS 8HRS
ACID 4301- 4460 3400GALS 4523- 4564 GROSS
15% NEFE
SWBD 7 BW (10% OIL) IN 8 HRS
COMMINGLED

PTS 107B0
GRAYBURG PERF 58BW
SWFR 4301- 4518 5800GALS 176400LBS SAND 4301- 4518 GROSS 6HRS
POLYEMULSION 16/30 MESH OTTOWA ADDTVGELA

PTS 39B0
GRAYBURG PERF 25BW
PTP 155BOPD 70 MCFD 131BW 4301- 4518 GROSS 4HRS
GRAYBURG PERF 4301- 4518 GROSS 24HRS
SN ANDRS PERF 4523- 4564 GROSS
GTY 36.8 GOR 451.61
COMMINGLED

CONTINUED

REISSUES SEC 34 TWP 17S RGE 33E
 PI# 30-T-0003 06/22/90 30-025-30778-0000 PAGE 3

D DO

PHILLIPS PET
 9

EILLIAMS FEDERAL

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 2500- 4750 LDT	2500- 4750 CNL	2500- 4750 GR
LOGS 2500- 4750 CAL	0- 2500 CNL	0- 2500 GR
LOGS 0- 2500 CAL	2500- 4750 DLL	100- 4746 DSN
LOGS 100- 4746 DENL	3500- 4668 CBL	3500- 4668 CCL
LOGS 3500- 4668 GR		

DRILLING PROGRESS DETAILS

PHILLIPS PET
 4001 PENBROOK
 ODESSA, TX 79762
 915-367-1266

12/18 LOC/1989/
 03/14 4750 TD, PB 4707, WOCT
 03/14 DEVIATION SURVEYS @ 277 (1/4 DEG), 809 (1/2 DEG)
 1254 (1/4 DEG), 1519 (1/4 DEG), 1863 (1/4 DEG),
 2364 (3/4 DEG), 3014 (1 1/2 DEG), 3512 (1 1/4
 DEG), 4040 (1 DEG), 4499 (1 DEG), 4750 (1 DEG)
 03/30 4750 TD, PB 4668, SWBG
 04/06 4750 TD, PB 4580, SWBG
 04/24 4750 TD, PB 4580, PREP POP
 05/01 4750 TD, PB 4580, SI WOO
 05/25 4750 TD, PB 4580, WOPT
 BHT 105 F @ 4746
 TD REACHED 02/25/90 RIG REL 02/25/90
 06/04 4750 TD, PB 4580
 COMP 5/19/90, IPP 155 BO, 70 MCFG, 131
 BWPD, GOR 451.61, GTY 36.8
 PROD ZONE - GRAYBURG-SAN ANDRES 4301-4564
 NO CORES OR DSTS RPTD
 06/19 REISSUED TO CORRECT PROD TESTS, IP & ADD
 TBG, LOG TOPS
 REPLACEMENT FOR CT ISSUED 6/8/90