

WRS COMPLETION REPORT

COMPLETIONS SEC 1 TWP 18S RGE 34E
PI# 30-T-0014 07/27/90 30-025-30797-0000 PAGE 1

NMEX LEA * 1980FNL 1309FWL SEC SW NW
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WELL CLASS INIT FIN
141 VACUUM (GRAYBURG-SAN ANDRES) UNIT
WELL NO. LEASE NAME
4013KB 4000GR VACUUM
OPER ELEV FIELD POOL AREA
API 30-025-30797-0000
LEASE NO. PERMIT OR WELL I.D. NO.
04/07/1990 06/16/1990 ROTARY VERT OIL
SPUD DATE COMP DATE TYPE TOOL HOLE TYPE STATUS
5000 GRBG-SAD BASIN 10 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 6004 PB 5030 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 9 5/8 @ 1550 W/ 910 SACKS
CSG 7 @ 6004 W/ 1100 SACKS

TUBING DATA

TBG 2 7/8 AT 4759

INITIAL POTENTIAL

IPP 101BOPD 38 MCFD 398BW 24HRS
GRAYBURG PERF W/ 34/IT 4258- 4275
SN ANDRS PERF 4302- 4705 GROSS
GTY 39.2 GOR 376
COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1490 2523	
LOG	SALT		1590 2423	2920 1093
LOG	GRAYBURG		4183 -170	
LOG	SN ANDRS		4300 -287	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257005890

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-GE
Form No 18

DB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 1 TWP 18S RGE 34E
PI# 30-T-0014 07/27/90 30-025-30797-0000 PAGE 2

TEXACO PROD D DO
141 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

PTS 2BO 5HRS
SN ANDRS PERF 5926- 5955 GROSS
PERF 5926- 5933 5947- 5955
ACID 5926- 5955
NO DETAILS
BRPG @ 5880 5926- 5955
SWBD 2 BO, 2 BLW IN 5 HRS

PTS 21BW 6HRS
SN ANDRS PERF 5640- 5654
PERF 5640- 5654
ACID 5640- 5654
NO DETAILS
BRPG @ 5635 5640- 5654

PTS 4BO 54BW 10HRS
SN ANDRS PERF 5572- 5612
PERF 5572- 5612
ACID 5572- 5612
NO DETAILS
BRPG @ 5505 5572- 5612

PTP 25BW 24HRS
SN ANDRS PERF 5375- 5432 GROSS
PERF 5375- 5386 5396- 5432
ACID 5375- 5432
NO DETAILS
FRAC 5375- 5432
NO DETAILS
BRPG @ 5340 5375- 5432

PTS 278BW 10HRS
SN ANDRS PERF 5066- 5106 GROSS
PERF 5066- 5070 5092- 5106
ACID 5066- 5106
NO DETAILS
BRPG @ 5030 5066- 5106
SWBD 32 BLW, 278 BW IN 10 HRS

PTS 77BW 11HRS
SN ANDRS PERF w/ 32/IT 4680- 4705 GROSS
PERF 4680- 4685 4694- 4705

CONTINUED

COMPLETIONS SEC 1 TWP 18S RGE 34E
PI# 30-T-0014 07/27/90 30-025-30797-0000 PAGE 3

TEXACO PROD D DO
141 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

ACID 4680- 4705 1435GALS
15% NEFE
RBP @ 4665 4680- 4705

PTS 58BW 10HRS
SN ANDRS PERF 4600- 4612 4618- 4628 4640- 4652 GROSS
PERF 4600- 4612 4618- 4628 4640- 4652
ACID 4600- 4652
NO DETAILS
RBP @ 4590 4600- 4705
PLD RBP & RESET @ 4590

PTS 192BW 7HRS
SN ANDRS PERF 4494- 4504 4515- 4520 4524- 4528 4540- 4548 GROSS
PERF 4494- 4504 4515- 4520 4524- 4528 4540- 4548
PERF 4552- 4564 4569- 4576
ACID 4494- 4576
NO DETAILS
SQZD 4494- 4576
CMT RET @ 4284
SQZD & DOC & BRPG @ 4590
PLD RBP

PTS 30BW 1HRS
SN ANDRS PERF 4680- 4705 GROSS

PTS 3B0 22BW 4HRS
SN ANDRS PERF 4494- 4705 GROSS
ACID 4494- 4705
NO DETAILS
RBP @ 4485 4494- 4705

SN ANDRS PERF W/ 48/IT 4432- 4470 GROSS
PERF 4432- 4440 4446- 4454 4464- 4470
ACID 4432- 4470 2000GALS
15% NEFE
RBP @ 4420 4432- 4470

SN ANDRS PERF W/ 104/IT 4302- 4398 GROSS
PERF 4302- 4306 4312- 4318 4324- 4328 4334- 4353
PERF 4365- 4376 4386- 4388 4392- 4398
ACID 4302- 4398 4400GALS

CONTINUED

COMPLETIONS SEC 1 TWP 18S RGE 34E
PI# 30-T-0014 07/27/90 30-025-30797-0000 PAGE 4

TEXACO PROD D DO
141 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

15% NEFE
RBP @ 4285 4302- 4398
GRAYBURG PERF W/ 34/IT 4258- 4275
PERF 4258- 4275
ACID 4258- 4275 2000GALS
15% NEFE
PLD ALL RBPS

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 3109
MIDLAND, TX 79702
915-688-4100
02/15 LOC/1990/
04/10 DRLG, NO DETAILS
04/12 DRLG 3322
04/26 6004 TD, PB 5880, SWBG
05/10 6004 TD, PB 5505, WOP
05/24 6004 TD, PB 5030, PREP ACID
06/07 6004 TD, PB 5030, SWBG
06/21 6004 TD, PB 5030, TOP
07/03 6004 TD, PB 5030, WOPT
07/26 DEVIATION SURVEYS @ 275 (1/4 DEG), 765 (1/2
DEG), 1265 (3/4 DEG), 1550 (1 3/4 DEG), 1815
(3/4 DEG), 2315 (2 1/4 DEG), 2695 (3 1/4 DEG),
2789 (3 1/4 DEG), 2945 (3 DEG), 3099 (3 DEG),
3288 (2 3/4 DEG), 3568 (2 1/4 DEG), 3881 (2 1/4
DEG), 4377 (2 1/4 DEG), 4876 (1 1/2 DEG), 5375
(1 1/2 DEG), 5606 (1 3/4 DEG), 6000 (1 3/4 DEG)
TD REACHED 04/15/90 RIG REL 04/17/90
07/26 6004 TD, PB 5030
COMP 6/16/90, IPP 101 BO, 38 MCFG, 398
BWPD, GOR 376, GTY 39.2
PROD ZONE - GRAYBURG-SAN ANDRES 4258-4705
(COMMINGLED)
NO CORES OR DSTS RPTD