

WRS COMPLETION REPORT

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0017 07/27/90 30-025-30800-0000 PAGE 1

NMEX LEA * 660FNL 10FEL SEC NE NE
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WELL CLASS .NIT. FIN
155 VACUUM (GRAYBURG-SAN ANDRES) UNIT
WELL NO. LEASE NAME
4032KB 4019GR VACUUM
OPER ELEV FIELD POOL AREA
API 30-025-30800-0000
LEASE NO. PERMIT OR WELL I.D. NO.
05/06/1990 06/24/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
5000 GRBG-SAD BASIN 10 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 5000 PB 4650 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 9 5/8 @ 1550 W/ 1000 SACKS
CSG 7 @ 5000 W/ 1125 SACKS

TUBING DATA

TBG 2 7/8 AT 4428

INITIAL POTENTIAL

IPP 137BOPD 67 MCFD 241BW 24HRS
GRAYBURG PERF W/ 32/IT 4268- 4318 GROSS
SN ANDRS PERF W/ 206/IT 4364- 4630 GROSS
GTY 36.8 GOR 489
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1500 2532	
LOG	SALT		1615 2417	
LOG	GRAYBURG		4220 -188	
LOG	SN ANDRS		4322 -290	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257006490

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

PI-WRS-GJ
Form No 18

DB a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0017 07/27/90 30-025-30800-0000 PAGE 2

TEXACO PROD D DO
155 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

PTS 205BW 11HRS
SN ANDRS PERF 4921- 4943
PERF 4921- 4943
ACID 4921- 4943
NO DETAILS
BRPG @ 4850 4921- 4943

PTS 156BW 7HRS
SN ANDRS PERF 4660- 4790 GROSS
PERF 4660- 4670 4690- 4696 4704- 4708 4735- 4742
PERF 4752- 4760 4774- 4778 4782- 4790
ACID 4660- 4790
NO DETAILS
SQZD 4660- 4790
CMT RET @ 4650

PTS 152BW 10HRS
SN ANDRS PERF W/ 110/IT 4518- 4630 GROSS
PERF 4518- 4526 4542- 4545 4549- 4560 4576- 4585
PERF 4596- 4610 4620- 4630
ACID 4518- 4630 3900GALS
15% NEFE
RBP @ 4510 4518- 4630

PTS 1B0 197BW 9HRS
SN ANDRS PERF W/ 40/IT 4470- 4495 GROSS
PERF 4470- 4480 4485- 4495
ACID 4470- 4495 2200GALS
15% NEFE

PTP 1BOPD 443BW 24HRS
SN ANDRS PERF 4470- 4495 GROSS

PTP 34BOPD 181BW 24HRS
SN ANDRS PERF 4470- 4495 GROSS
RBP @ 4450 4470- 4495

SN ANDRS PERF W/ 56/IT 4364- 4403 GROSS
PERF 4364- 4379 4390- 4403
ACID 4364- 4403 2400GALS
15% NEFE
RBP @ 4350 4364- 4403

CONTINUED

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0017 07/27/90 30-025-30800-0000 PAGE 3

TEXACO PROD D DO
155 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

GRAYBURG PERF W/ 32/IT 4268- 4318 GROSS
PERF 4268- 4274 4296- 4302 4314- 4318
ACID 4268- 4318 1700GALS
15% NEFE
PLD RBP'S

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS 1550- 5000 GR 1550- 5000 DLL 1550- 5000 MSFL
LOGS 1550- 5000 CNL 1550- 5000 CZDN 0- 5000 GR

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 3109
MIDLAND, TX 79702
915-688-4100
LOC/1990/
02/16 DRLG, NO DETAILS
05/08 DRLG 3050
05/10 5000 TD, WOCT
05/23 DEVIATION SURVEYS @ 280 (3/4 DEG), 765 (3/4 DEG)
05/23 1258 (3/4 DEG), 1550 (3/4 DEG), 2037 (1 DEG)
2537 (1 1/4 DEG), 2830 (1 1/2 DEG), 3253 (1 3/4
DEG), 3753 (1 3/4 DEG), 4262 (3 DEG), 5000
(3 1/2 DEG)
05/24 5000 TD, PB 4650, PREP PERF
06/07 5000 TD, PB 4650, TOP
06/21 5000 TD, PB 4650, PREP PERF
07/03 5000 TD, PB 4650, WOCT
TD REACHED 05/11/90 RIG REL 05/13/90
07/26 5000 TD, PB 4650
COMP 6/24/90, IPP 137 BO, 67 MCFG, 241
BWP, GOR 489, GTY 36.8
PROD ZONE - GRAYBURG-SAN ANDRES 4268-4630
(COMMINGLED)
NO CORES OR DSTS RPTD