

WRS COMPLETION REPORTCOMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0021 07/06/90 30-025-30801-0000 PAGE 1

NMEX LEA * 660FNL 1331FEL SEC NW NE
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WELL CLASS INIT FIN
154 VACUUM (GRAYBURG-SAN ANDRES) UNIT
WELL NO LEASE NAME
4013KB 4000GR VACUUM
OPER ELEV FIELD/POOL AREA
API 30-025-30801-0000
LEASE NO PERMIT OR WELL I.D. NO
04/27/1990 06/02/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
5000 GRBG-SAD BASIN 10 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 5000 PB 4900 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 9 5/8 @ 1550 W/ 1050 SACKS
CSG 7 @ 5000 W/ 1050 SACKS

TUBING DATA

TBG 2 7/8 AT 4319

INITIAL POTENTIAL

IPP 187BOPD 79 MCFD 476BW 24HRS
GRAYBURG PERF W/ 50/IT 4326- 4394 GROSS
SN ANDRS PERF W/ 186/IT 4424- 4807 GROSS
GTY 39.3 GOR 422
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1540 2473	
LOG	SALT		1562 2451	3000 1013
LOG	GRAYBURG		4215 -202	
LOG	SN ANDRS		4400 -387	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257006390

Copyrighted 1990
Reproduction
Prohibited

Petroleum InformationPI-WRS-GFT
Form No 187**DB** a company of
The Dun & Bradstreet Corporation

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0021 07/06/90 30-025-30801-0000 PAGE 2

TEXACO PROD D DO
154 VACUUM (GRAYBURG-SAN ANDRES) UNIT

PRODUCTION TEST DATA

PTS 59BO 158BW 11HRS
SN ANDRS PERF W/ 42/IT 4736- 4807 GROSS
PERF 4736- 4744 4752- 4756 4798- 4807
ACID 4736- 4807 2000GALS
28% NEFE
RBP @ 4720 4736- 4807

SN ANDRS PERF W/ 70/IT 4618- 4706 GROSS
PERF 4618- 4624 4632- 4636 4640- 4645 4668- 4678
PERF 4696- 4706
ACID 4618- 4706 3700GALS
28% NEFE
RBP @ 4592 4618- 4706

SN ANDRS PERF W/ 24/IT 4536- 4568 GROSS
PERF 4536- 4540 4560- 4568
ACID 4536- 4568 1500GALS
28% NEFE
RBP @ 4520 4536- 4568

PTS 31BO 5HRS
SN ANDRS PERF W/ 50/IT 4424- 4506 GROSS
PERF 4424- 4427 4437- 4445 4455- 4464 4470- 4474
PERF 4480- 4482 4486- 4496 4500- 4506
ACID 4424- 4506 4500GALS
28% NEFE
RBP @ 4407 4424- 4506
SWBD 31 BO, 65 BLW IN 5 HRS

GRAYBURG PERF W/ 50/IT 4326- 4394 GROSS
PERF 4326- 4330 4354- 4360 4364- 4371 4380- 4384
PERF 4390- 4394
ACID 4326- 4394 2700GALS
28% NEFE

PTP 123BOPD 453BW 24HRS
GRAYBURG PERF 4326- 4394 GROSS
SN ANDRS PERF 4424- 4807 GROSS
PLD RBP'S
COMMINGLED

CONTINUED

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0021 07/06/90 30-025-30801-0000 PAGE 3

TEXACO PROD D DO
154 VACUUM (GRAYBURG-SAN ANDRES) UNIT
LOGS AND SURVEYS /INTERVAL,TYPE/
LOGS GR DLL MSFL
LOGS CZDN

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 3109
MIDLAND, TX 79702
915-688-4100
LOC/1990/
02/16 DRLG, NO DETAILS
05/01 5000 TD, PB 4900, SWBG
05/10 5000 TD, PB 4900, SWBG
05/24 5000 TD, PB 4900, TOP
06/07 5000 TD, PB 4900, TOP
07/05 DEVIATION SURVEYS @ 265 (1/4 DEG), 762 (3/4
DEG), 1256 (3/4 DEG), 1550 (1/2 DEG), 1782 (1
DEG), 2376 (1 1/4 DEG), 2849 (2 DEG), 3316 (1
3/4 DEG), 3818 (1 3/4 DEG), 4315 (1 3/4 DEG),
5000 (2 DEG)
TD REACHED 05/03/90 RIG REL 05/05/90
07/05 5000 TD, PB 4900
COMP 6/2/90, IPP 187 BO, 79 MCFG, 476
BWP, GOR 422, GTY 39.3
PROD ZONE - GRAYBURG-SAN ANDRES 4326-4807
(COMMINGLED)
NO CORES OR DSTS RPTD