

WRS COMPLETION REPORT

COMPLETIONS SEC 2 TWP 18S RGE 34E
P1# 30-T-0020 07/06/90 30-025-30802-0000 PAGE 1

NMEX LEA * 660FNL 2630FWL SEC NE NW
STATE COUNTY FOOTAGE SPOT
TEXACO PROD D DO
OPERATOR WELL CLASS INIT FIN
153 VACUUM (GRAYBURG-SAN ANDRES) UNIT
WELL NO. LEASE NAME
4029KB 4016GR VACUUM
OPER ELEV FIELD/POOL AREA
API 30-025-30802-0000

LEASE NO. PERMIT OR WELL I.D. NO.
04/19/1990 05/23/1990 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
5000 GRBG-SAD BASIN 10 RIG SUB 12
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 5000 PB 4900 FM/TD SN ANDRS
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 9 5/8 @ 1558 W/ 1000 SACKS
CSG 7 @ 5000 W/ 1000 SACKS

TUBING DATA

TBG 2 7/8 AT 4827

INITIAL POTENTIAL

IPP 72BOPD 37 MCFD 352BW 24HRS
GRAYBURG PERF W/ 80/IT 4342- 4444 GROSS
SN ANDRS PERF W/ 254/IT 4528- 4804 GROSS
GTY 32.2 GOR 514
FIELD /RESERVOIR
/GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		1555 2474	
LOG	SALT		1681 2348	
LOG	GRAYBURG		4320 -291	
LOG	SN ANDRS		4470 -441	

SUBSEA MEASUREMENTS FROM KB

CONTINUED IC# 300257006290

Copyrighted 1990
Reproduction
Prohibited

Petroleum Information

DB a company of
The Dun & Bradstreet Corporation

P1-WRS-GFT
Form No 187

COMPLETIONS
PI# 30-T-0020 07/06/90 SEC 2 TWP 18S RGE 34E
30-025-30802-0000 PAGE 2

TEXACO PROD
153

VACUUM (GRAYBURG-SAN ANDRES) UNIT D DO

PRODUCTION TEST DATA

PTP 33BOPD 282BW 24HRS
SN ANDRS PERF W/ 114/IT 4714- 4804 GROSS
PERF 4714- 4730 4737- 4752 4758- 4770 4790- 4804
ACID 4714- 4804 5000GALS
28% NEFE
RBP @ 4690 4714- 4804

PTS 170BW 11HRS
SN ANDRS PERF W/ 80/IT 4578- 4664 GROSS
PERF 4578- 4600 4616- 4628 4658- 4664
ACID 4578- 4664 4200GALS
28% NEFE

PTS 17BO 86BW 5HRS
SN ANDRS PERF 4578- 4664 GROSS
RBP @ 4572
PLD RBP @ 4690

PTS 26BO 67BW 10HRS
SN ANDRS PERF W/ 60/IT 4528- 4562 GROSS
PERF 4528- 4540 4544- 4562
ACID 4528- 4562 3200GALS
28% NEFE
RBP @ 4490 4528- 4562
SWBD 26 BO, 78 BLW, 67 BW IN 10 HRS
PLD RBP @ 4572

GRAYBURG PERF W/ 80/IT 4342- 4444 GROSS
PERF 4342- 4347 4358- 4362 4370- 4378 4402- 4415
PERF 4426- 4430 4438- 4444
ACID 4342- 4444 4000GALS
28% NEFE HCL

PTP 53BOPD 286BW 24HRS
GRAYBURG PERF 4342- 4444 GROSS
SN ANDRS PERF 4528- 4804 GROSS
COMMINGLED

PTP 72BOPD 37 MCFD 352BW 24HRS
GRAYBURG PERF 4342- 4444 GROSS
SN ANDRS PERF 4528- 4804 GROSS
GTY 32.0 GOR 514

CONTINUED

COMPLETIONS SEC 2 TWP 18S RGE 34E
PI# 30-T-0020 07/06/90 30-025-30802-0000 PAGE 3

TEXACO PROD D DO
153 VACUUM (GRAYBURG--SAN ANDRES) UNIT

PRODUCTION TEST DATA

COMMINGLED

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	GR	DLL	MSFL
LOGS	CNL	LDT	CAL

DRILLING PROGRESS DETAILS

TEXACO PROD
BOX 3109
MIDLAND, TX 79702
915-688-4100
02/16 LOC/1990/
04/24 DRLG, NO DETAILS
04/26 5000 TD, RNG LOGS
04/26 DEVIATION SURVEYS @ 275 (3/4 DEG), 685 (3/4 DEG)
1176 (1 1/4 DEG), 1558 (1 DEG), 2022 (1/4 DEG),
2522 (1/2 DEG), 2997 (3/4 DEG), 3493 (1 3/4 DEG),
3953 (1 3/4 DEG), 4432 (2 DEG), 4966 (1 DEG)
05/03 5000 TD, WOCT
05/10 5000 TD, PB 4900, SWBG
05/24 5000 TD, PB 4900, TOP
06/07 5000 TD, PB 4900, WOPT
07/03 TD REACHED 04/24/90 RIG REL 04/26/90
5000 TD, PB 4900
COMP 5/23/90, IPP 72 BO, 37 MCFCG, 352 BWPD
GOR 514, GTY 32.2
PROD ZONE - GRAYBURG--SAN ANDRES 4342-4804
(COMMINGLED)
NO CORES OR DSTS RPTD