

DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-30851	
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil / Gas Lease No. 857948	
7. Lease Name or Unit Agreement Name VACUUM GRAYBURG SAN ANDRES UT	
8. Well No. 156	
9. Pool Name or Wildcat VACUUM GRAYBURG SAN ANDRES	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3998' GR	

SUNDRY NOTICES AND REPORTS ON WELL (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator TEXACO EXPLORATION & PRODUCTION INC.	
3. Address of Operator P.O. BOX 730, HOBBS, NM 88240	
4. Well Location Unit Letter <u>C</u> ; <u>660</u> Feet From The <u>NORTH</u> Line and <u>1330</u> Feet From The <u>WEST</u> Line Section <u>1</u> Township <u>18S</u> Range <u>34E</u> NMPM <u>LEA</u> COUNTY	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3998' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPERATION ☐ PLUG AND ABANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☒ ADDED PAY, ACIDIZED, & SCALE SQZD

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

12/17/94 - 12/22/94

- MIRU pulling unit. TOH w/ rods & pump. Installed BOP. TOH w/ tubing.
- TIH with 6-1/8" bit and cleaned out to 4808'.
- Perforated with 2 JSPF from 4297' - 4666' (137 ft - 274 holes). Lost perforating gun in hole on run #8, fished gun & continued job.
- TIH w/ 7" treating pkr on 2 3/8" tbg to 4700'. Sptd 1200 gals of ammonium bicarbonate. SION.
- PUH & set pkr at 3700'. Loaded BS w/ FW & tstd csg, held ok. Acidized perfs from 4226'-4680' w/ 12,420 gals 15% NEFE HCL. Max P = 2200 PSI, AIR = 3.5 BPM. SI 1 hr & swabbed back.
- Scale sqzd w/ 5 drums TH-793 in 60 bbls FW. Overflushed w/ 500 bbls FW. SION.
- TOH w/ pkr. TIH w/ tubing, rods, & pump. Returned well to production.

OPT 01/10/95 PUMPING BY ROD PUMP: 49 BOPD, 514 BWPD, 58 MCFD

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Monte C. Duncan TITLE Engr Asst DATE 1/25/95
 TYPE OR PRINT NAME Monte C. Duncan Telephone No. 397-0418

(This space for State Use)

APPROVED BY JERRY SEXTON DATE JAN 30 1995
 CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

1945
HUBBS
OFFICE