

WRS COMPLETION REPORT

COMPLETIONS SEC 1 TWP 18S RGE 34E
 PI# 30-T-0015 10/12/90 30-025-30917-0000 PAGE 1

NMEX LEA * 1390FNL 1980FEL SEC SW NE
 STATE COUNTY FOOTAGE SPOT
 TEXACO PROD D DO
 OPERATOR WELL CLASS INIT FIN
 150 VACUUM (GRAYBURG-SAN ANDRES) UNIT
 WELL NO. LEASE NAME
 4004KB 3991GR VACUUM
 OPER ELEV FIELD/POOL/AREA
 API 30-025-30917-0000
 LEASE NO. PERMIT OR WELL I.D. NO.
 08/03/1990 09/06/1990 ROTARY VERT OIL
 SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
 5000 GRBG-SAD BASIN 1 RIG SUB 12
 PROJ. DEPTH PROJ. FORM CONTRACTOR FM/TD SN ANDRS
 DTD 5000 PB 4798
 DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

2 MI SW BUCKEYE, NM

CASING/LINER DATA

CSG 13 3/8 @ 1550 W/ 1700 SACKS
 CSG 9 5/8 @ 2800 W/ 1570 SACKS
 CSG 7 @ 5000 W/ 850 SACKS

TUBING DATA

TBG 2 7/8 AT 4676

INITIAL POTENTIAL

IPP 24BOPD 32 MCFD 671BW 24HRS
 GRAYBURG PERF W/ 64/IT 4137- 4254
 SN ANDRS PERF W/ 214/IT 4289- 4682 GROSS
 GTY 32.0 GOR 1333
 FIELD /RESERVOIR
 /GRAYBURG-SAN ANDRES

COMMINGLED

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	YATES		2795 1209	
LOG	SVN RVRS		3104 900	
LOG	QUEEN		3664 340	
LOG	GRAYBURG		3983 21	
LOG	SN ANDRS		4282 -278	

CONTINUED IC# 300257018990

Copyrighted 1990
 Reproduction
 Prohibited

Petroleum Information

DB a company of
 The Dun & Bradstreet Corporation

PI-WRS-GEJ
 Form No 187

COMPLETIONS
 PI# 30-T-0015 10/12/90 SEC 1 TWP 18S RGE 34E
 30-025-30917-0000 PAGE 2

TEXACO PROD
 150 VACUUM (GRAYBURG-SAN ANDRES) UNIT D DO

TYPE FORMATION LTH TOP DEPTH/SUB BSE DEPTH/SUB
 SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

SN ANDRS PERF W/ 116/IT 4479- 4682
 PERF 4479- 4682
 ACID 4479- 4682 7000GALS
 15% NEFE

PTS 3480 101BW 5HRS
 SN ANDRS PERF W/ 98/IT 4289- 4462 GROSS
 PERF 4289- 4294 4305- 4310 4322- 4328 4338- 4345
 PERF 4386- 4394 4403- 4410 4437- 4442 4450- 4452
 PERF 4458- 4462
 ACID 4289- 4462 5200GALS
 15% NEFE

GRAYBURG PERF W/ 64/IT 4137- 4254
 PERF 4137- 4254
 ACID 4137- 4254 4100GALS
 15% NEFE

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS GR DLL MSFL
 LOGS CZDN CAL 4000- 4798 GR
 LOGS 4000- 4798 CCL

HOLE DEVIATION /DEPTH,DIRECTION,ANGLE/

270	.3D	742	1.0D	1200	.3D
1550	.3D	2025	.5D	2515	2.0D
2800	4.0D	2805	3.8D	2960	4.0D
3120	3.5D	3183	3.8D	3309	3.5D
3465	3.3D	3560	3.3D	3654	2.8D
3810	2.5D	4031	2.3D	4468	2.3D
5000	2.5D				

DRILLING PROGRESS DETAILS

TEXACO PROD
 BOX 3109

CONTINUED

COMPLETIONS SEC 1 TWP 18S RGE 34E
PI# 30-T-0015 10/12/90 30-025-30917-0000 PAGE 3

TEXACO PROD D DO
150 VACUUM (GRAYBURG-SAN ANDRES) UNIT

DRILLING PROGRESS DETAILS

05/23 MIDLAND, TX 79702
915-688-4100
08/07 LOC/1990/
DRLG, NO DETAILS
08/16 DRLG 4144
08/21 DRLG, NO DETAILS
08/30 5000 TD, PREP PERF
09/13 5000 TD, PB 4798, WOFT
TD REACHED 08/17/90 RIG REL 08/19/90
10/11 5000 TD, PB 4798
COMP 9/6/90, IPP 24 BO, 32 MCFG, 671 BWPD,
GOR 1333, GTY 32
PROD ZONE - GRAYBURG-SAN ANDRES 4137-4682
(COMMINGLED)
NO CORES OR DSTS RPTD