

WRS COMPLETION REPORT

REISSUES SEC 12 TWP 18S RGE 35E
PI# 30-T-0006 11/08/91 30-025-31155-0000 PAGE 1

NMEX LEA * 1980FNL 1980FWL SEC SE NW
STATE COUNTY FOOTAGE SPOT
YATES HARVEY E WD WDD
OPERATOR WELL CLASS INIT FIN
1 BUCKEYE "12" STATE
WELL NO. LEASE NAME
3895KB 3883GR DOS AMIGOS
OPER ELEV FIELD POOL/AREA
API 30-025-31155-0000
LEASE NO. PERMIT OR WELL I.D. NO.
02/22/1991 04/23/1991 ROTARY VERT OIL
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
10600 WOLFCAMP PETERSON DRLG 3 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 10790 PB 10745 FM/TD PNNSYLVN
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI SE BUCKEYE, NM
3/4 MI NE/9980 (BSPG) OIL PROD IN REEVES FLD
2 MI NE/10722 (WFMP) OIL PROD IN REEVES FLD

WELL IDENTIFICATION/CHANGES

FIELD CHGD FROM WILDCAT
FIELD CHGD FROM UNNAMED

CASING/LINER DATA

CSG 13 3/8 @ 423 W/ 425 SACKS
CSG 8 5/8 @ 3465 W/ 1400 SACKS
CSG 5 1/2 @ 10790 W/ 2075 SACKS

TUBING DATA

TBG 2 3/8 AT 10370

INITIAL POTENTIAL

IPF 102BOPD 44BW 18/64CK 24HRS
WOLFCAMP PERF W/ 13/IT 10460-10472
PERF 10460-10472
ACID 10460-10472 200GALS
20% NEFE
TP 290
GTY 39.7
FIELD /RESERVOIR GOR TSTM

CONTINUED IC# 300257007591

Copyrighted 1991
Reproduction
Prohibited



Petroleum Information
Corporation

PI-WRS-GE7
Form No 187

REISSUES SEC 12 TWP 18S RGE 35E
 PI# 30-T-0006 11/08/91 30-025-31155-0000 PAGE 2

YATES HARVEY E WD WDD
 1 BUCKEYE "12" STATE

INITIAL POTENTIAL

/WOLFCAMP

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	YATES		3210	685		
LOG	SVN RVRS		3520	375		
LOG	QUEEN		4366	-471		
LOG	GRAYBURG		4882	-987		
LOG	SN ANDRS		5414	-1519		
LOG	DELWR SD		5808	-1913		
LOG	BONE SPG		6486	-2591		
LOG	WOLFCAMP		9936	-6041		
LOG	PNNSYLVN		10702	-6807		

SUBSEA MEASUREMENTS FROM KB

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS CNL FDC DLL

DRILLING PROGRESS DETAILS

YATES HARVEY E
 BOX 1933
 ROSWELL, NM 88202
 505-623-6601

02/07 LOC/1991/
 02/22 DRLG 136
 02/26 DRLG 3165
 03/05 DRLG 6262
 03/12 DRLG 8355
 03/19 DRLG 10440
 04/05 10790 TD, PREP COMP
 04/11 10790 TD, TSTG
 TD REACHED 03/24/91 RIG REL 03/24/91
 05/16 10790 TD, PB 10745
 COMP 4/23/91, IPF 102 BO, 44 BWPD, 18/64
 CK, GOR TSTM, GTY 39.7,
 FTP 290
 PROD ZONE - WOLFCAMP 10460-10472
 NO CORES OR DSTS RPTD
 05/16 WOLFCAMP DISCOVERY - DEEPER POOL
 08/28 REISSUED TO CORRECT FM @ TD, TBG, IP & ADD

CONTINUED

REISSUES
PI# 30-T-0006 11/08/91 SEC 12 TWP 18S RGE 35E
30-025-31155-0000 PAGE 3

YATES HARVEY E
1 BUCKEYE "12" STATE WD WDD

DRILLING PROGRESS DETAILS

11/07 TD/RR DATES, LOG TOPS, LOGS RUN & DELETE
DST REFERENCE
REPLACEMENT FOR CT ISSUED 5/23/91
REISSUED TO CORRECT FIELD
REPLACEMENT FOR CT ISSUED 8/30/91

WRS COMPLETION REPORT

REISSUES SEC 23 TWP 19S RGE 33E
PI# 30-T-0007 11/08/91 30-025-30510-0003 PAGE 1

NMEX LEA * 1650FSL 1650FEL SEC NW SE
STATE COUNTY FOOTAGE SPOT
MITCHELL ENERGY D X DO
OPERATOR WELL CLASS INIT FIN

1 SAPPHIRE FEDERAL UNIT
WELL NO. LEASE NAME
3639GR GEM E
OPER ELEV FIELD/POOL/AREA
API 30-025-30510-0003

06/29/1991 08/06/1991 WO-UNIT VERT OIL-WO
SPUD DATE COMP. DATE TYPE TOOL HOLE TYPE STATUS
9200 NOT RPTD

PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 13600 PB 9200 OTD 13600 FM/TD MORROW
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

9 MI NE HALFWAY, NM

TUBING DATA

TBG 2 3/8 AT 7121

INITIAL POTENTIAL

IPP 33BOPD 15 MCFD 390BW 24HRS
DELAWARE PERF W/ 28/IT 7220- 7356 GROSS
PERF 7220- 7282 7306- 7356
ACID 7220- 7356 3000GALS
15% HCL
SWFR 7220- 7356 70200GALS 220600LBS SAND
GTY 40.0 GOR 455 ADDTVGELA

PRODUCTION TEST DATA

BONE SP1 PERF 9250- 9294
PERF 9250- 9294
BRPG @ 9200 9250- 9294

DRILLING PROGRESS DETAILS

MITCHELL ENERGY
400 W ILLINOIS STE 1000

CONTINUED IC# 300257045491

Copyrighted 1991
Reproduction
Prohibited



Petroleum Information
Corporation

PI-WRS-GET
Form No 187

REISSUES SEC 23 TWP 19S RGE 33E
PI# 30-T-0007 11/08/91 30-025-30510-0003 PAGE 2

MITCHELL ENERGY D X DO
1 SAPPHIRE FEDERAL UNIT

DRILLING PROGRESS DETAILS

MIDLAND, TX 79701
915-682-5396

OWWO: OLD INFO: FORMERLY MITCHELL ENERGY #1
SAPPHIRE FEDERAL UNIT. ELEV 3639 GR. SPUD
4/2/91. 13 3/8 @ 475 W/450 SX. 8 5/8 @ 5230
W/3100 SX, 5 1/2 @ 13598 W/1750 SX. OTD 13600.
PB 10940. COMP 4/26/91. IPP 12 BO, 138 BWPD.
PROD ZONE: BONE SPRINGN 9250-9294.

10/21 LOC/1991/
10/22 13600 TD, PB 9200
COMP 8/6/91, IPP 33 BO, 15 MCFG, 390 BWPD,
GOR 455, GTY 40
PROD ZONE - DELAWARE 7220-7356
FIRST REPORT & COMPLETION
11/07 REISSUED TO CORRECT PERFS, & ADD
TREATMENTS, GTY
REPLACEMENT FOR CT ISSUED 10/25/91