

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-32389
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VB-0321
7. Lease Name or Unit Agreement Name Buckeye 11 State
8. Well No. #1
9. Pool name or Wildcat Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☒ GAS WELL ☐ OTHER ☐	
2. Name of Operator Harvey E. Yates Company	
3. Address of Operator P.O. Box 1933, Roswell, NM 88201 (505)623-6601	
4. Well Location Unit Letter <u>B</u> : <u>990'</u> Feet From The <u>North</u> Line and <u>2150'</u> Feet From The <u>East</u> Line Section <u>11</u> Township <u>18S</u> Range <u>35E</u> NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3893.2 GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Intermediate Casing & Cement ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

2/24/94 TD 12 1/4 hole @ 3455

2/25/94 Ran 77 jts 8 5/8" 32# ST&C J-55 csg. Total pipe 3461. Set @ 3455.
Cmt 1300 sx 65/35 c/poz w/2% Bentonite, 12.76# salt, 1/4# cello flake &
200 sks Class "C" w/2% CACL & 1/4# cello flake
PD 10:15 p.m. Did not circ cmt. WOC-6 hrs. Ran temperature survey.
TOC @ 580 ft. OCD approved TOC. Temperature survey is enclosed.

2/26/94 *WOC-18 hrs. Test csg to 1400 psi/30 min - held ok.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE N.M. Young TITLE Drilling Superintendent DATE 3/1/94

TYPE OR PRINT NAME TELEPHONE NO.

(This space for State Use)
ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

MAR 04 1994

COMPANY: WEST-1 JT, INC.
CLIENT: HARVEY E. YATES CO.
GAUGE NUMBER: 29240
WELL NAME: BUCKEYE 11 STATE
WELL NUMBER: 1
TEST NUMBER: 94-14-0361
LOCATION: LEA COUNTY, NEW MEXICO
TEST OPERATOR: BJT & CT
COMMENTS: TEMPERATURE SURVEY

MAR 1 1994

POSITION
1 GAUGE SERIAL NUMBER

PAGE START DATE: 2/25/94
 PAGE START TIME: 4:28: 0
 DATA FILE: 12

DELTA TIME HRS	DEPTH FEET	TEMPERATURE 'F	COMMENTS
0.000	22.00	77.50	
0.483	580.00	83.50	
0.517	632.00	92.25	BREAK
0.525	646.00	91.50	
0.533	660.00	94.25	
0.550	686.00	93.00	
0.567	713.00	95.25	
0.575	728.00	94.00	
0.583	742.00	94.50	
0.592	757.00	93.50	
0.608	787.00	98.00	
0.617	803.00	93.00	
0.633	834.00	96.75	
0.650	863.00	95.00	
0.658	878.00	96.50	
0.667	894.00	95.75	
0.683	929.00	99.75	
0.700	964.00	95.00	
0.750	1075.00	104.25	
0.758	1097.00	99.00	
0.767	1120.00	103.75	
0.783	1169.00	99.50	
0.792	1191.00	103.00	
0.800	1214.00	100.25	
0.808	1237.00	104.25	
0.817	1260.00	101.50	
0.825	1287.00	105.00	
0.842	1339.00	98.50	
0.867	1419.00	104.00	
0.900	1525.00	98.50	
0.908	1555.00	101.75	
0.933	1638.00	97.75	
0.975	1767.00	108.75	
0.992	1818.00	100.50	
0.983	1845.00	103.25	
1.008	1872.00	98.75	
1.025	1928.00	113.75	
1.033	1956.00	106.00	
1.067	2069.00	116.25	
1.083	2128.00	108.00	
1.100	2189.00	121.25	
1.117	2252.00	111.50	
1.133	2315.00	120.50	
1.167	2449.00	106.75	
1.200	2587.00	118.50	
1.208	2622.00	116.50	
1.217	2658.00	119.50	
1.225	2696.00	117.50	
1.233	2735.00	120.00	
1.250	2802.00	117.25	

PAGE START DATE: 2/25/94
PAGE START TIME: 5:43:30
DATA FILE: 12

DELTA TIME HRS	DEPTH FEET	TEMPERATURE 'F	COMMENTS
1.258	2834.00	119.25	
1.283	2929.00	117.75	
1.308	3026.00	119.50	
1.350	3200.00	116.25	
1.358	3237.00	117.50	
1.367	3274.00	115.75	
1.383	3321.00	122.50	M.D.R.

DATE AND TIME CEMENT JOB COMPLETE:

FEBRUARY 24, 1994 At 10:15 P.M.

DATE AND TIME SURVEY MADE:

FEBRUARY 25, 1994 At 4:30 A.M.


AMOUNT AND TYPE CEMENT USED:

1300 SACKS 65/35 POSMIX, 2% CALCIUM CHLORIDE,
12.7# SALT, 1/4# CELLOFLAKE; 200 SACKS CLASS C,
2% CALCIUM CHLORIDE, 1/4# CELLOFLAKE, RUN
BEHIND 3455 FEET OF 8-5/8" CASING IN AN 11 1/4"
HOLE.

DEPTH FIGURED FROM:

KELLY BUSHING

HARVEY E. YATES COMPANY
BUCKEYE 11 STATE NO. 1
LEA COUNTY, NEW MEXICO
TEMPERATURE SURVEY
FEBRUARY 25, 1994



M.D.R.: 2802 FEET