

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-025-32871

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-1722

7. Lease Name or Unit Agreement Name:

New Mexico "L" State

8. Well No.

16

9. Pool name or Wildcat

Vacuum Drinkard

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other Injection

2. Name of Operator

Texaco Exploration & Production, Inc.

3. Address of Operator

P.O. Box 3109 Midland, Texas 79702

4. Well Location

Unit Letter A : 1310 feet from the North line and 10' feet from the East line

Section 1 Township 18S Range 34E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Set 5½" CIBP @ 7550', spot 25 Sx plug 7550' - 7350' (Drinkard) WOC Tag
2. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL.
3. Spot 25 sx plug 3800' - 3600' (Queen)
4. Spot 25 Sx plug 2800' - 2600' (Yates, B-Salt) WOC Tag
5. Spot 50 Sx plug 1600' - 1200' (8 5/8" shoe, T-Salt) WOC Tag
6. 10 Sx surface, install dry hole marker

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

James T. Corbitt

TITLE FACILITY ENGINEER

Type or print name

JAMES T. CORBITT

(This space for State use)

APPROVED BY

Larry W. Wink

TITLE NATURAL RESOURCES MANAGER - 2

DATE

NOV 2 2001

Conditions of approval, if any

