

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**  
310 Old Santa Fe Trail, Room 206  
Santa Fe, New Mexico 87503

WELL API NO. 30-025-32889
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name SMGSAU
8. Well No. 611
9. Pool name or Wildcat MALJAMAR GRAYBURG SAN ANDRES

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator CROSS TIMBERS OPERATING COMPANY	
3. Address of Operator P.O. Box 52070, Midland, Texas 79710	
4. Well Location Unit Letter <u>M</u> : <u>710</u> Feet From The <u>South</u> Line and <u>50</u> Feet From The <u>West</u> Line Section <u>29</u> Township <u>17S</u> Range <u>33E</u> NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) <u>4,037' GR, 4,051.2' RKB</u>	

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☒  
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRU Norton Drilling Company Rig #5.

Spud well @ 2:15 pm 4/26/95.

Drill 12-1/4" hole to 357'.

Run 8 jts, 24#, J55, STC used casing, set @ 357'. <sup>8 5/8"</sup>

RU Halliburton & cement w/250sx Premium Plus w/2% CaCl & 1/4#/sx flocele. Circulate 55sx to surface.

WOC.

NU BOP. Pressure test 250 psi low/1,000 psi high.

Test casing to 1,000 psi.

Drill ahead w/ 7-7/8" bit.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE George E. Ramsey Jr. TITLE Drilling Engineer DATE 4/27/95

TYPE OR PRINT NAME George E. Ramsey Jr. TELEPHONE NO. 915/682-8873

(This space for State Use) **ORIGINAL SIGNED BY JERRY SEXTON**  
**DISTRICT I SUPERVISOR**

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE MAY 12 1995

CONDITIONS OF APPROVAL, IF ANY: