State of New Mexico

Form C-103

A Annioniale	Energy, Minerals an	Energy, Minerals and Natural Resources Department			Revised 1-1-89
o Appropriate District Office	OIL CONSEI			WELL API NO.	
DISTRICT I		40 Pacheco St.			25-33541
O. Box 1980, Hobbs NM 88241-1980	20 Cantr	Fe, NM 875	505	5. Indicate Type o	
DISTRICT II D.O. Drawer DD, Artesia, NM 88210	Sama	Te, MM ove			STATE X FEEL
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410				6. State Oil & Gas	Lease No.
SUNDRY NO	TICES AND REPORT	S ON WELLS	5		
(DO NOT USE THIS FORM FOR PE	ROPOSALS TO DRILL OR	TION FOR PERMI	FLUG BACK 1071	7. Lease Name or Warn State A	Unit Agreement Name
(FORM	C-101) FOR SUCH PROF	OSALS.)		Wath Scace A	, , , , , , , , , , , , , , , , , , ,
1. Type of Well:					
OIL WELL X WELL	01	THER		8. Well No.	
2. Name of Operator				Į.	
Marathon 011 Company				9. Pool name or	Wildcat
3. Address of Operator				Vacuum: Wolf	
P.O. Box 2490 Hobbs, NM	88240			I VOCULAII, NOT	
4 Wall Location	180 Feet From The	North	Line and	Feet Fro	m The West I
		10.6	.ge 35-E	NMPM	Lea Cou
Section 6	Township Eleveti	18-S Ran	r DF, RKB, RT, GR,	etc.)	
	///////////	CI 3	1967' KH 3982		<u> </u>
		T. diagta P	Noture of Notice	e. Report, or	Other Data
11. Check	Appropriate Box (io maicate r	Tatule of Hotel	IDSEUIEN.	T REPORT OF:
NOTICE OF	INTENTION TO	O:) St	DOEMOEN	I ILLI OILI OI
101102 01				П	ALTERING CASING
PERFORM REMEDIAL WORK	PLUG AND ABA	ANDON LJ	REMEDIAL WORK][
<u> </u>	CHANGE PLAN		COMMENCE DRILLI	NG OPNS. 🔲	PLUG AND ABANDONMEN
TEMPORARILY ABANDON	J CHANGE FLAN		1		
PULL OR ALTER CASING	_		CASING TEST AND		·
FULL ON ALTERIORISM			OTHER: DHC_Vac	uum: Atoka, Up	pper Penn & Wolfcamp
OTHER:					
12. Describe Proposed or Completed work) SEE RULE 1103.				t dates, including esti	imated date of starting any pro
DHC No. 2083 Vacuu	m. Wolfcamp. Upper	Penn, and A	toka		
DHC NO. 2003 Vacuu	m, non-oungs spre.	-		on noon the	DIU W/HH 1 do's T
	a unit. POOH w/pum	p & rods. ND	wellhead. NU B	OP. POUH W/TDG	. RIH w/bit & dc's. T & bit.
A 44 C 400 MIDII ADII 110	- cooo! Attom	t to acidize	s coale squeez	e. POUH W/ac's	Q UIL.
9/16/98 MIRU pullin	in at 4440 . ALLEIL		a scale squeez		CI . A DIMO III DAIS
fill on plu	ig at 9990 . Accemp	1500 gals 1	15% acid. flush	w/60 bbls 2% K	CL wtr. Pump 110 gais
fill on plu a/18 RIH w/pkr.	set at 9405 . Pump) TOON AG 12 3	L5% acid, flush	e VCI with	
fill on plu 9/18 RIH w/pkr, scale inhib	set at 9405 . Pump oitor w/30 bbls 2%	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	e VCI with	
fill on plu 9/18 RIH w/pkr, scale inhib ~ 9/19 Rel pkr at	set at 9405°. Pump pitor w/30 bbls 2% 9405°, POOH. RIH v	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib ~ 9/19 Rel pkr at	set at 9405°. Pump pitor w/30 bbls 2% 9405°, POOH. RIH v	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib ~ 9/19 Rel pkr at	set at 9405 . Pump oitor w/30 bbls 2%	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib > 9/19 Rel pkr at	set at 9405°. Pump pitor w/30 bbls 2% 9405°, POOH. RIH v	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib ~ 9/19 Rel pkr at	set at 9405°. Pump pitor w/30 bbls 2% 9405°, POOH. RIH v	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib ~ 9/19 Rel pkr at	set at 9405°. Pump pitor w/30 bbls 2% 9405°, POOH. RIH v	KCL wtr, flu	15% acid, flush ush w/180 bbls 2 . Tag fill on pl	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib 9/19 Rel pkr at knock plug 9/20 RIH w/2 7/8	set at 9405 . Pump ofter w/30 bbls 2% 9405', POOH. RIH v to bottom. RIH to B" tbg. ND BOP. NU	KCL wtr, flu v/dc's & bit. PBTD. Circ o wellhead. R	15% acid, flush ush w/180 bbls 2. Tag fill on pluclean. POOH. IH w/pump & rods	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
fill on plu 9/18 RIH w/pkr, scale inhib > 9/19 Rel pkr at	set at 9405 . Pump ofter w/30 bbls 2% 9405', POOH. RIH v to bottom. RIH to B" tbg. ND BOP. NU	KCL wtr, flu v/dc's & bit. PBTD. Circ of wellhead. R	15% acid. flush ush w/180 bbls 2. Tag fill on pluclean. POOH. IH w/pump & rods	% KCL wtr. ug at 9984°. D	Orill on CIBP at 10,00
9/18 RIH w/pkr. scale inhib 9/19 Rel pkr at knock plug 9/20 RIH w/2 7/8	set at 9405. Pullphiliphiliphiliphiliphiliphiliphiliph	KCL wtr, flu v/dc's & bit. PBTD. Circ of wellhead. R	15% acid, flush ush w/180 bbls 2. Tag fill on pluclean. POOH. IH w/pump & rods	% KCL wtr. ug at 9984°. D	orill on CIBP at 10,00
9/18 RIH w/pkr. scale inhib 9/19 Rel pkr at knock plug 9/20 RIH w/2 7/8	set at 9405 . Pump ofter w/30 bbls 2% 9405', POOH. RIH v to bottom. RIH to B" tbg. ND BOP. NU	KCL wtr, flu v/dc's & bit. PBTD. Circ of wellhead. R	15% acid. flush ush w/180 bbls 2. Tag fill on pluclean. POOH. IH w/pump & rods	% KCL wtr. ug at 9984°. D	Orill on CIBP at 10,00
9/18 RIH w/pkr. scale inhib 9/19 Rel pkr at knock plug 9/20 RIH w/2 7/8	set at 9405. Pullphilor w/30 bbls 2% 9405", POOH. RIH v to bottom. RIH to B" tbg. ND BOP. NU	KCL wtr, flu v/dc's & bit. PBTD. Circ of wellhead. R	15% acid. flush ush w/180 bbls 2. Tag fill on pluclean. POOH. IH w/pump & rods	% KCL wtr. ug at 9984°. D	Orill on CIBP at 10.00 RD pulling unit.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY_