District I PO Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV PO Box 2088, Santa Fe, NM 87504-2088

Date:

11-25-96

Phone:

(915) 682-8873

## State of New Mexico Energy, Minerais & Natural Resources Department

## OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-101 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

## AMENDED REPORT

## APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE Operator Name and Address. <sup>1</sup> OGRID Number CROSS TIMBERS OPERATING COMPANY 005380 3000 N. Garfield, Suite 175 <sup>2</sup> API Number Midland, Texas 79705 30-025-33695 <sup>4</sup> Property Code <sup>3</sup> Property Name • Well No. 003355 SEI/GSAU (3355) 712 <sup>7</sup> Surface Location UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County Ρ 29 17S 33E 330 South 330 East Lea <sup>8</sup> Proposed Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Ida Feet from the North/South line Feet from the East/West line County \* Proposed Pool 1 18 Proposed Pool 2 Maljamar Grayburg San Andres (13229 Work Type Code 12 Well Type Code 13 Cable/Rotary 14 Lease Type Code <sup>15</sup> Ground Level Elevation Ν 0 R S 4,086' <sup>14</sup> Multiple 17 Proposed Depth " Formation 1º Contractor 24 Soud Date No 4,500' San Andres Lakota Drlg. Co. 12-1-96 <sup>21</sup> Proposed Casing and Cement Program Hole Size **Casing Size** Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12 - 1/4"8-5/8" 23# 400' 250 Surface 7-7/8" 5-1/2" 15.5# 4,500' 850 Surface <sup>2</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. Drill 12-1/4" hole to ±400'. Set 8-5/8" csg, circ cmt to surface. 1. Drill 7-7/8" hole to $\pm 4,500$ '. Set 5-1/2" csg, circ ant to surface. 2. 3,000 psig, hydraulic operated double ram with 3,000 psig BOPE: 11" choke manifold. Permit Expires 1 Year From Approval Date Unless Drilling Underway <sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. OIL CONSERVATION DIVISION Signature: Sollar Approved by: ORIGIPLAL SECTOR 4 Printed name: Title: Bobby Smith Title: Drilling Engineer Approval D Expiration Date: 1996

Conditions of Approval :

Attached 🛛