

N.M. Oil Conservation Division
P.O. Box 1980
Hobbs, NM 88241

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE
(See other instructions
on reverse side)

LEASE DESIGNATION AND SERIAL NO.

NM - 12115

6. IF INDIAN, ALLOTES OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.

RAWHIDE FEDERAL #1

9. API WELL NO.

30-025-33769

10. FIELD AND POOL, OR WILDCAT

CRAZY HORSE DELAWARE

11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA

Sec 24 T19S R32E

12. COUNTY OR PARISH

Lea

New Mexico

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3609 GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

7750

21. PLUG, BACK T.D., MD & TVD

3010

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

ALL

CABLE TOOLS

24. PRODUCING INTERVAL (S), OF THIS COMPLETION - TOP, BOTTOM NAME (MD AND TVD)*

Open Hole 2921-3010 Yates

25. WAS DIRECTIONAL SURVE MADE?

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL/FDC

27. WAS WELL CORED?

NO

28. CASING RECORD (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
13 3/8 J55	48#	530'	17 1/2	475 sx C	Circ
8 5/8 J55	32#	2921#	11	1400 sx Poz & C	Circ

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8	2900	Free

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
Open Hole	2921-3010	2921 - 3010	2000 gal 15% HCL

PRODUCTION		WELL STATUS (Producing or shut-in)	
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump)		
1-28-98	Pump	S.I.	
DATE OF TEST	HOURS TESTED	CHOKES SIZE	PROD'N. FOR TEST PERIOD
10-4-98	24	1"	1
FLOW, TUBING PRESS	CASING PRESSURE	24-HOUR RATE CALCULATED	OIL-BBL.
0	0		1
			GAS-MCF.
			TST M
			WATER-BBL.
			2
34. DISPOSITION OF (Sold, used for fuel, vented, etc.)			OIL GRAVITY-API (CORE)
Vented			
35. LIST OF ATTACHMENTS			TEST WITNESSED BY
Logs			

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED Justica Pando TITLE Production Clerk DATE 3/21/99

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

ACCEPTED FOR RECORD
PETER W. CHESTER
JUN 8 1999
BUREAU OF LAND MANAGEMENT
WELL RESOURCE UNIT

CT

ROSWELL, NM
BLM

MAY 24 1999

RECEIVED

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				T/Salt B/Salt To Yates 7 Rivers Deleware Bone Springs	1113 2700 29.55 3253 5175 7677	