OIL CONSERVATION DIVISION 2040 South Pacheco Street Santa Fe, New Mexico 87505 (505) 827-7131

ADMINISTRATIVE ORDER NO. WFX-742

APPLICATION OF THE WISER OIL COMPANY TO EXPAND ITS WATERFLOOD PROJECT IN THE MALJAMAR GRAYBURG-SAN ANDRES POOL IN EDDY COUNTY, NEW MEXICO.

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Division Order No. R-10094, The Wiser Oil Company has made application to the Division on October 1, 1998 for permission to expand its Caprock Maljamar Unit Waterflood Project in the Maljamar Grayburg-San Andres Pool in Eddy County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been filed in due form.
- (2) Satisfactory information has been provided that all offset operators have been duly notified of the application.
- (3) No objection has been received within the waiting period as prescribed by Rule 701(B).
- (4) The proposed injection wells are eligible for conversion to injection under the terms of Rule 701.
- (5) The proposed expansion of the above referenced waterflood project will not cause waste nor impair correlative rights.
 - (6) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant, The Wiser Oil Company, be and the same is hereby authorized to inject water into the Grayburg and San Andres formations at approximately 4128 feet to approximately 4652 feet through 2 7/8-inch plastic or fiberglass lined tubing set in a packer located within 100 feet of the uppermost injection perforations in the following described wells for purposes of secondary recovery to wit:

Caprock Maljamar Unit Well No.98

660' FSL & 660' FWL – Unit 'M' Injection Interval: 4128 feet to 4362 feet Packer Setting: 4109 feet Maximum Injection Pressure: 826 psig

Caprock Maljamar Unit Well No.283

1033' FSL & 1975' FEL – Unit 'O' Injection Interval: 4415 feet to 4652 feet Packer Setting: 4371 feet Maximum Injection Pressure: 883 psig

Both in Section 28, Township 17 South, Range 33 East, Eddy County, New Mexico.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection wells to no greater than .2 psi per foot of depth to the uppermost injection perforations or casing shoe.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the Grayburg or San Andres formations. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Artesia district office of the Division of the date and time of the installation of injection equipment and of the mechanical integrity tests so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Artesia district office of the Division of the failure of the tubing, casing or packer in said wells and shall take such steps as may be timely and necessary to correct such failure or leakage.

The subject wells shall be governed by all provisions of Division Order No. R-10094 and Rules 702-706 of the Division Rules and Regulations not inconsistent herewith.

PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject wells, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

DONE at Santa Fe, New Mexico, on this 26th day of October, 1998.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

LORI WROTENBERY

Director

SEAL

LW/BES/kv

cc: Oil Conservation Division - Artesia

Case File No.10931



J.C. EASLEY INC.

P.O. Box 245 88211-0245 119 South Roselawn, Suite 302 Artesia, New Mexico 88210

November 4, 1998

Telephone (505) 746-1070 Fax (505) 746-1073

Ms. Mary Jo Turner The Wiser Oil Company P. O. Box 2568 Hobbs, New Mexico 88241

Re:

CMU C-108 Approval #WFX-742

Lea County, New Mexico

Dear Mary Jo:

Enclosed for your files is the New Mexico Oil Conservation Division's Administrative Order #WFX-742 approving the C-108 on the Caprock Maljamar Unit which was submitted 9-30-98. You will notice the order places the Caprock Maljamar Unit in Eddy County and I have notified the Oil Conservation Division in Santa Fe of the error.

Sincerely,

J. O. EASLEY, INC.

Bonita L. Limpus Jones Consulting Landman

/bj Enclosures

cc: New Mexico Oil Conservation Division - Hobbs