

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p> <p>1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> D&A</p>		<p>WELL API NO. 30-025-35038</p> <p>5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/></p> <p>6. State Oil & Gas Lease No.</p> <p>7. Lease Name or Unit Agreement Name: REEVES WEST [25906]</p>
<p>2. Name of Operator [6137] Wally Frank, Sr Ops Engr DEVON ENERGY PRODUCTION COMPANY, L.P. (405) 552-4595</p>	<p>8. Well No. 1</p>	
<p>3. Address of Operator 20 NORTH BROADWAY, SUITE 1500, OKC, OK 73102 (405) 235-3611</p>		<p>9. Pool name or Wildcat Vacuum, South (Wolfcamp) [62360]</p>
<p>4. Well Location SHL: Unit Letter M : 330 feet from the SOUTH line and 330 feet from the WEST line Unit Letter : feet from the line and feet from the line Section 15 Township 18S Range 35E NMPM LEA County</p>		
<p>10. Elevation (Show whether DR, RKB, RT, GR, etc.) GL 3902', DF 3918', KB 3919'</p>		

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: Spud thru **D&A** **PA** ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

This well spud on 07-20-2000 at 2030 hrs. Drld 17 1/2" hole to 509'. On 07-21-2000 ran 12 jts 13 3/8" 54.5# H-40 ST&C csg, set at 508'; cmt'd w/472 sx Class C; TOC at surface. WOC 21 hrs.

Drld 12 1/4" hole to 3792'. On 07-26-2000 ran 86 jts 8 5/8" 32# J-55 ST&C csg, set at 3791'; cmt'd w/1550 sx Pozmix C; TOC at surface. WOC 22 hrs.

Drld 7 7/8" hole. Reached TD 10,500' at 0930 hrs 08-13-2000. Schlumberger ran Azimuthal Laterolog Micro-CFL/NGT and Three Detector Litho-Density/Compensated Neutron/NGT logs. Ran four DST's: #1 at 8434-8497', #2 at 8500-8796', #3 at 10,250-10,500', and #4 at 8501-8773'; see attached reports.

Set cement plugs from 9900' to surface; total 168 sx Class H + 240 sx Class C; drilling mud between each plug. (Cement plug details on reverse.) Cut off 8 5/8" csg and welded on dry hole marker. Reeves West #1 was **D&A** at 2000 hrs 08-20-2000. Released rig at 0500 hrs 08-21-2000.

PA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Candace R. Graham TITLE Engineering Tech. DATE November 7, 2000
Type or print name Candace R. Graham Telephone No. (405) 235-3611 X4520

(This space for State use)

APPROVED BY Johnny Robinson TITLE DATE MAY
Conditions of approval, if any:

GWW

dp

07-20-2000 thru 08-21-2000 (Continued from the front)

Plugging details are as follows.

RU BJ AND PLUGGED BACK HOLE AS FOLLOWS
SET CMT F/9900-9800' (30 SX CLASS H NEAT)
POH TO 8913'
SET CMT F/8913-8776' (38 SX CLASS H) 15.6 @ 1.8 YIELD
PLUG IN PLACE @ 0415 HRS 08-17-2000
POH TO 8776' AND CIRC HOLE
OCD NOTIFIED, NO ANSWER, LEFT MESSAGE ON RECORDER.
RU BJ AND SET D&A PLUGS AS FOLLOWS

TIH TO 6906'
SET PLUG #1 (50 SX OF CLASS C NEAT) F/6906' TO 6806'
LD 56 JTS OF DP
SET PLUG #2 (50 SX OF CLASS C NEAT) F/5100' TO 5000'
LD 40 JTS OF DP
SET PLUG #3 (50 SX OF CLASS C & 2% CC) F/3840' TO 3740'
POH W/10 STDS; WOC; TIH, TAGGED @ 3686'
POH, LD 62 JTS
SET PLUG #4 (35 SX OF CLASS C NEAT) F/1850' TO 1750'
POH, LD 40 JTS
SET PLUG #5 (35 SX OF CLASS C NEAT & 2% CC) F/560' TO 460'
POH, WOC; TIH, TAGGED @ 448'
POH, LD 15 JTS
SET PLUG #6 @ 90', CIRCULATED TO SURFACE W/20 SX CLASS C NEAT
LAST PLUG IN PLACE @ 2000 HRS 8/20/2000
RD LD MACHINE; ND BOP; JET AND CLEAN PITS.
HOLE D&A @ 2000 HRS 08-20-2000; RIG RELEASED @ 0500 HRS 8/21/00
PLUGGING PROCEDURE AS PER GARY WINK OCD REPRESENTATIVE.