

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	1370	T. Canyon	
T. Salt	1535	T. Strawn	12070
B. Salt	2810	T. Atoka	12415
T. Yates	2990	T. Miss (Upper)	13520
T. 7 Rivers	3480	T. Devonian	
T. Queen	4195	T. Silurian	
T. Grayburg	4805	T. Montoya	
T. San Andres		T. Simpson	
T. Glorieta		T. McKee	
T. Paddock		T. Ellenburger	
T. Blinberry		T. Gr. Wash	
T. Tubb		T. Delaware Sand	5395
T. Drinkard		T. Bone Springs	7410
T. Abo		T. BSPG 1 st Sd	8705
T. Wolfcamp	10590	T. BSPG 2 nd Sd	9285
T. Penn	11375	T. BSPG 3 rd Sd	10295
T. Cisco (Bough C)		T. Morrow Clastics	13030

Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn. "A"	T.

**OIL OR GAS SANDS
OR ZONES**

No. 1, from 13258 to 13264 Gas
No. 2, from 13276 to 13285 Gas

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
0	1370	1370	Red Beds
1370	2810	1440	Salt, Anhydrite
2810	4805	1995	Anhydrite, Dolostone, Sandstone
4805	5395	590	Dolostone, Sandstone
5395	7410	2015	Sandstone, Dolostone
7410	8705	1295	Limestone, Dolostone
8705	10590	1885	Siltstone, Dolostone, SS
10590	11375	785	Limestone, Shale
11375	12070	695	Shale, Limestone
12070	12415	345	Limestone
12415	12730	300	Shale, SS & Limestone
12730	13030	300	Limestone, Shale
13030	13520	490	Shale, SS, Limestone
13520	13650	130	Limestone, Shale

From	To	Thickness In Feet	Lithology