

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

FILE IN TRIPLICATE

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

2040 Pacheco St.
Santa Fe, NM 87505

DISTRICT II
811 S. 1st Street, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

WELL API NO.	30-025-35349
5. Indicate Type of Lease	FED <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	NORTH HOBBS (G/SA) UNIT
8. Well No.	644
9. Pool name or Wildcat	HOBBS (G/SA)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101 FOR SUCH PROPOSALS.)	
1. Type of Well:	Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator	Occidental Permian Ltd.
3. Address of Operator	1017 W. Stanolind Rd., HOBBS, NM 88240 505/397-8200
4. Well Location	Unit Letter L : 1639 Feet From The SOUTH Line and 638 Feet From The WEST Line Section 27 Township 18S Range 38E NMPM LEA County
10. Elevation (Show whether DF, RKB, RT GR, etc.)	3634 GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: NEW WELL COMPLETION <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work)
SEE RULE 1103.

1. RUPU. Move in workstring.
2. Drill cmt @3516' and DV tool @3531". Clean out to PBTD @4503'.
3. Perforate 4350-4498. Using 4 JSPF, 90 degree phased.
4. RU Halliburton and PPI acidize w/3500 g 15% HCL acid.
5. RIH w/REDA ESP production equipment on 142 jts 2-7/8" tbg.

New well is on production

Rig Up Date: 02/19/01
Rig Down Date : 02/26/01

Rig Up Date: 03/02/01
Rig Down Date: 03/06/01

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robert Gilbert TITLE SR. ENGR. TECH DATE 03/18/2001
TYPE OR PRINT NAME ROBERT GILBERT TELEPHONE NO. 505/397-8206

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY:

APR 2 2001