

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

OCD

RE

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☐ OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

C.E. LARUE AND B.N. MUNCY, JR.

3. ADDRESS OF OPERATOR

PO BOX 1370 ARTESIA, NM 88211-1370

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1980' FNL AND 660' FEL SECTION 5, T18S, R32E

14. PERMIT NO.

30-025-00840

15. ELEVATIONS (Show whether OF, RT, CR, etc.)

5. LEASE DESIGNATION AND SERIAL NO.

8910086380 LE-029402-11

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

PEARSALL QUEEN SAND UNIT

8. FARM OR LEASE NAME

9. WELL NO.

TRACT 1 WELL #1

10. FIELD AND POOL, OR WILDCAT

PEARSALL QUEEN

11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA

SEC. 5 T18S, R32E

12. COUNTY OR PARISH

LEA

13. STATE
NM

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

SUBSEQUENT REPORT OF

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

PROPOSE TO PLUG AND ABANDON THIS WELL.

OUR RECORDS INDICATE THAT 7" CASING WAS SET AT 3650' W/100 SACKS CEMENT. TOP OF CEMENT AT 2851'. WELL PRODUCED OPEN HOLE FROM 3650' - 3755'. 7" CASING IS COLLAPSED AT @ 2800'. 3 ATTEMPTS HAVE BEEN MADE TO CLEAN OUT BACK TO BOTTOM, BUT INSTEAD WE GO OUTSIDE THE CASING.

PROPOSE TO SET 50 SACK PLUG AT COLLAPSING POINT (@ 2800'). CUT & PLUG CASING AT FREE POINT. SET 50 SACK PLUG IN AND OUT OF 7" STUB.

SET 50 SACK PLUG IN AND OUT OF 10 3/4" SHOE AT 600'.

SET 20 SACK PLUG AT SURFACE.

MUD BETWEEN PLUGS. INSTALL DRY HOLE MARKER. CLEAN LOCATION.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE OPERATOR

DATE 2-9-96

(This space for Federal or State office use)

APPROVED BY

Sup. Signed by Shannon J. Shaw

TITLE

LAND MANAGEMENT ENGINEER

DATE

3/28/96

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



OPERATOR: C.E. Larue B.N. Muncy, Jr.



WELL: Pearsall Queen Sand Unit Tr 1 #1 LEASE No. LC-029403(A)

LOCATION: SEC. 5 T, 18S R, 32E ; 1980' FNL & 660' FEL

☐ SECRETARY'S POTASH ☐ R-111-P ☒ WATER BASIN: Lea County

☒ OTHER: See Note @ bottom of page.

ENGINEER: SJS



***NOTE:** Records on this well are somewhat questionable with regard to casing sizes and setting depths. BLM must exercise discretion at time of plugging to accommodate the inconsistencies. P&A plan as submitted should be sufficient regardless of csg. size or setting depth. (SJS)