



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

P. O. Box 187  
Artesia, New Mexico

February 27, 1956


Sinclair Oil and Gas Company  
520 East Broadway  
Hobbs, New Mexico

Re: Oil and Gas Lease  
CT 663591

Gentlemen:

Your "Subsequent report of Abandonment" dated January 24, 1956, covering your well No. 1-Border located in the NW<sup>1</sup>/<sub>4</sub>, section 28, T. 19 S., R. 33 E., Wilcox Area, Lea County, New Mexico, is hereby approved.

Very truly yours,

  
John A. Frost  
District Engineer


JAF:mm  
Inspected by John A. Frost  
February 13, 1956

*Handwritten initials: RTH*

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



100-100000



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau 42-R358.3.  
Approval expires 12-31-55.

Land Office Las Cruces  
Lease No. 063591  
Unit Federal Order

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input checked="" type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

*Carder*  
Well No. 1 is located 660 ft. from N line and 660 ft. from E line of sec. 29  
1/4 Section 29 19 13E  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wilcox Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

to 100'. SET 354' to 363' - Recovered 2750' sulfur water with no oil or gas.  
Dry Hole 100'. Filled hole with heavy mud and spotted 75 sack cement plug from 3330'  
to 100', 25 sack cement plug from 2703' to 2704' - Base of salt.  
25 sack cement plug from 1230' to 1296' - Top of salt.  
25 sack cement plug from 250' to 305' - Surface pipe.  
15 sack cement bottom of cellar with 1" regulation marker 1' above  
surface level.

Per verbal phone approval as of this date per Mr. Frost.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Simclair Oil & Gas Company

Address 570 E. Broadway

Albuquerque, New Mexico

By [Signature]

Title District Superintendent

Orig & Rec: 1000  
cc: Mr. J. M. file